

Product Catalogue 2019

Batteries and Chargers




Camelion®
More Energy Solutions

www.camelionbattery.com



More Energy Solutions



**Try us out
today!**

- **Primary Batteries**
- **Micro Batteries**
- **Rechargeable Batteries and Chargers**
- **Promotional Accessories**

CONTENT

Primary Batteries

Digi Alkaline	5
Plus Alkaline	7
Super Heavy Duty (Blue)	12
Super Heavy Duty (Green)	15
Lithium P7	18
9V Lithium	18
Photo Lithium	19

Micro Batteries

Lithium	20
Alkaline	20
Hearing Aid Zinc Air	21
Battery Tester	22
Battery Selection Chart	23

Rechargeable Batteries

AlwaysReady	25
Ni-MH	29
ICR18650 lithium	30

Battery Chargers

BC-0907	31
BC-1007	31
BC-0905A	32
BC-1002A/BC-1002C	32
BC-1001A/BC-1001B	33
BC-1009	33
BC-1010B	34

BC-1020B	34
BC-0904S	35
BC-0906S	35
BC-0805A/BC-0805B	36
BC-0807F/BC-0807S	36
LBC-313/LBC-313-1	37
LBC-305	37
LBC-316	38
LBC-321	38
Battery Charging Time Table	39

Promotional Accessories 40

Primary Batteries



Digi Alkaline Batteries

Camelion Digi Alkaline Batteries are the right solution for many electronic devices including cameras, smart lock, smart sensor and boom boxes. Through innovative technology they offer extend power for high drain devices.



LR20-BP2DG

1.5V D

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	48 packs/carton

Gross Weight:	15.0 kg
Volume:	0.0157 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2DG

1.5V C

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	96 packs/carton

Gross Weight:	14.3 kg
Volume:	0.0227 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR6-BP4DG

1.5V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:	15.22 kg
Volume:	0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2DG

1.5V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	216 packs/carton

Gross Weight:	12.6 kg
Volume:	0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR03-BP4DG

1.5V AAA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:	15.9 kg
Volume:	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2DG

1.5V AAA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:	9.1 kg
Volume:	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6LR61-BP1DG

9V

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	11.2 kg
Volume:	0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

LR6-PBH24DG

1.5V AA



Packaging

Plastic Box	24 pcs/box	Gross Weight:	16.3 kg
Inner Box	12 packs/box	Volume:	0.0142 cbm
Outer Carton	24 packs/carton		

Dimensions

Plastic Box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	285(L) x 225(W) x 80(H)
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)

LR03-PBH24DG

1.5V AAA



Packaging

Plastic Box	24 pcs/box	Gross Weight:	8.8 kg
Inner Box	12 packs/box	Volume:	0.0084 cbm
Outer Carton	24 packs/carton		

Dimensions

Plastic Box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	220(L) x 200(W) x 65(H)
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)

LR6-PB24DG

1.5V AA



Packaging

Plastic Box	24 pcs/box	Gross Weight:	14.1 kg
Inner Box	6 packs/box	Volume:	0.0149 cbm
Outer Carton	24 packs/carton		

Dimensions

Plastic Box (mm)	98(W) x 75(H) x 50(D)
Inner Box (mm)	237(L) x 200(W) x 65(H)
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)

LR03-PB24DG

1.5V AAA



Packaging

Plastic Box	24 pcs/box	Gross Weight:	7.4 kg
Inner Box	6 packs/box	Volume:	0.0091 cbm
Outer Carton	24 packs/carton		

Dimensions

Plastic Box (mm)	76(W) x 60(H) x 44(D)
Inner Box (mm)	190(L) x 165(W) x 60(H)
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)

Plus Alkaline Batteries

Camelion Plus Alkaline Batteries offer reliable and long lasting power for your devices. The batteries are specialized to deliver stable and long lasting current, supporting devices such as remote control, toys, smart lock, smart sensor and electronic gaming devices.



LR20-BP2

1.5V D

Packaging		
Blister	2 pcs/pack	Gross Weight: 15.0 kg
Inner Box	6 packs/box	Volume: 0.0157 cbm
Outer Carton	48 packs/carton	

Dimensions		
Blister (mm)	84(W) x 114(H) x 34(D)	
Inner Box (mm)	160(L) x 110(W) x 92(H)	
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)	



LR14-BP2

1.5V C

Packaging		
Blister	2 pcs/pack	Gross Weight: 14.3 kg
Inner Box	6 packs/box	Volume: 0.0227 cbm
Outer Carton	96 packs/carton	

Dimensions		
Blister (mm)	84(W) x 114(H) x 27(D)	
Inner Box (mm)	140(L) x 90(W) x 92(H)	
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)	



LR6-BP4

1.5V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 15.22 kg
Inner Box	12 packs/box	Volume: 0.0185 cbm
Outer Carton	144 packs/carton	

Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)	



LR6-BP2

1.5V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.6 kg
Inner Box	12 packs/box	Volume: 0.0251 cbm
Outer Carton	216 packs/carton	

Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)	



4&2LR6V-BP

1.5V AA

Packaging		
Blister	6 pcs/pack	Gross Weight: 11.8 kg
Inner Box	12 packs/box	Volume: 0.0160 cbm
Outer Carton	72 packs/carton	

Dimensions		
Blister (mm)	125(W) x 114(H) x 15(D)	
Inner Box (mm)	132(L) x 105(W) x 138(H)	
Outer Carton (cm)	41.5(L) x 29.5(W) x 13(H)	



4&4LR6

1.5V AA

Packaging		
Blister	8 pcs/pack	Gross Weight: 15.5 kg
Inner Box	12 packs/box	Volume: 0.0199 cbm
Outer Carton	72 packs/carton	

Dimensions		
Blister (mm)	168(W) x 114(H) x 15(D)	
Inner Box (mm)	175(L) x 140(W) x 10.8(H)	
Outer Carton (cm)	43.5(L) x 19.0(W) x 24.0(H)	



LR6-BP4x4

1.5V AA

Packaging		
Blister	8 pcs/pack	Gross Weight: 15.4 kg
Inner Box	12 packs/box	Volume: 0.0182 cbm
Outer Carton	72 packs/carton	

Dimensions		
Blister (mm)	84(W) x 114(H) x 29(D)	
Inner Box (mm)	190(W) x 138(H) x 95(D)	
Outer Carton (cm)	29(L) x 20.5(W) x 30.5(H)	



LR03-BP4x4

1.5V AAA

Packaging		
Blister	8 pcs/pack	Gross Weight: 15.9 kg
Inner Box	12 packs/box	Volume: 0.0239 cbm
Outer Carton	144 packs/carton	

Dimensions		
Blister (mm)	84(W) x 144(H) x 22(D)	
Inner Box (mm)	145(L) x 121(W) x 90(H)	
Outer Carton (cm)	37.8(L) x 31.5(W) x 20.0(H)	



LR03-BP4

1.5V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	16.03kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	33.0(L) x 26.5(W) x 29.0(H)



LR03-BP2

1.5V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



4&2LR03V-BP

1.5V AAA

Packaging		Gross Weight:
Blister	6 pcs/pack	12.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0207 cbm

Dimensions

Blister (mm)	125(W) x 114(H) x 11(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



4&4LR03

1.5V AAA

Packaging		Gross Weight:
Blister	8 pcs/pack	8.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0147 cbm

Dimensions

Blister (mm)	168(W) x 114(H) x 11(D)
Inner Box (mm)	175(L) x 130(W) x 85(H)
Outer Carton (cm)	40.5(L) x 19.0(W) x 19.0(H)



6LR61-BP1

9V

Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



3LR12-BP1

4.5V

Packaging		Gross Weight:
Blister	1 pcs/pack	16.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0295 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 23(D)
Inner Box (mm)	160(L) x 75(W) x 86(H)
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)



LR1-BP2

1.5V N

Packaging		Gross Weight:
Blister	2 pcs/pack	6.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	192 packs/carton	0.0181 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 12(D)
Inner Box (mm)	116(L) x 45(W) x 86(H)
Outer Carton (cm)	36.2(L) x 25.0(W) x 20.0(H)



LR8D425-BP2

1.5V AAAA

Packaging		Gross Weight:
Blister	2 pcs/pack	6.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	128(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 27.6(W) x 28.0(H)

LR6-DBP24

1.5V AA

Packaging		Gross Weight:
Blister	24 pcs/pack	15 kg
Inner Box	12 packs/box	Volume:
Outer Carton	24 packs/carton	0.0153 cbm

Dimensions

Blister (mm)	187(W) x 119(H) x 36(D)
Inner Box (mm)	248(L) x 128(W) x 190(H)
Outer Carton (cm)	27.5(L) x 26.5(W) x 21.0(H)



LR03-DBP24

1.5V AAA

Packaging		Gross Weight:
Blister	24 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	24 packs/carton	0.010 cbm

Dimensions

Blister (mm)	162(W) x 110(H) x 29(D)
Inner Box (mm)	210(L) x 118(W) x 166(H)
Outer Carton (cm)	25.5(L) x 23.0(W) x 18.5(H)



4+2LR6-BP



1.5V AA

Packaging		
Shrink	6 pcs/pack	Gross Weight: 11.8 kg
Inner Box	12 packs/box	Volume: 0.0160 cbm
Outer Carton	72 packs/carton	

Dimensions

Shrink (mm)	125(W) x 114(H) x 15(D)
Inner Box (mm)	132(L) x 105(W) x 138(H)
Outer Carton (cm)	41.5(L) x 29.5(W) x 13(H)

4+2LR03-BP



1.5V AAA

Packaging		
Shrink	6 pcs/pack	Gross Weight: 12.8 kg
Inner Box	12 packs/box	Volume: 0.0207 cbm
Outer Carton	144 packs/carton	

Dimensions

Shrink (mm)	125(W) x 114(H) x 11(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)

8+4LR6-BP



1.5V AA

Packaging		
Shrink	12 pcs/pack	Gross Weight: 15.0 kg
Inner Box	6 packs/box	Volume: 0.0190 cbm
Outer Carton	48 packs/carton	

Dimensions

Shrink (mm)	125(W) x 114(H) x 29(D)
Inner Box (mm)	132(L) x 100(W) x 137(H)
Outer Carton (cm)	29.5(L) x 28.5(W) x 22.5(H)

8+4LR03-BP



1.5V AAA

Packaging		
Shrink	12 pcs/pack	Gross Weight: 12.2 kg
Inner Box	6 packs/box	Volume: 0.0207 cbm
Outer Carton	72 packs/carton	

Dimensions

Shrink (mm)	125(W) x 114(H) x 21(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



LR20-SP2

1.5V D

Packaging		
Shrink	2 pcs/pack	Gross Weight: 16.7 kg
Inner Box	6 packs/box	Volume: 0.0122 cbm
Outer Carton	60 packs/carton	

Dimensions

Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	35.5(L) x 15.0(W) x 23.0(H)



LR14-SP2

1.5V C

Packaging		
Shrink	2 pcs/pack	Gross Weight: 16.6 kg
Inner Box	6 packs/box	Volume: 0.0123 cbm
Outer Carton	120 packs/carton	

Dimensions

Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	107(L) x 81(W) x 56(H)
Outer Carton (cm)	29.5(L) x 22.5(W) x 18.5(H)



LR6-SP4

1.5V AA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 17.8 kg
Inner Box	15 packs/box	Volume: 0.0096 cbm
Outer Carton	180 packs/carton	

Dimensions

Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	23.5(L) x 21.5(W) x 19.0(H)



LR03-SP4

1.5V AAA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 14.7 kg
Inner Box	15 packs/box	Volume: 0.0084 cbm
Outer Carton	300 packs/carton	

Dimensions

Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	29.0(L) x 20.0(W) x 14.5(H)



6LR61-SP1

9V

Packaging		
Shrink	1 pcs/pack	Gross Weight: 11.4 kg
Inner Box	12 packs/box	Volume: 0.0083 cbm
Outer Carton	240 packs/carton	

Dimensions

Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 23.0(W) x 12.5(H)



LR6-SP10

1.5V AA

Packaging		
Shrink	10 pcs/pack	Gross Weight: 10 kg
Inner Box	20 packs/box	Volume: 0.0064 cbm
Outer Carton	2 boxes/carton	

Dimensions

Inner Box (mm)	150(L) x 147(W) x 110(H)
Outer Carton (cm)	23.5(L) x 16.0(W) x 17.0(H)



LR03-SP10

1.5V AAA

Packaging		
Shrink	10 pcs/pack	Gross Weight: 9.9 kg
Inner Box	40 packs/box	Volume: 0.0064 cbm
Outer Carton	2 boxes/carton	

Dimensions

Inner Box (mm)	213(L) x 110(W) x 100(H)
Outer Carton (cm)	23.5(L) x 22.5(W) x 12.0(H)

Shrink Wrap Packaging and Display Boxes

Handy Packaging!

Our shrink wrap packaging and display boxes help keep your batteries where you need them, with minimum fuss.

- Convenient & Easy to open
- Self-standing, sturdy display boxes
- Many sizes and shapes available
- Securely hold several batteries
- Professional, branded card inserts and designs for effective messaging



LR20-PB4

1.5V D



Packaging		
Plastic Box	4 pcs/box	Gross Weight: 14.8 kg
Inner Box	6 packs/box	Volume: 0.0191 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	89(L) x 84(W) x 62 (H)
Inner Box (mm)	260(L) x 185(W) x 75(H)
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)

LR14-PB4

1.5V C



Packaging		
Plastic Box	4 pcs/box	Gross Weight: 7.6 kg
Inner Box	6 packs/box	Volume: 0.0112 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	73(L) x 68(W) x 50(H)
Inner Box (mm)	210(L) x 152(W) x 61(H)
Outer Carton (cm)	32.0(L) x 22.5(W) x 15.5(H)

LR6-PB24

1.5V AA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 14.1 kg
Inner Box	6 packs/box	Volume: 0.0149 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	98(L) x 75(W) x 50(H)
Inner Box (mm)	237(L) x 200(W) x 65(H)
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)

LR03-PB24

1.5V AAA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 7.4 kg
Inner Box	6 packs/box	Volume: 0.0091 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	76(L) x 60(W) x 44(H)
Inner Box (mm)	190(L) x 165(W) x 60(H)
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)

6LR61-PB6

9V



Packaging		
Plastic Box	6 pcs/box	Gross Weight: 7.8 kg
Inner Box	6 packs/box	Volume: 0.0105 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	71(L) x 68(W) x 49 (H)
Inner Box (mm)	210(L) x 148(W) x 60(H)
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)



CM-FA-01

Size	LR6	LR03	6LR61	C Size Adaptors	D Size Adaptors	BT-0503
Pcs	10	8	2	4	4	1

Outer Carton 10 boxes/carton

Gross Weight 8.0 kg Volume 0.0206 cbm

Dimensions

Plastic Box (mm)	255(L) x 173(W) x 37(H)
Outer Carton (cm)	35.8(L) x 26.7(W) x 21.5(H)

LR6-PBH24

1.5V AA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 16.3 kg
Inner Box	12 packs/box	Volume: 0.0142 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	285(L) x 225(W) x 80(H)
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)

LR03-PBH24

1.5V AAA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 8.8 kg
Inner Box	12 packs/box	Volume: 0.0084 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	220(L) x 200(W) x 65(H)
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)

LR6-PBH12

1.5V AA



Packaging		
Plastic Box	12 pcs/box	Gross Weight: 15.2 kg
Inner Box	24 packs/box	Volume: 0.0127 cbm
Outer Carton	48 packs/carton	

Dimensions

Plastic Box (mm)	55(L) x 95(W) x 34(H)
Inner Box (mm)	195(L) x 170(W) x 142(H)
Outer Carton (cm)	36.5(L) x 21.0(W) x 16.5(H)

LR03-PBH12

1.5V AAA



Packaging		
Plastic Box	12 pcs/box	Gross Weight: 7.5 kg
Inner Box	24 packs/box	Volume: 0.0069 cbm
Outer Carton	48 packs/carton	

Dimensions

Plastic Box (mm)	49(L) x 72(W) x 26(H)
Inner Box (mm)	150(L) x 150(W) x 110(H)
Outer Carton (cm)	32.0(L) x 16.5(W) x 13.0(H)



Super Heavy Duty Batteries

Camelion Zinc Carbon Batteries are perfect solutions for small household electronic devices that require continuous power supply such as clocks, flashlights, remote controls and transistor radios. Raw materials such as manganese dioxide and zinc/ammonium chloride are consumed to provide the battery a leakage proof structure.



R20P-BP2B

1.5V D

Packaging		Gross Weight:
Blister	2 pcs/pack	14.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	72 packs/carton	0.0229 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.0(L) x 29.0(W) x 23.5(H)



R14P-BP2B

1.5V C

Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0315 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	137(L) x 86(W) x 86(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)



R6P-BP4B

1.5V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0272cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R6P-BP2B

1.5V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0272cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R03P-BP4B

1.5V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



R03P-BP2B

1.5V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	7.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6F22-BP1B

9V

Packaging		Gross Weight:
Blister	1 pcs/pack	11.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0310 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.0(W) x 25.5(H)



4+2R6PBS-BP

1.5V AA

Packaging		
Shrink	6 pcs/pack	Gross Weight: 9.24 kg
Inner Box	12 packs/box	Volume: 0.0227 cbm
Outer Carton	96 packs/carton	

Dimensions

Shrink (mm)	84(W) x 114(H) x 30(D)
Inner Box (mm)	185(L) x 133(W) x 90(H)
Outer Carton (cm)	39.0(L) x 28.7(W) x 20.3(H)



4+2R03PBS-BP

1.5V AAA

Packaging		
Shrink	6 pcs/pack	Gross Weight: 5.59 kg
Inner Box	12 packs/box	Volume: 0.0172 cbm
Outer Carton	96 packs/carton	

Dimensions

Shrink (mm)	84(W) x 114(H) x 22(D)
Inner Box (mm)	148(L) x 120(W) x 90(H)
Outer Carton (cm)	39.0(L) x 26.0(W) x 17.0(H)



R20P-SP2B

1.5V D

Packaging		
Shrink	2 pcs/pack	Gross Weight: 13.9 kg
Inner Box	6 packs/box	Volume: 0.0147 cbm
Outer Carton	72 packs/carton	

Dimensions

Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	29.0(L) x 22.0(W) x 23.0(H)



R14P-SP2B

1.5V C

Packaging		
Shrink	2 pcs/pack	Gross Weight: 14.7 kg
Inner Box	6 packs/box	Volume: 0.0129 cbm
Outer Carton	144 packs/carton	

Dimensions

Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	104(L) x 78(W) x 50(H)
Outer Carton (cm)	25.5(L) x 23.0(W) x 22.0(H)



R6P-SP4B

1.5V AA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 18.5 kg
Inner Box	15 packs/box	Volume: 0.0127cbm
Outer Carton	240 packs/carton	

Dimensions

Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	30.5(L) x 22.0(W) x 19.0(H)



R03P-SP4B

1.5V AAA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 10.0 kg
Inner Box	15 packs/box	Volume: 0.0083 cbm
Outer Carton	300 packs/carton	

Dimensions

Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	28.5(L) x 20.0(W) x 14.5(H)



6F22-SP1B

9V

Packaging		
Shrink	1 pcs/pack	Gross Weight: 17.8 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	480 packs/carton	

Dimensions

Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 22.5(W) x 22.0(H)

R6P-SP8B

1.5V AA



Packaging		
Shrink	8 pcs/pack	Gross Weight: 18.5 kg
Inner Box	20 packs/box	Volume: 0.0147 cbm
Outer Carton	6 boxes/carton	
Dimensions		
Inner Box (mm)	150(L) x 118(W) x 110(H)	
Outer Carton (cm)	34.5(L) x 25.0(W) x 17.0(H)	



R6P-SP24B

1.5V AA

Packaging		
Shrink	24 pcs/pack	Gross Weight: 18.4 kg
Inner Box	10 packs/box	Volume: 0.0144 cbm
Outer Carton	4 boxes/carton	
Dimensions		
Inner Box (mm)	175(L) x 150(W) x 110(H)	
Outer Carton (cm)	31.5(L) x 19.0(W) x 24.0(H)	

R03P-SP8B

1.5V AAA



Packaging		
Shrink	8 pcs/pack	Gross Weight: 19.7 kg
Inner Box	40 packs/box	Volume: 0.0141 cbm
Outer Carton	6 boxes/carton	
Dimensions		
Inner Box (mm)	170(L) x 110(W) x 100(H)	
Outer Carton (cm)	31.5(L) x 23.5(W) x 19.0(H)	



R03P-SP24B

1.5V AAA

Packaging		
Shrink	24 pcs/pack	Gross Weight: 19.4 kg
Inner Box	10 packs/box	Volume: 0.0143 cbm
Outer Carton	8 boxes/carton	
Dimensions		
Inner Box (mm)	130(L) x 110(W) x 100(H)	
Outer Carton (cm)	27.5(L) x 23.5(W) x 22.0(H)	

R20P-PB4B

1.5V D



Packaging		
Plastic Box	4 pcs/box	Gross Weight: 10.1 kg
Inner Box	6 packs/box	Volume: 0.0191 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	89(L) x 84(W) x 62(H)	
Inner Box (mm)	260(L) x 185(W) x 75(H)	
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)	



R14P-PB4B

1.5V C

Packaging		
Plastic Box	4 pcs/box	Gross Weight: 5.9 kg
Inner Box	6 packs/box	Volume: 0.0112 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	73(L) x 68(W) x 50(H)	
Inner Box (mm)	210(L) x 152(W) x 61(H)	
Outer Carton (cm)	32(L) x 22.5(W) x 15.5(H)	

R6P-PB24B

1.5V AA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 11.7 kg
Inner Box	6 packs/box	Volume: 0.0149 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	98(L) x 75(W) x 50(H)	
Inner Box (mm)	237(L) x 200(W) x 65(H)	
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)	



R03P-PB24B

1.5V AAA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 6.8 kg
Inner Box	6 packs/box	Volume: 0.0091 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	76(L) x 60(W) x 44(H)	
Inner Box (mm)	190(L) x 165(W) x 60(H)	
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)	

6F22-PB6B

9V



Packaging		
Plastic Box	6 pcs/box	Gross Weight: 6.5 kg
Inner Box	6 packs/box	Volume: 0.0105 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	71(L) x 68(W) x 49(H)	
Inner Box (mm)	210(L) x 148(W) x 60(H)	
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)	



CM-FSB-01

Size	LR6	LR03	6LR61	R14P	R20P	BT-0503
Pcs	10	8	2	4	4	1

Outer Carton	10 boxes/carton
Gross Weight	10.1kg
Volume	0.0206 cbm
Dimensions	
Plastic Box (mm)	255(L) x 173(W) x 37(H)
Outer Carton (cm)	35.8(L) x 26.7(W) x 21.5(H)

R6P-PBH24B

1.5V AA



Packaging		
Plastic Box	24 pcs/box	Gross Weight: 12.4 kg
Inner Box	12 packs/box	Volume: 0.0142 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	108(L) x 92(W) x 32(H)	
Inner Box (mm)	285(L) x 225(W) x 80(H)	
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)	



R03P-PBH24B

1.5V AAA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 7.0 kg
Inner Box	12 packs/box	Volume: 0.0084 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	96(L) x 70(W) x 26(H)	
Inner Box (mm)	220(L) x 200(W) x 65(H)	
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)	



R20P-BP2G

1.5V D

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	72 packs/carton

Gross Weight:	14.1 kg
Volume:	0.0238cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 29.0(W) x 24.5(H)



R14P-BP2G

1.5V C

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	144 packs/carton

Gross Weight:	14.3 kg
Volume:	0.0315 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	137(L) x 86(W) x 86(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)



R6P-BP4G

1.5V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	15.9 kg
Volume:	0.0272cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R6P-BP2G

1.5V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	9.2 kg
Volume:	0.0272cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R03P-BP4G

1.5V AAA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:	11.1 kg
Volume:	0.0237cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



R03P-BP2G

1.5V AAA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:	7.5 kg
Volume:	0.0237cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6F22-BP1G

9V

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	11.4 kg
Volume:	0.0310 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.0(W) x 25.5(H)



R6P-BP10G

1.5V AA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	12.1 kg
Volume:	0.0239 cbm

Dimensions

Blister (mm)	84(W) x 165(H) x 15(D)
Inner Box (mm)	315(L) x 104(W) x 90(H)
Outer Carton (cm)	33.0(L) x 30.5(W) x 23.0(H)



R6P-BP1x10GP

1.5V AA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	12.4 kg
Volume:	0.0264 cbm

Dimensions

Blister (mm)	135(W) x 225(H) x 15.5(D)
Inner Box (mm)	235(L) x 105(W) x 147(H)
Outer Carton (cm)	33.0(L) x 25.0(W) x 32.0(H)



R03P-BP1x10GP

1.5V AAA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	8.0 kg
Volume:	0.0216 cbm

Dimensions

Blister (mm)	135(W) x 225(H) x 11.5(D)
Inner Box (mm)	235(L) x 85(W) x 147(H)
Outer Carton (cm)	27.0(L) x 25.0(W) x 32.0(H)



4+2R6PG-BP

1.5V AA

Packaging		Gross Weight:
Blister	6 pcs/pack	7.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0160 cbm
Dimensions		
Blister (mm)	125(W) x 114(H) x 15(D)	
Inner Box (mm)	132(L) x 105(W) x 138(H)	
Outer Carton (cm)	41.5(L) x 29.5(W) x 13.0(H)	



4+2R03PG-BP

1.5V AAA

Packaging		Gross Weight:
Blister	6 pcs/pack	9.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0207 cbm
Dimensions		
Blister (mm)	125(W) x 114(H) x 11(D)	
Inner Box (mm)	132(L) x 75(W) x 125(H)	
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)	



8+4R6PG-BP

1.5V AA

Packaging		Gross Weight:
Blister	12 pcs/pack	9.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0190 cbm
Dimensions		
Blister (mm)	125(W) x 114(H) x 29(D)	
Inner Box (mm)	132(L) x 100(W) x 137(H)	
Outer Carton (cm)	29.5(L) x 28.5(W) x 22.5(H)	



8+4R03PG-BP

1.5V AAA

Packaging		Gross Weight:
Blister	12 pcs/pack	7.8 kg
Inner Box	6 packs/box	Volume:
Outer Carton	72 packs/carton	0.0207 cbm
Dimensions		
Blister (mm)	125(W) x 114(H) x 21(D)	
Inner Box (mm)	132(L) x 75(W) x 125(H)	
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)	



R20P-SP2G

1.5V D

Packaging		Gross Weight:
Shrink	2 pcs/pack	13.4 kg
Inner Box	6 packs/box	Volume:
Outer Carton	72 packs/carton	0.0147 cbm
Dimensions		
Shrink (mm)	66(W) x 61(H) x 33(D)	
Inner Box (mm)	137(L) x 103(W) x 68(H)	
Outer Carton (cm)	29.0(L) x 22.0(W) x 23.0(H)	



R14P-SP2G

1.5V C

Packaging		Gross Weight:
Shrink	2 pcs/pack	13.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0129 cbm
Dimensions		
Shrink (mm)	52(W) x 50(H) x 26(D)	
Inner Box (mm)	104(L) x 78(W) x 50(H)	
Outer Carton (cm)	25.5(L) x 23.0(W) x 22.0(H)	



R6P-SP4G

1.5V AA

Packaging		Gross Weight:
Shrink	4 pcs/pack	14.7 kg
Inner Box	15 packs/box	Volume:
Outer Carton	240 packs/carton	0.0127cbm
Dimensions		
Shrink (mm)	56(W) x 50(H) x 14(D)	
Inner Box (mm)	174(L) x 72(W) x 50(H)	
Outer Carton (cm)	30.5(L) x 22.0(W) x 19.0(H)	



R03P-SP4G

1.5V AAA

Packaging		Gross Weight:
Shrink	4 pcs/pack	10.0 kg
Inner Box	15 packs/box	Volume:
Outer Carton	300 packs/carton	0.0083 cbm
Dimensions		
Shrink (mm)	40(W) x 44.5(H) x 10(D)	
Inner Box (mm)	125(L) x 52(W) x 45(H)	
Outer Carton (cm)	28.5(L) x 20.0(W) x 14.5(H)	



6F22-SP1G

9V

Packaging		Gross Weight:
Shrink	1 pcs/pack	19.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	480 packs/carton	0.0144 cbm
Dimensions		
Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)	
Inner Box (mm)	105(L) x 52(W) x 50(H)	
Outer Carton (cm)	29.0(L) x 22.5(W) x 22.0(H)	



4R25-SP1G

6V

Packaging		Gross Weight:
Shrink	1 pcs/pack	6.7 kg
Inner Box	6 packs/box	Volume:
Outer Carton	12 packs/carton	0.0090 cbm
Dimensions		
Shrink (mm)	68.2(W) x 68.2(H) x 115 (D)	
Inner Box (mm)	205(L) x 135(W) x 120(H)	
Outer Carton (cm)	29.0(L) x 22.0(W) x 14.0(H)	



R20P-PB4G

1.5V D

Packaging		
Plastic Box	4 pcs/box	Gross Weight: 9.5 kg
Inner Box	6 packs/box	Volume: 0.0191 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	89(L) x 84(W) x 62(H)
Inner Box (mm)	260(L) x 185(W) x 75(H)
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)



R14P-PB4G

1.5V C

Packaging		
Plastic Box	4 pcs/box	Gross Weight: 5.4 kg
Inner Box	6 packs/box	Volume: 0.0112 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	73(L) x 68(W) x 50(H)
Inner Box (mm)	210(L) x 152(W) x 61(H)
Outer Carton (cm)	32(L) x 22.5(W) x 15.5(H)



R6P-PB24G

1.5V AA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 9.4 kg
Inner Box	6 packs/box	Volume: 0.0149 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	98(L) x 75(W) x 50(H)
Inner Box (mm)	237(L) x 200(W) x 65(H)
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)



R03P-PB24G

1.5V AAA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 5.5 kg
Inner Box	6 packs/box	Volume: 0.0091 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	76(L) x 60(W) x 44(H)
Inner Box (mm)	190(L) x 165(W) x 60(H)
Outer Carton (cm)	34(L) x 20.5(W) x 13(H)



6F22-PB6G

9V

Packaging		
Plastic Box	6 pcs/box	Gross Weight: 6.5 kg
Inner Box	6 packs/box	Volume: 0.0105 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	71(L) x 68(W) x 49(H)
Inner Box (mm)	210(L) x 148(W) x 60(H)
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)



CM-FSG-01

Size	LR6	LR03	6LR61	R14P	R20P	BT-0503
Pcs	10	8	2	4	4	1

Outer Carton 10 boxes/carton

Gross Weight 9.1kg Volume 0.0206 cbm

Dimensions

Plastic Box (mm)	255(L) x 173(W) x 37(H)
Outer Carton (cm)	35.8(L) x 26.7(W) x 21.5(H)



R6P-PBH24G

1.5V AA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 10.1 kg
Inner Box	12 packs/box	Volume: 0.0142 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	285(L) x 225(W) x 80(H)
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)



R03P-PBH24G

1.5V AAA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 5.7 kg
Inner Box	12 packs/box	Volume: 0.084 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic Box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	220(L) x 200(W) x 65(H)
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)

Lithium P⁷ Batteries

Camelion Lithium P7™ Batteries offer a unique combination of lightness and high energy density. As Camelion's most powerful primary battery, the P7 batteries offer unbeatable performance for your high drain devices such as cameras, smart home water meter and other devices. The maximum Storage life of this type of battery is 10 years.



FR6-BP4

1.5V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0166 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	27.5(L) x 28.0(W) x 21.5(H)



FR6-BP2

1.5V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



FR03-BP4

1.5V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	12.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



FR03-BP2

1.5V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	8.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



9V Lithium Battery

Camelion 9V Lithium Battery is a high capacity battery designed to provide long lasting life and stable operating voltage.

- 9V 1200mAh capacity
- Up to 5X Longer Lasting*
- Low Self Discharge
- Anti Leakage Crimp Design
- Temperature Range -20°C to +55°C
- Non-rechargeable
- 10 Years Shelf Life
- High and Stable Operating Voltage

*compare with camelion alkaline battery 6LR61. Camelion 2014 Lab Tests.



CR9V-BP1

9V

Packaging		Gross Weight:
Blister	1 pcs/pack	8.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Photo Lithium Batteries

Camelion Photo Batteries are ideal for a wide range of cameras, flashlights, meters and more.



CR123A-BP1

3V

Packaging		Gross Weight:
Blister	1 pcs/pack	5.5 kg
Inner Box	10 packs/box	Volume:
Outer Carton	200 packs/carton	0.0243 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 17.5(D)
Inner Box (mm)	118(L) x 95(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 21.5(H)



CR2-BP1

3V

Packaging		Gross Weight:
Blister	1 pcs/pack	4.5 kg
Inner Box	10 packs/box	Volume:
Outer Carton	200 packs/carton	0.0215 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 16.5(D)
Inner Box (mm)	118(L) x 85(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 19.0(H)



CR-P2-BP1

6V

Packaging		Gross Weight:
Blister	1 pcs/pack	10.0 kg
Inner Box	10 packs/box	Volume:
Outer Carton	200 packs/carton	0.0265 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 20.5(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)



2CR5-BP1

6V

Packaging		Gross Weight:
Blister	1 pcs/pack	10.0 kg
Inner Box	10 packs/box	Volume:
Outer Carton	200 packs/carton	0.0265 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)

Micro Batteries

Camelion Micro Batteries provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc air chemistries, They are suitable for car keys, calculators, laser pointers, hearing aids and many other electronic gadgets.

Lithium

3V



ITEM	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME(CBM)
CR1216-BP1	56 x 92 x 3 1 PCS / BLISTER	98 x 37 x 58 10 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.5	0.0451
CR1220-BP1				8.0	
CR1225-BP1				8.0	
CR1616-BP1				8.0	
CR1620-BP1				8.5	
CR1632-BP1				10.4	
CR2016-BP1				9.5	
CR2025-BP1				11.0	
CR2032-BP1				12.0	
CR2320-BP1				11.5	
CR2330-BP1				13.0	
CR2430-BP1				13.5	
CR2450-BP1				17.5	
CR927-BP1				14.0	
CR2016-BP2	55 x 92 x 6 4 PCS / BLISTER	145 x120 x 58 40 PACKS	30.6 x 25.6 x 31.5 800 PACKS	8.64	0.0247
CR2025-BP2				9.76	
CR2032-BP2				10.4	
CR1216-BP5	55x 190 x 6 5 PCS / BLISTER	190 x 30 x 57 10 PACKS	29.0 x 22.0 x 26.0 360 PACKS	4.5	0.0165
CR1220-BP5				4.5	
CR1225-BP5				5.0	
CR1616-BP5				5.5	
CR1620-BP5				5.5	
CR2016-BP5				6.5	
CR2025-BP5				8.0	
CR2032-BP5				9.0	

Alkaline

1.5V

0%Hg



ITEM(0%Hg)	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME (CBM)
AG0-BP2(0%Hg)	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	7.0	0.0379
AG1-BP2(0%Hg)				7.0	
AG2-BP2(0%Hg)				7.8	
AG3-BP2(0%Hg)				8.0	
AG4-BP2(0%Hg)				7.0	
AG5-BP2(0%Hg)	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.0	0.0451
AG6-BP2(0%Hg)				8.0	
AG7-BP2(0%Hg)	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	8.5	0.0379
AG8-BP2(0%Hg)				9.0	
AG9-BP2(0%Hg)				9.0	
AG10-BP2(0%Hg)				10.0	
AG11-BP2(0%Hg)				7.0	
AG12-BP2(0%Hg)	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	11.0	0.0451
AG13-BP2(0%Hg)				13.0	
625A(0%Hg)	56 x 92 x 7 1 PC / BLISTER	146 x 98 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	18.0	0.0451
AG0-BP10(0%Hg)	50 x 160 x 5 10 PCS / BLISTER	170 x 40 x 52 10 PACKS	50.0 x 20.0 x 20.0 360 PACKS	4.0	0.0198
AG1-BP10(0%Hg)				4.0	
AG2-BP10(0%Hg)				4.5	
AG3-BP10(0%Hg)				5.0	
AG4-BP10(0%Hg)				4.0	
AG5-BP10(0%Hg)				6.5	
AG6-BP10(0%Hg)				5.0	
AG7-BP10(0%Hg)				5.5	
AG8-BP10(0%Hg)				6.0	
AG9-BP10(0%Hg)				6.0	
AG10-BP10(0%Hg)				7.0	
AG11-BP10(0%Hg)				4.0	
AG12-BP10(0%Hg)				8.7	
AG13-BP10(0%Hg)				10.0	
FB01-BP12(0%Hg)	84 x 190 x 13.5 12 PCS / BLISTER	191 x 78 x 85 12 PACKS	33.5 x 21.0 x 28.0 144 PACKS	7.5	0.0197
AGVP01-BP24(0%Hg)	130 x 200 x 6.5 24 PCS / BLISTER	207 x 150 x 50 12 PCS / BLISTER	47.0 x 43.0 x 23.0 12 PCS / BLISTER	13.5	0.0465

Alkaline 0% Hg



ITEM(0% Hg)	Voltage(V)	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CAR- TON LxWxH(cm)	G.W.(KG)	VOLUME (CBM)
A23-BP1(0%Hg)	12V	56 x 92 x 10 1 PC / BLISTER	125 x 95 x 58 20 PACKS	39.5 x 30.5 x 31.5 900 PACKS	8.6	0.0380
A27-BP1(0%Hg)	12V				8.0	
A32-BP1(0%Hg)	9V				7.1	
A23-BP5(0%Hg)	12V	50x 160 x 10 5 PCS / BLISTER	170 x 65 x 52 10 PACKS	42.0 x 36.0 x 18.0 360 PACKS	18.0	0.0273
A27-BP5(0%Hg)	12V				12.0	
A32-BP5(0%Hg)	9V				10.2	

Hearing Aid Zinc Air 1.45V 0% Hg

Camelion Hearing Aid Batteries are light and reliable. They packages are specially designed for easy storage and easy to use.



ITEM(0% Hg)	WxHxD (mm)	PACKAG- ING	WxHxD (mm)	INNER BOX	WxHxD (mm)	INNER CARTON	WxHxD (cm)	SHIPPING CARTON	G.W.(KG)	VOLUME (CBM)
A13-BP6(0%Hg)	48 x 90 x 6.5	6PCS/Blister	92 x42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	6.5	0.0242
A10-BP6(0%Hg)	48 x 90 x 4.5	6PCS/Blister	92 x32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.0	0.0196
A675-BP6(0%Hg)	48 x 90 x 6.5	6PCS/Blister	92 x42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	9.5	0.0242
A312-BP6(0%Hg)	48 x 90 x 4.5	6PCS/Blister	92 x32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.5	0.0196

Batteries Tester

Camelion Batteries




BT-0503

Test AA, AAA, C, D, 9V



Main Features

- Quickly determines if battery needs charging or replacing.
- On the spot testing – just insert and check LED.
- Compact & light.

• Insert battery: Observe polarity



• Check LED indicator: If LED fluctuates press slightly



RED: NO CHARGE
Immediately
REPLACE or RECHARGE




BT-0506

Tests AA, AAA, C, D, 9V
and some models of button cell

Main Features

- Easy to Read LCD Display for displaying real time battery conditions.
- Three-color Scale and Voltage Level for easily reading the battery voltage and power conditions.
- Wide Usage Available to test most 1.5V and 9V batteries.
- Retractable Test Arm easily adapts to different battery types.
- Compact and Portable.




BT-0507

Tests 1.5V AA/AAA/C/D dry batteries; 1.5V button cell batteries; 9V rechargeable Ni-MH/Ni-Cd or dry batteries.

Main Features

- Easy to Observe Pointer for indicates real time battery conditions.
- Three Color Scale for to easily check reading the power conditions.
- Wide Usage can test almost all 1.5V and 9V batteries.
- Rotatable Test Arm easily adapts to different battery types.
- Portable



Battery Selection Chart

Digi Alkaline Batteries	
	
Plus Alkaline Batteries	
	
Super Heavy Duty Batteries	
	
Lithium P7 Batteries	
	
Photo Lithium Batteries	
	
9V Lithium Battery	
	
Micro Batteries: Lithium	
	
Micro Batteries: Alkaline	
	
Hearing Aid Zinc Air	
	

Please Note:

These are suggested recommendations only.

For the most accurate information please refer to your device manufacturer's manual.

Camelion is not responsible for accidents resulting from the use of this information

Rechargeable

AlwaysReady® Batteries

Camelion AlwaysReady is a pre-charged, long-life, energize and money saving rechargeable battery which can withhold power for up to two years. Its outstanding cost-performance ratio makes it compatible with conventional dry-cell batteries and other rechargeable batteries.

Hyper —

- Excellent energy recovery for photo flashes
- Capacity for over 1500 photo flashes
- Shortest output interval, 10% - 15% faster



NH-AA2000HPBP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	10.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2000HPBP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2000HPBC4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	12.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0190 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 19(D)
Inner Box (mm)	134(L) x 140(W) x 97(H)
Outer Carton (cm)	30.0(L) x 28.8(W) x 22.0(H)



NH-AA2000HPBC2


1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0363 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 19(D)
Inner Box (mm)	134(L) x 140(W) x 97(H)
Outer Carton (cm)	41.0(L) x 30.0(W) x 29.5(H)

Pre-charged, long-life and economic, withhold power for up to two years.



NH-AA2500ARBP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	12.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500ARBP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	13.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2300ARBP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)




NH-AA2300ARBP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2100ARBP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2100ARBP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA900ARBP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	9.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)




NH-AAA900ARBP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	8.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)




NH-AAA800ARBP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	9.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA800ARBP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	8.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-9V200ARBP1

9V

Packaging		Gross Weight:
Blister	1 pcs/pack	12.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0385 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)



NH-AA1000ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.4 kg Volume: 0.0144 cbm
Inner Box	12 packs/box	
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA1000ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.4 kg Volume: 0.0274 cbm
Inner Box	12 packs/box	
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA800ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.4 kg Volume: 0.0144 cbm
Inner Box	12 packs/box	
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA800ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.4 kg Volume: 0.0274 cbm
Inner Box	12 packs/box	
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA600ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.4 kg Volume: 0.0144 cbm
Inner Box	12 packs/box	
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)




NH-AA600ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.4 kg Volume: 0.0274 cbm
Inner Box	12 packs/box	
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA600ARBP4

1.2V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight: 8.6 kg Volume: 0.0168 cbm
Inner Box	12 packs/box	
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600ARBP2

1.2V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight: 7.9 kg Volume: 0.0269 cbm
Inner Box	12 packs/box	
Outer Carton	240 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AA2500ARBP1

1.2V AA

Packaging		
Blister	1 pcs/pack	Gross Weight: 15.04 kg Volume: 0.0310 cbm
Inner Box	24 packs/box	
Outer Carton	384 packs/carton	

Dimensions

Blister (mm)	50(W) x 117(H) x 15(D)
Inner Box (mm)	203(L) x 134(W) x 57(H)
Outer Carton (cm)	42.5(L) x 28.8(W) x 25.3(H)



NH-AAA800ARBP1

1.2V AAA

Packaging		
Blister	1 pcs/pack	Gross Weight: 8.7 kg Volume: 0.0289 cbm
Inner Box	24 packs/box	
Outer Carton	480 packs/carton	

Dimensions

Blister (mm)	50(W) x 117(H) x 11(D)
Inner Box (mm)	163(L) x 125(W) x 57(H)
Outer Carton (cm)	34.5(L) x 27.0(W) x 31.0(H)

Energy solutions for Solar powered devices

Camelion Ni-MH rechargeable batteries are perfect solutions for outdoor solar powered equipment. The battery offers a longer life cycle and is outstanding in sustaining its energy when charged by solar powered devices. It is the ideal choice for outdoor equipments such as trail lights.



NH-AA600ARBP4(GSL)

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA600ARBP2(GSL)

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA300ARBP4(GSL)

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	8.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA300ARBP2(GSL)

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	7.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AA600ARPBH24(GSL)

1.2V AAA

Packaging		Gross Weight:
Plastic Box	24 pcs/box	5.7 kg
Inner Box	6 packs/box	Volume:
Outer Carton	12 packs/carton	0.0065 cbm

Dimensions

Plastic Box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	192(L) x 115(W) x 108(H)
Outer Carton (cm)	24.5(L) x 20.8(W) x 12.8(H)



NH-AAA300ARPBH24(GSL)

1.2V AAA

Packaging		Gross Weight:
Plastic Box	24 pcs/box	6.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	24 packs/carton	0.067 cbm

Dimensions

Plastic Box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	215(L) x 200(W) x 55(H)
Outer Carton (cm)	23.0(L) x 21.5(W) x 13.5(H)

Ni-MH Rechargeable Batteries

Camelion Ni-MH Rechargeable Battery offers high capacity and great performance, capable of 1000 recharge cycles. The battery maximize its performance under the use of high draining devices such as cameras, shavers, alarm clocks, microphones and more, providing you a better experience when using cameras and players.



NH-D1000BP2

1.2V D

Packaging		Gross Weight:
Blister	2 pcs/pack	17.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0244 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	165(L) x 135(W) x 105(H)
Outer Carton (cm)	43.5(L) x 35.0(W) x 16.0(H)



NH-D2500BP2

1.2V D

Packaging		Gross Weight:
Blister	2 pcs/pack	11.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0234 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	160(L) x 112(W) x 97(H)
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)



NH-C3500BP2

1.2V C

Packaging		Gross Weight:
Blister	2 pcs/pack	16.8 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-C2500BP2

1.2V C

Packaging		Gross Weight:
Blister	2 pcs/pack	16.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-AA2700BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	13.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2700BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	14.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2500BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	13.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA1800BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA1800BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)

> Ni-MH Rechargeable Batteries

> Lithium-ion Rechargeable Batteries



NH-AAA1100BP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	9.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 11(D)	
Inner Box (mm)	125(L) x 84(W) x 97(H)	
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)	



NH-AAA1100BP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 11(D)	
Inner Box (mm)	125(L) x 84(W) x 97(H)	
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)	



NH-AAA800BP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	7.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 11(D)	
Inner Box (mm)	125(L) x 84(W) x 97(H)	
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)	



NH-AAA800BP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 11(D)	
Inner Box (mm)	125(L) x 84(W) x 97(H)	
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)	



NH-9V250BP1

9V Voltage: 8.4V

Packaging		Gross Weight:
Blister	1 pcs/pack	12.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0385 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 18(D)	
Inner Box (mm)	135(L) x 125(W) x 97(H)	
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)	



NH-9V200BP1

9V Voltage: 8.4V

Packaging		Gross Weight:
Blister	1 pcs/pack	11.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0385 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 18(D)	
Inner Box (mm)	135(L) x 125(W) x 97(H)	
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)	



Lithium-ion Rechargeable Batteries

- Uses up to 500 charge-discharge cycles
- Wide operating temperature range
- Holds 85% charge over 6 months



ICR18650F-22BP1

3.7V 2200

Packaging		Gross Weight:
Blister	1 pcs/pack	8.72 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0238 cbm
Dimensions		
Blister (mm)	60(W) x 130(H) x 21(D)	
Inner Box (mm)	175(L) x 135(W) x 68(H)	
Outer Carton (cm)	42.0(L) x 36.5(W) x 15.5(H)	

> Battery Charger

Offers the ultimate speed of charging. Decrease recharge time to one hour to save you more time and money

BC-0907

Charges:

1-4 x AA

1-4 x AAA



Ni-MH

Ni-Cd



Includes:



AC Adapter

Car Adapter

*Different plug models for different countries



MAIN FEATURES

- 4 Independent Charging Channels
- 6 Level Charge Protections
 - -ΔV Cut Off
 - Timer Control Protection
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Over current and Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Trickle Charge
- Worldwide Voltage
- Refresh Battery Memory Capability
- Pulse Charging Technology
- Easy to Read LCD Display



SPECIFICATIONS

AC To DC Adapter

Input: 100-240V~50/60Hz

Output: 12V --- 1.2A

Car Plug Output: 12V --- Charger

Charging Currents

4 x (1.4V --- 2200mA) AA Size

4 x (1.4V --- 800mA) AAA Size

AVAILABLE COLORS



White



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	302	229.5
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 67	125 x 205 x 67
Inner Carton		
Packs / Inner ctn	8	8
Net Weight(kg)	2.2	2.17
Gross Weight(kg)	2.5	2.48
Dimensions(L)x(W)x(H)(cm)	42 x 22 x 14	42 x 22 x 14
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	8.8	8.66
Gross Weight(kg)	10.46	10.34
Dimensions(L)x(W)x(H)(cm)	45.4 x 43.5 x 30	45.4 x 43.5 x 30
Volume(cbm)	0.0593	0.0593

BC-1007

Charges:

1-4 x AA

1-4 x AAA



Ni-MH

Ni-Cd



Include:



AC Cord

*Different plug models for different countries



MAIN FEATURES

- 4 Independent Charging Channels
- 6 Level Charge Protections
 - -ΔV Cut Off
 - Timer Control Protection 3.5 hours (1-2 cells) or 7 hours (3-4 cells)
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Worldwide Voltage
- LED Indicators

Red	Charging
Red LED Flashing	Defective / Non-rechargeable Battery / Short circuit
Green	Fully charged / Trickle

SPECIFICATIONS

Input: 100-240V~50/60Hz

Output: AA 1000mA (1-2 pcs); 500mA (3-4 pcs)

AAA 600mA (1-2 pcs); 300mA (3-4 pcs)

AVAILABLE COLORS



White



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	201.5	166
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 87	125 x 205 x 87
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	2.3	2.7
Gross Weight(kg)	3.8	3.2
Dimensions(L)x(W)x(H)(cm)	46 x 25.5 x 27	46 x 25.5 x 27
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	6.45	5.3
Gross Weight(kg)	8	6.7
Dimensions(L)x(W)x(H)(cm)	53 x 47.5 x 29	53 x 47.5 x 29
Volume(cbm)	0.0730	0.0730

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	1-2 Cells	3-4 Cells
Ni-MH AA 2700 mAh	3 h	6 h
Ni-MH AA 2000 mAh	2.5 h	4.5 h
Ni-MH AA 1500 mAh	2 h	3.5 h
Ni-MH AAA 800 mAh	100 min	3 h
Ni-Cd AA 1000 mAh	70 min	2 h
Ni-Cd AAA 300 mAh	40 min	70 min

BC-0905A


Charges:

1-4 x AA
1-4 x AAA

Ni-MH

Ni-Cd

Fast as
2h



Flip plug

*Different plug models for different countries

MAIN FEATURES

- 4 Independent Charging Channels
- 6 Level Charge Protections
 - ΔV Cut Off
 - Timer Control Protection 3.5 hours(1-2cells) or 7 hours(3-4cells)
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Over Current and Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Trickle Charge
- Switch and Match Plugs
- LED Indicators

Red	Charging
Flashing	Defective or non-rechargeable batteries / Short circuit
Green	Fully charged / trickle

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: AA: 1000mA (1-2 pcs),
500mA (3-4 pcs)
AAA: 600mA (1-2 pcs),
300mA (3-4 pcs)

AVAILABLE COLORS



White



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	153	116
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 70	125 x 205 x 70
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	2.45	1.85
Gross Weight(kg)	3	2.47
Dimensions(L)x(W)x(H)(cm)	48.5x22.5x27	48.5x22.5x27
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	4.9	3.7
Gross Weight(kg)	6.4	5.34
Dimensions(L)x(W)x(H)(cm)	51x 47 x 29	51 x 47 x 29
Volume(cbm)	0.0682	0.0682

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	1-2 Cells	3-4 Cells
Ni-MH AA 2700 mAh	3 h	6 h
Ni-MH AA 2000 mAh	2.5 h	4.5 h
Ni-MH AA 1500 mAh	2 h	3.5 h
Ni-MH AAA 800 mAh	100 min	3 h
Ni-Cd AA 1000 mAh	70 min	2 h
Ni-Cd AAA 300 mAh	40 min	70 min

BC-1002A

BC-1002C

Charges:

2 or 4 x AA
2 or 4 x AAA

Ni-MH

Ni-Cd

BC-1002C Only

Fast as
8h



Includes:



USB(BC-1002C Only) AC Cord

*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Timer Control (8 hours)
- Over Temperature Protection
- Reverse Polarity Protection
- Trickle Charge (BC-1002C)
- LED Indicators

Flashing	Charging
On	Fully charged

SPECIFICATIONS

Input: 100-240V~50/60Hz
USB input: 5V 500mA (BC1002C only)
Output: 2 x (2.8V 300mA)AA Size
2 x (2.8V 150mA)AAA Size

AVAILABLE COLORS



White

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	196	123.7
Dimensions(W) x (H) x (D)(mm)	125 x 205 x 70	125 x 205 x 70
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	3.14	1.98
Gross Weight(kg)	3.68	2.65
Dimensions(L)x (W) x (H) (cm)	46 x 24.5 x 27	46 x 24.5 x 27
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	6.28	3.96
Gross Weight(kg)	7.76	7.69
Dimensions(L)x (W) x (H)(cm)	51x 47 x 29	51 x 47 x 29
Volume(cbm)	0.0695	0.0695


CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	8 h
Ni-MH AA 2000 mAh	8 h
Ni-MH AA 1500 mAh	6 h
Ni-MH AAA 800 mAh	8 h
Ni-Cd AA 1000 mAh	4 h
Ni-Cd AAA 300 mAh	2.5 h

BC-1001A

BC-1001B

Charges:



NI-MH
NI-Cd



*Different plug models for different countries

MAIN FEATURES

- 3 Independent Charging Channels
- 12 Hours Timer Control (BC-1001A)
- Reverse Polarity Protection
- Slim and Portable
- LED Indicators (BC-1001A)

Red	Charging
Off	Fully charged

- LED Indicators (BC-1001B)

Red	Fully charged
-----	---------------

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: 2 x (1.4V $\frac{2500}{200mA}$) AA/AAA Size
 1 x (9V $\frac{2500}{25mA}$) 9V Size (BC1001A)
 1 x (9V $\frac{1600}{16mA}$) 9V Size (BC1001B)

AVAILABLE COLORS



PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	91	75.6
Dimensions(W)x(H)x(D)(mm)	87 x 172 x 50	87 x 172 x 50
Inner Carton		
Packs / Inner ctn	32	32
Net Weight(kg)	2.82	2.42
Gross Weight(kg)	3.47	3.07
Dimensions(L)x(W)x(H)(cm)	39.5 x 37.5 x 18	39.5 x 37.5 x 18
Outer Carton		
Packs / Carton	64	64
Net Weight(kg)	5.64	4.84
Gross Weight(kg)	7.34	6.54
Dimensions(L)x(W)x(H)(cm)	41 x 39 x 39	41 x 39 x 39
Volume(cbm)	0.0624	0.0624

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	BC-1001A	BC-1001B
Ni-MH AA 2000 mAh	12 h	14 h
Ni-MH AA 1500 mAh	11 h	11 h
Ni-MH AAA 800 mAh	5 h	5 h
Ni-MH 9V 200 mAh	11 h	18 h
Ni-Cd AA 1000 mAh	6 h	6 h
Ni-Cd AAA 300 mAh	2 h	2 h

BC-1009

Charges:



NI-MH
NI-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Comfortable Shell Case Design
- 2 LED Indicators

Red	Charging
Off	Fully Charged (BC1009A)

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: 2 x (1.4V $\frac{2500}{150mA}$)

AVAILABLE COLORS



PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	75	65
Dimensions(W)x(H)x(D)(mm)	90 x 172 x 72	90 x 172 x 50
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	1.2	1.04
Gross Weight(kg)	1.6	1.35
Dimensions(L)x(W)x(H)(cm)	41.5 x 20 x 22.5	36 x 20 x 20
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	2.4	2.08
Gross Weight(kg)	3.5	3.2
Dimensions(L)x(W)x(H)(cm)	43 x 42 x 24.5	42 x 37.5 x 22
Volume(cbm)	0.0443	0.0347

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	23 h
Ni-MH AA 2000 mAh	18 h
Ni-MH AA 1500 mAh	14 h
Ni-MH AAA 800 mAh	8 h
Ni-Cd AA 1000 mAh	9 h
Ni-Cd AAA 300 mAh	2.5 h

BC-1010B

Charges:

2 or 4 × AA

Ni-MH

2 or 4 × AAA

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Worldwide Voltage
- 2 LED Indicators

Red Charging or fully charged

SPECIFICATIONS

Input: 100-240V~50/60Hz

Output: 2 x (2.8V $\frac{2}{3}$ 200mA) AA/AAA

AVAILABLE COLORS



White



Black

PACKAGING

Blister	
Plug:	TUV
Weight(g)	118.2
Dimensions(W)x(H)x(D)(mm)	125 x 204 x 76
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	0.95
Gross Weight(kg)	1.3
Dimensions(L)x(W)x(H)(cm)	49.5 x 23.5 x 14
Outer Carton	
Packs / Carton	32
Net Weight(kg)	3.78
Gross Weight(kg)	5.5
Dimensions(L)x(W)x(H)(cm)	50.5 x 48.5 x 30
Volume(cbm)	0.0735

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	17 h
Ni-MH AA 2000 mAh	14 h
Ni-MH AA 1500 mAh	11 h
Ni-MH AAA 800 mAh	5 h
Ni-Cd AA 1000 mAh	6 h
Ni-Cd AAA 300 mAh	2 h

BC-1020B

Charges:

1-2 × 9V

Ni-MH

Ni-Cd



90° Flip plug



PACKAGING

Blister	
Plug:	UL
Weight(g)	/
Dimensions(W)x(H)x(D)(mm)	92 x 177.5 x 55
Inner Carton	
Packs / Inner ctn	24
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions(L)x(W)x(H)(cm)	31.2 x 28.6 x 19.2
Outer Carton	
Packs / Carton	48
Net Weight(kg)	3.5
Gross Weight(kg)	5
Dimensions(L)x(W)x(H)(cm)	32.5 x 29.8 x 40.5
Volume(cbm)	0.0392

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH 9V 250mAh	14hrs
Ni-MH 9V 200mAh	11hrs
Ni-MH 9V 120mAh	6.5hrs

MAIN FEATURES

- Charges 1-2 9V Ni-MH/Ni-Cd batteries
- 2 Independent Charging Channels
- 2 LED Indicators

Red Fully charged

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz

Output: 2 x (9V $\frac{2}{3}$ 25mA)

AVAILABLE COLORS



White



Black

BC-0904S

Charges:

2 or 4 x AA

2 or 4 x AAA

1-2 x 9V



Ni-MH

Ni-Cd



*Different plug models for different countries



MAIN FEATURES

- 2 independent Charging Channels
- Reverse Polarity Protection
- LED Indicators

Red	Charging or fully charged
-----	---------------------------

SPECIFICATIONS

Input: 120V~60Hz or 230V~50Hz

Output: 2 x (2.8V $\frac{1}{10}$ 160mA) AA size

2 x (2.8V $\frac{1}{10}$ 80mA) AAA size

2 x (9V $\frac{1}{10}$ 25mA) 9V size

AVAILABLE COLORS



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	250	146.3
Dimensions(W)x(H)x(D)(mm)	210 x 130 x 84	210 x 130 x 66
Inner Carton		
Packs / Inner ctn	4	8
Net Weight(kg)	1.1	1.17
Gross Weight(kg)	1.3	1.36
Dimensions(L)x(W)x(H)(cm)	49.5 x 9 x 21.5	41.5x21.5x13.5
Outer Carton		
Packs / Carton	16	16
Net Weight(kg)	4	2.34
Gross Weight(kg)	5.4	3.12
Dimensions(L)x(W)x(H)(cm)	51 x 39 x 23.5	43 x 23 x 29.5
Volume(cbm)	0.0468	0.0292

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
BC-0904S	
Ni-MH AA 2000 mAh	17 h
Ni-MH AA 1500 mAh	13 h
Ni-MH AAA 800 mAh	14 h
Ni-Cd AA 1000 mAh	9 h
Ni-Cd AAA 300 mAh	4.5 h
Ni-MH 9V 200 mAh	11 h

BC-0906S

Charges:

1-4 x AA

1-4 x AAA

1-4 x C or D

1-2 x 9V



Ni-MH

Ni-Cd



*Different plug models for different countries



3109300

MAIN FEATURES

- 6 independent charging channels
- Charge 1 to 4pcs of AA/AAA/C/D and 1 to 2pcs of 9V Ni-MH/Ni-Cd batteries
- Reverse Polarity Protection
- LED Indicators

Red	Charging or Fully Charged
-----	---------------------------

SPECIFICATIONS

Input: 120V~60Hz or 230V~50Hz

Output: AA, AAA, C, D: 4 x (1.4V $\frac{1}{10}$ 250mA)

9V: 2 x (9V $\frac{1}{10}$ 25mA)

AVAILABLE COLORS



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	503.8	543.8
Dimensions(W)x(H)x(D)(mm)	130 x 295 x 101	130 x 295 x 101
Inner Carton		
Packs / Inner ctn	4	4
Net Weight(kg)	2.0	2.18
Gross Weight(kg)	2.36	2.51
Dimensions(L)x(W)x(H)(cm)	31.3 x 31 x 14.3	31.3 x 31 x 14.3
Outer Carton		
Packs / Carton	16	16
Net Weight(kg)	8.06	8.7
Gross Weight(kg)	9.82	10.42
Dimensions(L)x(W)x(H)(cm)	64.5x33.3x31.5	64.5x33.3x31.5
Volume(cbm)	0.0677	0.0677

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	14 h
Ni-MH AA 2000 mAh	11 h
Ni-MH AA 1500 mAh	8 h
Ni-MH AAA 600 mAh	3 h
Ni-Cd AA 1000 mAh	5 h
Ni-Cd AAA 300 mAh	1.5 h
Ni-MH C 2500 mAh	14 h
Ni-MH D 2500 mAh	14 h
Ni-MH 9V 200 mAh	11 h

BC-0805A

BC-0805B

Charges:

1-2 x AA
1-2 x AAA

Ni-MH

Ni-Cd



BC-0805A



BC-0805B



USB Charging



Include:



USB

MAIN FEATURES

BC-0805A

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Timer Control Protection (12 Hours)
- -ΔV Cut Off
- Green LED Indicator

LED Flashing	Charging
On	Fully charged

BC-0805B

- Not Independent Charging Channels
- Reverse Polarity Protection
- Red LED Indicator

LED Flashing	Charging
On	Charging or fully charged

SPECIFICATIONS

BC-0805A

Input: 5V $\overline{\text{---}}$ 500mA

Output: 2 x (1.4V $\overline{\text{---}}$ 280mA) AA/AAA size

BC-0805B

Input: 5V $\overline{\text{---}}$ 500mA

Output: 2.8V $\overline{\text{---}}$ 150mA AA/AAA size

AVAILABLE COLORS



White



Black

PACKAGING

Blister	
Plug:	/
Weight(g)	72
Dimensions(W)x(H)x(D)(mm)	98 x 180 x 56
Inner Carton	
Packs / Inner ctn	10
Net Weight(kg)	0.62
Gross Weight(kg)	0.72
Dimensions(L)x(W)x(H)(cm)	32.3 x 18.6 x 10.3
Outer Carton	
Packs / Carton	60
Net Weight(kg)	3.7
Gross Weight(kg)	4.9
Dimensions(L)x(W)x(H)(cm)	33.5 x 38.4 x 34
Volume(cbm)	0.0438

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	BC-0805A	BC-0805B
Ni-MH AA 2300 mAh	12 h	21 h
Ni-MH AA 2000 mAh	10 h	18 h
Ni-MH AAA 1100 mAh	6 h	9 h
Ni-MH AAA 800 mAh	4.5 h	7 h
Ni-Cd AA 1000 mAh	5 h	9 h
Ni-Cd AAA 300 mAh	2 h	2.5 h

BC-0807F

BC-0807S

Charges:

1 to 4 x AA
1 to 4 x AAA

Ni-MH

Ni-Cd



BC-0807F



USB Charging



BC-0807S



PACKAGING

Blister	
Weight(g)	220
Dimensions(W) x (H) x (D)(mm)	90 x 172 x 54
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions(L)x (W) x (H) (cm)	41.0 x 22.5 x 10.5
Outer Carton	
Packs / Carton	32
Net Weight(kg)	7.04
Gross Weight(kg)	7.68
Dimensions(L)x (W) x (H)(cm)	42.2 x 23.8 x 22.0
Volume(cbm)	0.022

CHARGING TIMES

Type of Battery	Charging Times (Appr.)		
	BC-0807F		BC-0807S
	1-2 Cells	3-4 Cells	
Ni-MH AA 2700 mAh	2 h	4 h	17 h
Ni-MH AA 2000 mAh	1.5 h	3 h	14 h
Ni-MH AAA 1100 mAh	1.5 h	3 h	14 h
Ni-MH AAA 800 mAh	70 min	2.5 h	11 h
Ni-Cd AA 1000 mAh	45 min	1.5 h	6.5 h
Ni-Cd AAA 300 mAh	30 min	1 h	3.5 h

MAIN FEATURES

BC-0807F

- 4 Independent Charging Channels
- Easy to Monitor LED Charge Indicators

LED Flashing	Charging
Red	Defective or non-rechargeable batteries / short circuit
Green	Fully charged / trickle

BC-0807S

- Charging Function: 4 independent charging channels allowing to use respectively or with optional combination

- Reverse Polarity Protection: Specially designed compartment to prevent incorrect batteries polarity connection, protecting both charger and batteries

- LED Indicators:

LED Flashing	Charging
Red	Charging or fully charged

SPECIFICATIONS

BC-0807F

Input: 5V $\overline{\text{---}}$ 2A

Output: AA: 1600mA (1-2pcs), 800mA (3-4pcs)
AAA: 800mA (1-2pcs), 400mA (3-4pcs)

BC-0807S

Input: 5V $\overline{\text{---}}$ 1A

Output: AA: 4 x (1.4V $\overline{\text{---}}$ 200mA)
AAA: 4 x (1.4V $\overline{\text{---}}$ 100mA)

AVAILABLE COLORS



White



White

BC-0807F

BC-0807S

LBC-313

LBC-313-1

Charges:
Most 1.2V, 3.7V
or 7.4V Batteries



Li-ion

Ni-MH

Ni-Cd



LBC-313

LBC-313-1

*Different plug models for different countries



MAIN FEATURES

- Charges Most 1.2V, 3.7V and 7.4V Li-ion/Ni-MH/Ni-Cd batteries
- Automatic Voltage and Polarity Selection Capability
- Automatic Detect Faulty and Defective Battery
- Timer Control Protection (5hrs for Ni-MH / Cd or 10hrs for Li-ion)
- USB Output Port Design
- LED Indicators

Green LED Flashing (1 time/s)	Charging
Green LED Remain on	Fully charged
Red and Green LED Flashing:	Charging error and stop charging after a few seconds

SPECIFICATIONS

Input: DC 5V 1A

Output:

2 x (1.4V 0.7A) max (1.2V NH/NC Battery)

4.2V 0.7A max (3.7V Li-ion Battery)

8.4V 0.45A max (7.4V Li-ion Battery)

Trickle Charging current: 70mA

AVAILABLE COLORS



Black

PACKAGING

Blister		
Plug:	LBC-313	LBC-313-1
Weight(g)	92	154
Dimensions(W)x(H)x(D)(mm)	130x188.5x62	130x188.5x62
Inner Carton		
Packs / Inner ctn	10	10
Net Weight(kg)	0.65	1.35
Gross Weight(kg)	0.82	1.53
Dimensions(L)x(W)x(H)(cm)	49.2x19.8x14.2	33x25.5x14.2
Outer Carton		
Packs / Carton	40	40
Net Weight(kg)	3.7	6.1
Gross Weight(kg)	5.2	7.6
Dimensions(L)x(W)x(H)(cm)	50.5x41x30.5	52.5x34.5x30.5
Volume(cbm)	0.0704	0.0704

CHARGING TIMES

Battery Type	Battery Capacity	Charging Times (Appr.)
NP-30 3.7V Lithium-ion	1000 mAh	2.0h
CGR-320 7.4V Lithium-ion	3200 mAh	5.5h
14500 Lithium-ion	1000 mAh	2.0h
AA Ni-MH	1500 mAh	2.5h
AAA Ni-MH	800 mAh	1.5h
AA Ni-Cd	1000 mAh	2.0h
AAA Ni-Cd	300 mAh	30min

LBC-305

Charges:
1-2 x 18650



Li-ion



USB Charger



MAIN FEATURES

- Two independent charging channels
- Suitable for flat-top and high top 18650 Li-ion batteries
- Reverse polarity protection
- Over-charge protection
- Short circuit protection
- LED Indicators

Red	Charging
Green	Fully charged

SPECIFICATIONS

Input: Micro USB 5V 1A

Output: 3.7V 500mA

Caution: Specialized charger for 18650 Lithium-ion batteries

AVAILABLE COLORS



Black

PACKAGING

Blister	
Plug:	/
Weight(g)	108
Dimensions(W)x(H)x(D)(mm)	95 x 176 x 64
Inner Carton	
Packs / Inner ctn	10
Net Weight(kg)	1.075
Gross Weight(kg)	1.425
Dimensions(L)x(W)x(H)(cm)	48.5 x 19 x 10.5
Outer Carton	
Packs / Carton	40
Net Weight(kg)	4.3
Gross Weight(kg)	5.8
Dimensions(L)x(W)x(H)(cm)	50.5 x 40 x 23.5
Volume(cbm)	0.0474

CHARGING TIMES

Battery Type	Battery Capacity	Charging Times (Appr.)
18650 Lithium-ion	2600 mAh	6.5 hours
18650 Lithium-ion	2200 mAh	5.5 hours
18650 Lithium-ion	1800 mAh	4.5 hours
18650 Lithium-ion	1500 mAh	4.0 hours

LBC-316

Charges:
1-2 x 3.7V

Li-ion



MAIN FEATURES

- Smart Charging** - detects the battery status and activates deep discharged batteries. As well the multiple charging protections functions effectively prevent overcharge and undercharge, ensure charging safety and improve the cycle life of the battery.
- Two Charging Current** - adapt to different charging current according to the battery type.
- Over Charging Protection** - The battery's maximum charging voltage is accurately restricted to avoid overcharging of the battery.
- Short Circuit Protection** - warning from red LED flashing and stops charging.
- LED Indicators**

Red	Charging
Green	Fully charged
Red	- Defective batteries or Non-rechargeable battery - Reverse Polarity Protection or Short Circuit Protection active

SPECIFICATIONS

Input: Input: Micro USB 5V 2A

Output:

Max Voltage: 4.2V±0.05V

Charging Current:

500mA (The length of the battery ≤ 55mm)

1000mA (The length of the battery ≥ 57mm)

*If input equals to 5V 1A, the charging current will automatically switch to 500mA
Suitable size of Lithium-ion batteries: 17335 - 26700

AVAILABLE COLORS

Black

PACKAGING

Blister	
Plug:	/
Weight(g)	112
Dimensions(W)x(H)x(D)(mm)	95 x 176 x 57
Inner Carton	
Packs / Inner ctn	12
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions(L)x(W)x(H)(cm)	37.5 x 24.5 x 10.7
Outer Carton	
Packs / Carton	48
Net Weight(kg)	5.4
Gross Weight(kg)	6.4
Dimensions(L)x(W)x(H)(cm)	50.5 x 39 x 34.5
Volume(cbm)	0.0679

CHARGING TIMES

Battery Type	Battery Capacity	Charging Times (Appr.)
26650Li-ion	5000mAh	6.0 hours
18650Li-ion	2500mAh	3.0 hours
18650Li-ion	2000mAh	2.5 hours
18500Li-ion	1500mAh	3.5 hours
17335Li-ion	700mAh	100 min

LBC-321

Charges:
1-4 x
1.2V
3.2V
3.7V
3.85V

Ni-MH
Ni-Cd
Li-Fe
Li-ion



MAIN FEATURES

- Smart Charging** - detects the battery status and activates deep discharged batteries, as well the multiple charging protections functions effectively prevent overcharge and undercharge, ensure charging safety and improve the cycle life of the battery
- Four Charging Current** - adapt to different charging current according to the battery type
- Four Independent Charging Channels** - separately charge 1-4 batteries
- LED Indicator** - indicate each batteries' charging status
- Smart Detection** - automatically identifies Li-ion and Ni-MH batteries
- USB Output** - can perform as a charging device, charging other devices when placing one suitable battery at the right column
- Over-charging, Over-discharging, short circuit and reverse polarity protection** - protecting you from harm
- LED Indicators**

Blue LED flashing	Charging
Blue LED constant on	Fully charged

SPECIFICATIONS

Input: Micro USB 5V 2A

Output:

Charging Voltage:

1.42V 4.2V±0.05V, 3.65±0.05V 4.35±0.05V

Charging Current:

1 PCS(4th Slot Only):

2000mA/1000mA/700mA/500mA

2 PCS: 1000mA/700mA/500mA

3 PCS: 700mA/500mA

4 PCS: 500mA

USB Output Function

USB Output (Request battery at the 4th Slot)

5V 1A

AVAILABLE COLORS

Black

PACKAGING

Blister	
Plug:	155
Weight(g)	/
Dimensions(W)x(H)x(D)(mm)	130 x 205 x 51
Inner Carton	
Packs / Inner ctn	12
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions(L)x(W)x(H)(cm)	31.5 x 27.8 x 14.5
Outer Carton	
Packs / Carton	48
Net Weight(kg)	7.5
Gross Weight(kg)	8.6
Dimensions(L)x(W)x(H)(cm)	57 x 33 x 31
Volume(cbm)	0.0583

CHARGING TIMES (when charging current reach 500mAh)

Battery Type	Battery Capacity	Charging Times (Appr.)
26650Li-ion	5000mAh	12 hours
18650Li-ion	2500mAh	6.0 hours
18650Li-ion	2000mAh	5.0 hours
18500Li-ion	1500mAh	3.5 hours
17335Li-ion	700mAh	100 min
Ni-MHAA	2000mAh	5.0 hours
Ni-MHAAA	1000mAh	2.5 hours

Battery Charging Table

Notes:

The following table is the cross reference of specific Camelion battery charger against the time it takes to recharge different batteries. To use this table, first locate the model of the Camelion charger you're using, then cross check with the battery's model to identify the charging time.

Camelion Model	BC-0907	BC-1007		BC-0905A		BC-1002A	BC-1001A	BC-1001B	BC-1009	BC-1010B	BC-1020B	BC-0904S	BC-0906S	BC-0805A	BC-0805B	BC-0907F		BC-0807S	LBC-312	LBC-313
	DC in 12V/ 1.5A	1-2 cells	3-4 cells	2 cells	4 cells	BC-1002C	Voltage Cut Off									1-2 cells	3-4 cells	1-4 cells		
Timer Control	1.5h	3.5h	7.0h	3.5h	7.0h	NA		NA	NA	NA	NA	NA	NA	12h	NA	2h	4h		5h	NA
Ni-MH Batteries																				
NH-D2500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14h	NA	NA	NA	NA	NA	NA	NA
NH-C2500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14h	NA	NA	NA	NA	NA	NA	NA
NH-AA2700	80min	3h	6h	3h	6h	T/C 8h		T/C 12h	17h	23h	17h	NA	14h	T/C 12h	23h	2h	4h	17	4.5h	4.5h
NH-AA2600	80min	3h	5.5h	3h	5.5h	T/C 8h		T/C 12h	16h	22h	16h	20h	13h	T/C 12h	22h	2h	4h	17	4h	4h
NH-AA2500	80min	3h	5.5h	3h	5.5h	T/C 8h		T/C 12h	16h	22h	16h	20h	13h	T/C 12h	22h	2h	4h	17	4h	4h
NH-AA2300	70min	3h	5.5h	3h	5.5h	T/C 8h		T/C 12h	16h	21h	16h	19h	12h	T/C 12h	21h	100min	3.5h	16	4h	4h
NH-AA2200	70min	2.5h	5h	2.5h	5h	T/C 8h		T/C 12h	15h	20h	15h	19h	12h	T/C 12h	20h	100min	3.5h	16	3.5h	3.5h
NH-AA2000	60min	2.5h	4.5h	2.5h	4.5h	T/C 8h		T/C 12h	14h	18h	14h	17h	11h	10h	18h	90min	3h	14	3.5h	3.5h
NH-AA1800	60min	2h	4.5h	2h	4.5h	T/C 8h		T/C 12h	13h	17h	13h	16h	10h	9h	17h	80min	3h	13	3h	3h
NH-AA1500	50min	2h	3.5h	2h	3.5h	6h		11h	14h	11h	NA	13h	8h	8h	14h	70min	2.5h	11	2.5h	2.5h
NH-AA1100	90min	2h	4h	2h	4h	T/C 8h		6h	9h	6h	NA	17h	4.5h	4.5h	9h	90min	3h	14	100min	100min
NH-A4A1000	80min	2h	3.5h	2h	3.5h	T/C 8h		5.5h	5.5h	9h	5.5h	16h	4.5h	4.5h	8h	90min	3h	14	100min	100min
NH-A4A900	80min	100min	3.5h	100min	3.5h	T/C 8h		5h	8h	5h	NA	15h	4h	4h	8h	80min	3h	13	90min	90min
NH-A4A800	70min	100min	3h	100min	3h	T/C 8h		5h	8h	5h	NA	14h	3.5h	3.5h	7h	70min	2.5h	11	90min	90min
NH-A4A600	60min	70min	2.5h	70min	2.5h	5h		3.5h	5h	3.5h	NA	11h	3h	3h	5h	50min	2h	8	1h	1h
NH-9V250	NA	NA	NA	NA	NA	NA		14h	22h	NA	NA	14h	14h	NA	NA	NA	NA	NA	NA	NA
NH-9V200	NA	NA	NA	NA	NA	NA		11h	18h	NA	NA	11h	11h	NA	NA	NA	NA	NA	NA	NA

Notes:

NA - Not Applicable.
T/C: Charger has timer control. This is the cut off time, whether the battery is fully charged or not.
All the data is based on Camelion latest lab tests. Charging times may vary based upon temperature, product age, voltage and other conditions.
This data sheet is for customer reference purposes only and to help customers choose the appropriate product. Contents do not constitute a warranty.
For information on specific Camelion products please visit our website at www.camelionbattery.com or contact us directly at info@camelionbattery.com.

Promotional Accessories



Promotional Accessories

Maximum Impact, Minimum Space, Optimal Sales

Promote your Camelion products with maximum impact.

For the latest sales accessories and premiums please contact us at info@camelionbattery.com



Metal Floor Display

MFD-01

- 36 hooks (18cm each) ideal to withhold (ideally holds 216-540 large/medium size packages maximum)
- Use metal racks to expand each peg
- Rugged steel construction for long life
- Easy assembly by interlocking joints, no screws or hammers needed (Instructions included)
- Two horizontal display area for displaying large or heavy products (e.g. flashlight, spotlight)
- W x H x D: 60 x 35 x 170 cm



Metal Counter Display

WCD-06

- Durable furnace-tested metal finish
- 20 Racks (L=15 cm)
- Simple and lightweight design
- Dimensions: 35(L) x 35(W) x 160(H) cm

Qty for Each Hook:

AAA Size	10 packs
AA Size	7 packs
9V Size	6 packs
C Size	5 packs
D Size	4 packs

WCD-02



WCD-03



WCD-05



Metal Counter Display

- WCD-02 33 x 43 x 22 cm (6 hooks)
- WCD-03 33 x 58 x 22 cm (9 hooks)
- WCD-05 44 x 66 x 20 cm (12 hooks)

- Sturdy steel construction for long use
- Easy to see, easy to reach
- Light weight for easy portability
- Available in Metal Black



Metal Counter Display

SIZE: 30x20x65cm(12 hooks)

Qty for Each Hook:

- AAA Size: 9 packs
- AA Size: 7 packs
- 9V Size: 5 packs
- C Size: 4 packs
- D Size: 3 packs

- Sturdy steel construction for long use
- Easy to see, easy to reach
- Light weight for easy portability
- Available in Metal Black

HW-04



HW-05



HW-06



HW-07



HW-04 12 Clear Plastic Hook Racks

W x H: 7.5 x 62 cm

HW-05 12 White Plastic Hook Racks

W x H: 6.2 x 77.5 cm

HW-06 12 Black Plastic Hook Racks

W x H: 84 x 11.3 cm

HW-07 12 Clear Plastic Hook Racks

W x H: 84 x 11.3 cm



Aisle Display Box

DR-25

This new display rack is designed to make items easier to reach and retrieve. You can display different kinds of batteries according to your sales mix. It is easy to transport, easy to set up in the store and supermarkets. It also uses some new symbol like Mr. Camelion.

- Display informative images
- Clear Branding
- Light, durable materials
- Easy to place and retrieve items
- Clear Messages
- W x H x D: 34.4 x 155.6 x 28.5 cm



DR-06-SHD

DR-06-A

Aisle Display Box

Economical corrugated cardboard-retail display box are great for supermarkets, presentations and trade shows. This portable display is lightweight, easy to set up for high retail display traffic.

- Freestanding cardboard display has 20 trays, each tray is 9.5cm wide x 11.8cm high x 13cm deep
- W x H x D: 41.5 x 138.2 x 32.5 cm



Aisle Display Box

DR-16

Economical corrugated cardboard retail display box are great for supermarkets presentations and trade shows. This portable display is lightweight, easy to set up for high retail display traffic.

- Freestanding cardboard display box has 9 trays
- W x H x D: 54.8 x 38.4 x 117 cm



Aisle Display Box

DR-17

Economical corrugated cardboard retail display box are great for supermarkets, presentations and trade shows.

This portable display is lightweight, easy to set up for high retail display traffic.

- Freestanding cardboard display has 18 trays
- W x H x D: 34.5 x 42.4 x 143 cm



Desktop Cardboard Display

DR-13

This Desktop Cardboard Display is a great way of presenting products in stores, supermarket, road shows and exhibitions. Easy for both set up and transportations, a great way to hit high retail display traffic

- L x W x H: 30x20x50cm
- AA: 3 x 10 packs
- AAA: 3 x 12 packs
- C: 4 packs
- D: 3 packs
- 9V: 5 packs



Button Cell Depot

DR-20

This Camelion Button Cell Depot combined button cells of Lithium CR series, AG23, AG27, AA and AAA into a single desktop display.

Model	Quantity
CR-BP1	24pck
A23-BP1	12pck
A27-BP1	12pck



Desktop Cardboard Display Stand

DR-21

- Compactable size suitable on shelf or next to cashier
- Allows different combination of hooks for exhibition of products (hook: L=10cm)
- Dimensions (L*W*H mm): 345*150*525(*8 Depth) 75°
- Elegant design : Economical and versatile
- Environmental friendly and light: Made by paper materials

Five Options:



Keychain Torch

FL3LR41KC

It is not a battery, it is a Camelion Battery camouflage keychain torch! While batteries might not always fit in your bag or purse, the Camelion keychain torch is a perfect fit for anyone and anywhere to produce a spark of light in the dark.



Ball Pen

PN-04R



Ball Pen

PN-04B



Short-sleeved Polo-Shirt

T-06

- Durable cotton matt short sleeved polo style shirt



Caps

Comfortable golf caps with all-size fits design, in trendy corporate colors

C-01

	HB-04 Non Woven Bag • Material: Fiber • W x H x D: 38 x 34 x 10cm
	HB-05 Plastic • W x H x D: 30 x 38 x 6cm
	HB-07 Promotional Tote Bag • Material: Fiber • W x H x D: 38 x 34 x 12cm

Battery Adapter



For Rechargeable & Non-Rechargeable Batteries



AA Battery + Adapter

D or C Size

Warning:

When using two or more adapters together, avoid mixing new and used batteries, batteries with different charge levels or different brands. Don't mix adapters with actual D batteries in the device. Please insert the AA batteries into the adapter correctly. Remove battery after use, or when not in use. Store adapter separately from battery. Do not recharge battery while in the adapter.

Battery Case



Main Features

- Durable plastic case holds up to 4 AA/AAA batteries.
- Keep your batteries together and safe.



Directions

