

# **Batteries**



la l

Do not recharge or dispose of in fire • Ne pas recharger ou jeter au feu • Nicht aufladen oder ins feuer werten • No recargen in arrojer al luego • Non ricaricare e non gettare nel luoco • Niet opladen of in het vuur werpen • He перезаряжать, не бросать в огомь



MODEL LR6-BP4 LR03-BP4 LR20-BP2 LR14-BP2 6LR61-BP1 CM-FA-01

## SHELL ALKALINE BATTERIES

The Shell Alkaline Batteries have high energy density and long shelf life, holding the power for up to 10 years while in storage. With better power performance, these batteries feature no-leakage protection when serving high drain devices. Multiple grades of batteries are available in a variety of sizes to fit most applications.



LR6-BP4



LRO3-BP4



L14-BP2



LR20-BP2



- Efficient discharge and long-lasting power performance
- Sustain high-drain devices with powerful energy
- Unique anti-leakage seal technology
- Extended storage life of up to 10 years\*
- Mercury and cadmium free



6LR61-BP1



CM-FA-01

Model	Sell Unit Qty (PCS/PK)	Sell Unit Dimensions (Inches)			Inner	Inner Dimensions (Inches)			MC Qty	MC Dimensions (Inches)			POD/MC WEIGHT	CUBE
		Length	Width	Height	Qty	Length	Width	Height		Length	Width	Height	(lbs)	(cft)
LR6-BP4	AA 4PK	3.31	4.49	0.59	12	5.16	3.86	3.39	144	11.42	11.14	8.86	33.56	0.65
LR03-BP4	AAA 4PK	3.31	4.49	0.43	12	4.69	2.95	3.39	288	12.99	10.43	11.42	35.35	0.90
6LR61-BP1	9V 1PK	3.31	4.49	0.71	12	4.84	4.61	3.39	192	14.25	10.35	10.16	24.70	0.87
LR14-BP2	C 2PK	3.31	4.49	1.06	6	5.51	3.54	3.62	96	11.25	11.42	7.68	31.53	0.72
LR20-BP2	D 2PK	3.31	4.49	1.34	6	6.30	4.33	3.62	48	12.99	7.48	9.06	33.08	0.51
CM-FA-01	AA 4PK	3.8	2.76	1.02	/	/	/	/	10	11.09	10.51	8.46	33.52	0.3

<sup>\*</sup> Based on lab tests.




MODEL LR6-CB48 LR03-CB48 LR6-CB96 LR03-CB96

# SHELL BATTERIES ON-LINE SALES PACKAGE











LRO3-CB96



LR6-CB48



LRO3-CB48



Model	Sell Unit Qty	Sell Unit Dimensions (Inches)			Inner	Inner Dimensions (Inches)			MC Qty	MC Dimensions (Inches)			POD/MC WEIGHT	CUBE
	(PCS/PK)	Length	Width	Height	Qty	Length	Width	Height	, i	Length	Width	Height	(lbs)	(cft)
LR6-CB48	AA 48PCS	7.40	4.25	1.34	/	/	/	/	12	15.35	8.86	4.72	31.27	0.37
LR03-CB48	AAA 48PCS	5.51	3.74	1.02	/	/	/	/	24	11.61	8.27	6.89	32.02	0.38
LR6-CB96	AA 96PCS	8.66	7.09	1.34	/	/	/	/	6	14.6	9.06	4.72	30.63	0.37
LR03-CB96	AAA 96PCS	7.68	5.24	1.02	/	/	/	/	12	11.02	8.07	6.89	30.76	0.35



MODEL CR2032-BP1 & CR2025-BP1

# 3.0V LITHIUM BUTTON CELLS

The Shell Lithium Button Cells are reliable and safe. Despite their compact size, these button cells are designed with long shelf life and strong power output. They are the ideal choice for small energy-hungry devices such as car keys, calculators, watches, laser pointers and other similar items.



CR2032-BP1

#### **FEATURES**

- Powerful and stable performance
- Low self-discharge, long storage life
- Outstanding anti-leakage protection
- High energy density
- Mercury and cadmium free



CR2025-BP1

Model	Sell Unit Qty (PCS/PK)	Sell Unit Dimensions (Inches)			Inner	Inner Dimensions (Inches)			MC Qty	MC Dimensions (Inches)			POD/MC WEIGHT	CUBE
		Length	Width	Height	Qty	Length	Width	Height		Length	Width	Height	(lbs)	(cft)
CR2032-BP1	1PCS	2.20	3.62	0.24	10	3.86	1.46	2.28	1800	17.91	12.40	12.40	26.46	1.59
CR2025-BP1	1PCS	2.20	3.62	0.24	10	3.86	1.46	2.28	1800	17.91	12.40	12.40	26.46	1.59



**MODEL SDR-01** 

# **COUNTER DISPLAY PACKAGE**

The countertop display is a great way to present products in stores, supermarkets, road shows and exhibitions. Easy to set up and transport, it is an ideal option when trying to maximize retail exposure.



### **Package Contents**

- LR6-BP4, 2\*10PKS
- LRO3-BP, 2\*12PKS
- 6LR61-BP1, 2\*5PKS
- CR2032-BP1, 2\*24PKS
- CR2025-BP1, 1\*24PKS

Model	Sell Unit Qty (PCS/PK)	Sell Unit Dimensions (Inches)			Inner	Inner Dimensions (Inches)			MC Qty	MC Dimensions (Inches)			POD/MC WEIGHT	CUBE
		Length	Width	Height	Qty	Length	Width	Height	,	Length	Width	Height	(lbs)	(cft)
SDR-01	126PCS	11.81	7.87	19.69	/	/	/	/	25	33.66	28.4	8.66	38.58	0.141



shellsupport@camelionna.com



1-833-990-2624 Monday - Friday 9 am to 5 pm Eastern Standard Time



Camelion North America Inc. 2572 Daniel-Johnson Boulevard | 2<sup>nd</sup> Floor Laval, QC, H7T 2R3 Canada