

Camelion®

Batteries and Chargers

Primary Batteries
Rechargeable Batteries
Battery Chargers
Displays & Merchandise




Product Catalogue

www.camelionbattery.com



More Energy Solutions



**Try us out
today!**

- Primary Batteries
- Micro Batteries
- Rechargeable Batteries
- Battery Chargers
- Displays & Merchandiser

Content

Primary Batteries

Ultra Alkaline	5
Digi Alkaline	6
Plus Alkaline	7
Super Heavy Duty (Blue)	12
Super Heavy Duty (Green)	15
Lithium P7	18
9V Lithium	18
Photo Lithium	19

Micro Batteries

Lithium	20
Alkaline	20
Hearing Aid Zinc Air	21
Battery Tester	22
Battery Selection Chart	23

Rechargeable Batteries

AlwaysReady Rechargeable	25
Ni-MH Rechargeable	29
Lithium-ion Rechargeable	31
LiFePO ₄ Rechargeable	32
USB-C Lithium Rechargeable	32

Battery Chargers

BC-0907N	35	BC-1057F/BC-1057M	39
BC-0905A / BC-0905T	35	BC-1058	39
BC-1015	36	BC-1043MC	40
BC-1010B	36	BC-1046	40
BC-1092S/BC-1092M	37	LBC-305	41
BC-1091	37	LBC-316	41
BC-1009	38	LBC-321	42
BC-1056T	38	LBC-323	42

Battery Charging Time Table 43

Displays & Merchandiser Accessories



Primary Batteries

Ultra Alkaline

Camelion Ultra Alkaline Batteries are engineered to deliver maximum power for today's most energy-demanding devices such as digital cameras, camera flashes, electric shavers, smart locks, and more. As our best-performing alkaline batteries, they generate exceptional energy density, peak performance, and are always trusted for the toughest tasks.



LR6-BP4UT

1.5V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	15.22 kg
Inner Box	12 packs/box	Volume:	0.0185 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2UT

1.5V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	12.6 kg
Inner Box	12 packs/box	Volume:	0.0251 cbm
Outer Carton	216 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR03-BP4UT

1.5V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	15.9 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2UT

1.5V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.1 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)

Digi Alkaline

Camelion Digi Alkaline Batteries are perfect for many electronic devices, such as cameras, smart locks, smart sensors and boomboxes. Powered by innovative technology, these batteries offer longer lifespan for your high-drain devices.



LR20-BP2DG

1.5V D

Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2DG

1.5V C

Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR6-BP4DG

1.5V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2DG

1.5V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR03-BP4DG

1.5V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2DG

1.5V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6LR61-BP1DG

9V

Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Plus Alkaline

Camelion Plus Alkaline Batteries offer reliable and long-lasting power for your devices. The batteries are specially designed to deliver stable and long-term current, supporting devices such as remote control, toys, smart lock, smart sensors and electronic gaming devices.



LR20-BP2

1.5V D

Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2

1.5V C

Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR6-BP4

1.5V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	29.0(L) x 28.3(W) x 22.5(H)



LR6-BP2

1.5V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



4&2LR6V-BP

1.5V AA

Packaging		Gross Weight:
Blister	6 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0160 cbm

Dimensions

Blister (mm)	125(W) x 114(H) x 15(D)
Inner Box (mm)	132(L) x 105(W) x 138(H)
Outer Carton (cm)	41.5(L) x 29.5(W) x 13(H)



4&4LR6

1.5V AA

Packaging		Gross Weight:
Blister	8 pcs/pack	15.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0199 cbm

Dimensions

Blister (mm)	168(W) x 114(H) x 15(D)
Inner Box (mm)	175(L) x 140(W) x 10.8(H)
Outer Carton (cm)	43.5(L) x 19.0(W) x 24.0(H)



LR6-BP4x4

1.5V AA

Packaging		Gross Weight:
Blister	8 pcs/pack	15.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0182 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 29(D)
Inner Box (mm)	190(W) x 138(H) x 95(D)
Outer Carton (cm)	29(L) x 20.5(W) x 30.5(H)



LR03-BP4x4

1.5V AAA

Packaging		Gross Weight:
Blister	8 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0239 cbm

Dimensions

Blister (mm)	84(W) x 144(H) x 22(D)
Inner Box (mm)	145(L) x 121(W) x 90(H)
Outer Carton (cm)	37.8(L) x 31.5(W) x 20.0(H)

Plus Alkaline



LR03-BP4

1.5V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	16.03kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	33.0(L) x 26.5(W) x 29.0(H)



LR03-BP2

1.5V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.1 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



4&2LR03V-BP

1.5V AAA

Packaging

Blister	6 pcs/pack	Gross Weight:	12.8 kg
Inner Box	12 packs/box	Volume:	0.0207 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	125(W) x 114(H) x 11(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



4&4LR03

1.5V AAA

Packaging

Blister	8 pcs/pack	Gross Weight:	8.9 kg
Inner Box	12 packs/box	Volume:	0.0147 cbm
Outer Carton	72 packs/carton		

Dimensions

Blister (mm)	168(W) x 114(H) x 11(D)
Inner Box (mm)	175(L) x 130(W) x 85(H)
Outer Carton (cm)	40.5(L) x 19.0(W) x 19.0(H)



6LR61-BP1

9V

Packaging

Blister	1 pcs/pack	Gross Weight:	11.2 kg
Inner Box	12 packs/box	Volume:	0.0246 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



3LR12-BP1

4.5V

Packaging

Blister	1 pcs/pack	Gross Weight:	16.9 kg
Inner Box	6 packs/box	Volume:	0.0295 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 23(D)
Inner Box (mm)	160(L) x 75(W) x 86(H)
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)



LR1-BP2

1.5V N

Packaging

Blister	2 pcs/pack	Gross Weight:	6.3 kg
Inner Box	6 packs/box	Volume:	0.0181 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 12(D)
Inner Box (mm)	116(L) x 45(W) x 86(H)
Outer Carton (cm)	36.2(L) x 25.0(W) x 20.0(H)



LR8D425-BP2

1.5V AAAA

Packaging

Blister	2 pcs/pack	Gross Weight:	6.2 kg
Inner Box	12 packs/box	Volume:	0.0251 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	128(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 27.6(W) x 28.0(H)

Plus Alkaline



4 + 2LR6-BP

1.5V AA

Packaging		Gross Weight: 11.8 kg Volume: 0.0160 cbm
Blister	6 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	72 packs/carton	

Dimensions	
Blister (mm)	125(W) x 114(H) x 15(D)
Inner Box (mm)	132(L) x 105(W) x 138(H)
Outer Carton (cm)	41.5(L) x 29.5(W) x 13(H)



4 + 2LR03-BP

1.5V AAA

Packaging		Gross Weight: 12.8 kg Volume: 0.0207 cbm
Blister	6 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	144 packs/carton	

Dimensions	
Blister (mm)	125(W) x 114(H) x 11(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



8 + 4LR6-BP

1.5V AA

Packaging		Gross Weight: 15.0 kg Volume: 0.0190 cbm
Blister	12 pcs/pack	
Inner Box	6 packs/box	
Outer Carton	48 packs/carton	

Dimensions	
Blister (mm)	125(W) x 114(H) x 29(D)
Inner Box (mm)	132(L) x 100(W) x 137(H)
Outer Carton (cm)	29.5(L) x 28.5(W) x 22.5(H)



8 + 4LR03-BP

1.5V AAA

Packaging		Gross Weight: 12.2 kg Volume: 0.0207 cbm
Blister	12 pcs/pack	
Inner Box	6 packs/box	
Outer Carton	72 packs/carton	

Dimensions	
Blister (mm)	125(W) x 114(H) x 21(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



LR6-DBP24

1.5V AA

Packaging		Gross Weight: 15 kg Volume: 0.0153 cbm
Blister	24 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	24 packs/carton	

Dimensions	
Blister (mm)	187(W) x 119(H) x 36(D)
Inner Box (mm)	248(L) x 128(W) x 190(H)
Outer Carton (cm)	27.5(L) x 26.5(W) x 21.0(H)



LR03-DBP24

1.5V AAA

Packaging		Gross Weight: 7.7 kg Volume: 0.010 cbm
Blister	24 pcs/pack	
Inner Box	12 packs/box	
Outer Carton	24 packs/carton	

Dimensions	
Blister (mm)	162(W) x 110(H) x 29(D)
Inner Box (mm)	210(L) x 118(W) x 166(H)
Outer Carton (cm)	25.5(L) x 23.0(W) x 18.5(H)



28 + 8LR6-CB

1.5V AA

Packaging		Gross Weight: 14.0 kg Volume: 0.0083 cbm
Box	36 pcs/pack	
Inner Box		
Outer Carton	16 packs/carton	

Dimensions	
Box (mm)	253(W) x 102(H) x 15(D)
Inner Box (mm)	
Outer Carton (cm)	26.8(L) x 22.0(W) x 14.0(H)



28 + 8LR03-CB

1.5V AAA

Packaging		Gross Weight: 14.04 kg Volume: 0.0081 cbm
Box	36 pcs/pack	
Inner Box		
Outer Carton	32 packs/carton	

Dimensions	
Box (mm)	186(W) x 90(H) x 11(D)
Inner Box (mm)	
Outer Carton (cm)	37.5(L) x 20.0(W) x 10.8(H)

Plus Alkaline

LR20-SP2

1.5V D



Packaging		Gross Weight:
Shrink	2 pcs/pack	16.7 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0122 cbm

Dimensions	
Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	35.5(L) x 15.0(W) x 23.0(H)

LR14-SP2

1.5V C



Packaging		Gross Weight:
Shrink	2 pcs/pack	16.6 kg
Inner Box	6 packs/box	Volume:
Outer Carton	120 packs/carton	0.0123 cbm

Dimensions	
Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	107(L) x 81(W) x 56(H)
Outer Carton (cm)	29.5(L) x 22.5(W) x 18.5(H)

LR6-SP4

1.5V AA



Packaging		Gross Weight:
Shrink	4 pcs/pack	17.8 kg
Inner Box	15 packs/box	Volume:
Outer Carton	180 packs/carton	0.0096 cbm

Dimensions	
Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	23.5(L) x 21.5(W) x 19.0(H)

LR03-SP4

1.5V AAA



Packaging		Gross Weight:
Shrink	4 pcs/pack	14.7 kg
Inner Box	15 packs/box	Volume:
Outer Carton	300 packs/carton	0.0084 cbm

Dimensions	
Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	29.0(L) x 20.0(W) x 14.5(H)

6LR61-SP1

9V



Packaging		Gross Weight:
Shrink	1 pcs/pack	11.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0083 cbm

Dimensions	
Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 23.0(W) x 12.5(H)

LR6-SP10

1.5V AA



Packaging		Gross Weight:
Shrink	10 pcs/pack	10 kg
Inner Box	20 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm

Dimensions	
Inner Box (mm)	150(L) x 147(W) x 110(H)
Outer Carton (cm)	23.5(L) x 16.0(W) x 17.0(H)

LR03-SP10

1.5V AAA



Packaging		Gross Weight:
Shrink	10 pcs/pack	9.9 kg
Inner Box	40 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm

Dimensions	
Inner Box (mm)	213(L) x 110(W) x 100(H)
Outer Carton (cm)	23.5(L) x 22.5(W) x 12.0(H)

Shrink Wrap Packaging and Display Boxes

Convenient Packaging

Our shrink wrap packaging and display boxes help keep your batteries organized and neat.

- Convenient & easy to open
- Self-standing, sturdy display boxes
- Many sizes and shapes available
- Securely holds several batteries
- Professional, branded card inserts and designs for effective messaging



Plus Alkaline

LR20-PB4

1.5V D



Packaging

Plastic Box	4 pcs/box
Inner Box	6 boxes / inner box
Outer Carton	24 packs/carton

Gross Weight:	14.8 kg
Volume:	0.0191 cbm

Dimensions

Plastic Box (mm)	89(L) x 84(W) x 62 (H)
Inner Box (mm)	260(L) x 185(W) x 75(H)
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)

LR14-PB4

1.5V C



Packaging

Plastic Box	4 pcs/box
Inner Box	6 boxes / inner box
Outer Carton	24 packs/carton

Gross Weight:	7.6 kg
Volume:	0.0112 cbm

Dimensions

Plastic Box (mm)	73(L) x 68(W) x 50(H)
Inner Box (mm)	210(L) x 152(W) x 61(H)
Outer Carton (cm)	32.0(L) x 22.5(W) x 15.5(H)

LR6-PB24

1.5V AA



Packaging

Plastic Box	24 pcs/box
Inner Box	6 boxes / inner box
Outer Carton	24 packs/carton

Gross Weight:	14.1 kg
Volume:	0.0149 cbm

Dimensions

Plastic Box (mm)	98(L) x 75(W) x 50(H)
Inner Box (mm)	237(L) x 200(W) x 65(H)
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)

LR03-PB24

1.5V AAA



Packaging

Plastic Box	24 pcs/box
Inner Box	6 boxes / inner box
Outer Carton	24 packs/carton

Gross Weight:	7.4 kg
Volume:	0.0091 cbm

Dimensions

Plastic Box (mm)	76(L) x 60(W) x 44(H)
Inner Box (mm)	190(L) x 165(W) x 60(H)
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)

6LR61-PB6

9V



Packaging

Plastic Box	6 pcs/box
Inner Box	6 boxes / inner box
Outer Carton	24 packs/carton

Gross Weight:	7.8 kg
Volume:	0.0105 cbm

Dimensions

Plastic Box (mm)	71(L) x 68(W) x 49 (H)
Inner Box (mm)	210(L) x 148(W) x 60(H)
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)

LR6-PBH24

1.5V AA



Packaging

Plastic Box	24 pcs/box
Inner Box	12 boxes / inner box
Outer Carton	24 packs/carton

Gross Weight:	16.3 kg
Volume:	0.0142 cbm

Dimensions

Plastic Box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	285(L) x 225(W) x 80(H)
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)

LR03-PBH24

1.5V AAA



Packaging

Plastic Box	24 pcs/box
Inner Box	12 boxes / inner box
Outer Carton	24 packs/carton

Gross Weight:	8.8 kg
Volume:	0.0084 cbm

Dimensions

Plastic Box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	220(L) x 200(W) x 65(H)
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)

LR6-PBH12

1.5V AA



Packaging

Plastic Box	12 pcs/box
Inner Box	24 boxes / inner box
Outer Carton	48 packs/carton

Gross Weight:	15.2 kg
Volume:	0.0127 cbm

Dimensions

Plastic Box (mm)	55(L) x 95(W) x 34(H)
Inner Box (mm)	195(L) x 170(W) x 142(H)
Outer Carton (cm)	36.5(L) x 21.0(W) x 16.5(H)

LR03-PBH12

1.5V AAA



Packaging

Plastic Box	12 pcs/box
Inner Box	24 boxes / inner box
Outer Carton	48 packs/carton

Gross Weight:	7.5 kg
Volume:	0.0069 cbm

Dimensions

Plastic Box (mm)	49(L) x 72(W) x 26(H)
Inner Box (mm)	150(L) x 150(W) x 110(H)
Outer Carton (cm)	32.0(L) x 16.5(W) x 13.0(H)

Super Heavy Duty

Camelion Zinc Carbon Batteries are the perfect solution for small household electronic devices that require continuous power supply, such as clocks, flashlights, remote controls and transistor radios. By incorporating manganese dioxide and zinc/ammonium chloride, we've designed a leak-proof battery.



R20P-BP2B

1.5V D

Packaging

Blister	2 pcs/pack	Gross Weight:	14.9 kg
Inner Box	6 packs/box	Volume:	0.0229 cbm
Outer Carton	72 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.0(L) x 29.0(W) x 23.5(H)



R14P-BP2B


1.5V C

Packaging

Blister	2 pcs/pack	Gross Weight:	14.3 kg
Inner Box	6 packs/box	Volume:	0.0315 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	137(L) x 86(W) x 86(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)



R6P-BP4B

1.5V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	15.9 kg
Inner Box	12 packs/box	Volume:	0.0272cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R6P-BP2B

1.5V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.2 kg
Inner Box	12 packs/box	Volume:	0.0272cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R03P-BP4B

1.5V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.1 kg
Inner Box	12 packs/box	Volume:	0.0237cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



R03P-BP2B

1.5V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	7.5 kg
Inner Box	12 packs/box	Volume:	0.0237cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6F22-BP1B

9V

Packaging

Blister	1 pcs/pack	Gross Weight:	11.4 kg
Inner Box	12 packs/box	Volume:	0.0310 cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.0(W) x 25.5(H)

Super Heavy Duty



4+2R6PBS-BP

1.5V AA

Packaging		
Shrink	6 pcs/pack	Gross Weight: 9.24 kg
Inner Box	12 packs/box	Volume: 0.0227 cbm
Outer Carton	96 packs/carton	

Dimensions	
Shrink (mm)	84(W) x 114(H) x 30(D)
Inner Box (mm)	185(L) x 133(W) x 90(H)
Outer Carton (cm)	39.0(L) x 28.7(W) x 20.3(H)



4+2R03PBS-BP

1.5V AAA

Packaging		
Shrink	6 pcs/pack	Gross Weight: 5.59 kg
Inner Box	12 packs/box	Volume: 0.0172 cbm
Outer Carton	96 packs/carton	

Dimensions	
Shrink (mm)	84(W) x 114(H) x 22(D)
Inner Box (mm)	148(L) x 120(W) x 90(H)
Outer Carton (cm)	39.0(L) x 26.0(W) x 17.0(H)



R20P-SP2B

1.5V D

Packaging		
Shrink	2 pcs/pack	Gross Weight: 13.9 kg
Inner Box	6 packs/box	Volume: 0.0147 cbm
Outer Carton	72 packs/carton	

Dimensions	
Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	29.0(L) x 22.0(W) x 23.0(H)



R14P-SP2B

1.5V C

Packaging		
Shrink	2 pcs/pack	Gross Weight: 14.7 kg
Inner Box	6 packs/box	Volume: 0.0129 cbm
Outer Carton	144 packs/carton	

Dimensions	
Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	104(L) x 78(W) x 50(H)
Outer Carton (cm)	25.5(L) x 23.0(W) x 22.0(H)



R6P-SP4B

1.5V AA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 18.5 kg
Inner Box	15 packs/box	Volume: 0.0127cbm
Outer Carton	240 packs/carton	

Dimensions	
Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	30.5(L) x 22.0(W) x 19.0(H)



R03P-SP4B

1.5V AAA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 10.0 kg
Inner Box	15 packs/box	Volume: 0.0083 cbm
Outer Carton	300 packs/carton	

Dimensions	
Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	28.5(L) x 20.0(W) x 14.5(H)



6F22-SP1B

9V

Packaging		
Shrink	1 pcs/pack	Gross Weight: 17.8 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	480 packs/carton	

Dimensions	
Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 22.5(W) x 22.0(H)

Super Heavy Duty



R6P-SP10B

1.5V AA

Packaging		
Shrink	10 pcs/pack	Gross Weight: 8.0 kg
Inner Box	24 packs/box	Volume: 0.0085 cbm
Outer Carton	2 boxes/carton	
Dimensions		
Inner Box (mm)	180(L) x 147(W) x 110(H)	
Outer Carton (cm)	31.5(L) x 20.0(W) x 13.5(H)	



R03P-SP10B

1.5V AAA

Packaging		
Shrink	10 pcs/pack	Gross Weight: 7.1 kg
Inner Box	40 packs/box	Volume: 0.0064 cbm
Outer Carton	2 boxes/carton	
Dimensions		
Inner Box (mm)	213(L) x 110(W) x 100(H)	
Outer Carton (cm)	23.5(L) x 22.5(W) x 12.0(H)	



R20P-PB4B

1.5V D

Packaging		
Plastic Box	4 pcs/box	Gross Weight: 10.1 kg
Inner Box	6 boxes / inner box	Volume: 0.0191 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	89(L) x 84(W) x 62(H)	
Inner Box (mm)	260(L) x 185(W) x 75(H)	
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)	



R14P-PB4B

1.5V C

Packaging		
Plastic Box	4 pcs/box	Gross Weight: 5.9 kg
Inner Box	6 boxes / inner box	Volume: 0.0112 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	73(L) x 68(W) x 50(H)	
Inner Box (mm)	210(L) x 152(W) x 61(H)	
Outer Carton (cm)	32(L) x 22.5(W) x 15.5(H)	



R6P-PB24B

1.5V AA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 11.7 kg
Inner Box	6 boxes / inner box	Volume: 0.0149 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	98(L) x 75(W) x 50(H)	
Inner Box (mm)	237(L) x 200(W) x 65(H)	
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)	



R03P-PB24B

1.5V AAA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 6.8 kg
Inner Box	6 boxes / inner box	Volume: 0.0091 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	76(L) x 60(W) x 44(H)	
Inner Box (mm)	190(L) x 165(W) x 60(H)	
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)	



6F22-PB6B

9V

Packaging		
Plastic Box	6 pcs/box	Gross Weight: 6.5 kg
Inner Box	6 boxes / inner box	Volume: 0.0105 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	71(L) x 68(W) x 49(H)	
Inner Box (mm)	210(L) x 148(W) x 60(H)	
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)	



R6P-PBH24B

1.5V AA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 12.4 kg
Inner Box	12 boxes / inner box	Volume: 0.0142 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	108(L) x 92(W) x 32(H)	
Inner Box (mm)	285(L) x 225(W) x 80(H)	
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)	



R03P-PBH24B

1.5V AAA

Packaging		
Plastic Box	24 pcs/box	Gross Weight: 7.0 kg
Inner Box	12 boxes / inner box	Volume: 0.0084 cbm
Outer Carton	24 packs/carton	
Dimensions		
Plastic Box (mm)	96(L) x 70(W) x 26(H)	
Inner Box (mm)	220(L) x 200(W) x 65(H)	
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)	

Super Heavy Duty



R20P-BP2G

1.5V D

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	72 packs/carton

Gross Weight:	14.1 kg
Volume:	0.0238cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 29.0(W) x 24.5(H)



R14P-BP2G

1.5V C

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	144 packs/carton

Gross Weight:	14.3 kg
Volume:	0.0315 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	137(L) x 86(W) x 86(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)



R6P-BP4G

1.5V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	15.9 kg
Volume:	0.0272cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R6P-BP2G

1.5V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	9.2 kg
Volume:	0.0272cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R03P-BP4G

1.5V AAA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:	11.1 kg
Volume:	0.0237cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



R03P-BP2G

1.5V AAA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton

Gross Weight:	7.5 kg
Volume:	0.0237cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6F22-BP1G

9V

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	11.4 kg
Volume:	0.0310 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.0(W) x 25.5(H)



R6P-BP10G

1.5V AA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	12.1 kg
Volume:	0.0239 cbm

Dimensions

Blister (mm)	84(W) x 165(H) x 15(D)
Inner Box (mm)	315(L) x 104(W) x 90(H)
Outer Carton (cm)	33.0(L) x 30.5(W) x 23.0(H)



R6P-BP1x10GP

1.5V AA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	12.4 kg
Volume:	0.0264 cbm

Dimensions

Blister (mm)	135(W) x 225(H) x 15.5(D)
Inner Box (mm)	235(L) x 105(W) x 147(H)
Outer Carton (cm)	33.0(L) x 25.0(W) x 32.0(H)



R03P-BP1x10GP

1.5V AAA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	8.0 kg
Volume:	0.0216 cbm

Dimensions

Blister (mm)	135(W) x 225(H) x 11.5(D)
Inner Box (mm)	235(L) x 85(W) x 147(H)
Outer Carton (cm)	27.0(L) x 25.0(W) x 32.0(H)

Super Heavy Duty



4+2R6PG-BP

1.5V AA

Packaging		
Blister	6 pcs/pack	Gross Weight: 7.5 kg
Inner Box	12 packs/box	Volume: 0.0160 cbm
Outer Carton	72 packs/carton	

Dimensions

Blister (mm)	125(W) x 114(H) x 15(D)
Inner Box (mm)	132(L) x 105(W) x 138(H)
Outer Carton (cm)	41.5(L) x 29.5(W) x 13.0(H)



4+2R03PG-BP

1.5V AAA

Packaging		
Blister	6 pcs/pack	Gross Weight: 9.2 kg
Inner Box	12 packs/box	Volume: 0.0207 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	125(W) x 114(H) x 11(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



8+4R6PG-BP

1.5V AA

Packaging		
Blister	12 pcs/pack	Gross Weight: 9.2 kg
Inner Box	6 packs/box	Volume: 0.0190 cbm
Outer Carton	48 packs/carton	

Dimensions

Blister (mm)	125(W) x 114(H) x 29(D)
Inner Box (mm)	132(L) x 100(W) x 137(H)
Outer Carton (cm)	29.5(L) x 28.5(W) x 22.5(H)



8+4R03PG-BP

1.5V AAA

Packaging		
Blister	12 pcs/pack	Gross Weight: 7.8 kg
Inner Box	6 packs/box	Volume: 0.0207 cbm
Outer Carton	72 packs/carton	

Dimensions

Blister (mm)	125(W) x 114(H) x 21(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



R20P-SP2G

1.5V D

Packaging		
Shrink	2 pcs/pack	Gross Weight: 13.4 kg
Inner Box	6 packs/box	Volume: 0.0147 cbm
Outer Carton	72 packs/carton	

Dimensions

Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	29.0(L) x 22.0(W) x 23.0(H)



R14P-SP2G

1.5V C

Packaging		
Shrink	2 pcs/pack	Gross Weight: 13.2 kg
Inner Box	6 packs/box	Volume: 0.0129 cbm
Outer Carton	144 packs/carton	

Dimensions

Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	104(L) x 78(W) x 50(H)
Outer Carton (cm)	25.5(L) x 23.0(W) x 22.0(H)



R6P-SP4G

1.5V AA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 14.7 kg
Inner Box	15 packs/box	Volume: 0.0127cbm
Outer Carton	240 packs/carton	

Dimensions

Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	30.5(L) x 22.0(W) x 19.0(H)



R03P-SP4G

1.5V AAA

Packaging		
Shrink	4 pcs/pack	Gross Weight: 10.0 kg
Inner Box	15 packs/box	Volume: 0.0083 cbm
Outer Carton	300 packs/carton	

Dimensions

Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	28.5(L) x 20.0(W) x 14.5(H)



6F22-SP1G

9V

Packaging		
Shrink	1 pcs/pack	Gross Weight: 19.0 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	480 packs/carton	

Dimensions

Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 22.5(W) x 22.0(H)

Super Heavy Duty

R20P-PB4G

1.5V D



Packaging		Gross Weight:
Plastic Box	4 pcs/box	9.5 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0191 cbm
Dimensions		
Plastic Box (mm)	89(L) x 84(W) x 62(H)	
Inner Box (mm)	260(L) x 185(W) x 75(H)	
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)	

R14P-PB4G

1.5V C



Packaging		Gross Weight:
Plastic Box	4 pcs/box	5.4 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0112 cbm
Dimensions		
Plastic Box (mm)	73(L) x 68(W) x 50(H)	
Inner Box (mm)	210(L) x 152(W) x 61(H)	
Outer Carton (cm)	32(L) x 22.5(W) x 15.5(H)	

R6P-PB24G

1.5V AA



Packaging		Gross Weight:
Plastic Box	24 pcs/box	9.4 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0149 cbm
Dimensions		
Plastic box (mm)	98(L) x 75(W) x 50(H)	
Inner Box (mm)	237(L) x 200(W) x 65(H)	
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)	

R03P-PB24G

1.5V AAA



Packaging		Gross Weight:
Plastic Box	24 pcs/box	5.5 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0091 cbm
Dimensions		
Plastic Box (mm)	76(L) x 60(W) x 44(H)	
Inner Box (mm)	190(L) x 165(W) x 60(H)	
Outer Carton (cm)	34(L) x 20.5(W) x 13(H)	

6F22-PB6G

9V



Packaging		Gross Weight:
Plastic Box	6 pcs/box	6.5 kg
Inner Box	6 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0105 cbm
Dimensions		
Plastic Box (mm)	71(L) x 68(W) x 49(H)	
Inner Box (mm)	210(L) x 148(W) x 60(H)	
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)	

R6P-PBH24G

1.5V AA



Packaging		Gross Weight:
Plastic Box	24 pcs/box	10.1 kg
Inner Box	12 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0142 cbm
Dimensions		
Plastic Box (mm)	108(L) x 92(W) x 32(H)	
Inner Box (mm)	285(L) x 225(W) x 80(H)	
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)	

R03P-PBH24G

1.5V AAA



Packaging		Gross Weight:
Plastic Box	24 pcs/box	5.7 kg
Inner Box	12 boxes / inner box	Volume:
Outer Carton	24 packs/carton	0.0084 cbm
Dimensions		
Plastic Box (mm)	96(L) x 70(W) x 26(H)	
Inner Box (mm)	220(L) x 200(W) x 65(H)	
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)	

Lithium Batteries

Camelion Lithium P7™ Batteries are lightweight and deliver higher energy performance. As Camelion's most powerful primary battery, P7 batteries offer unbeatable performance for your high-drain devices, such as cameras, smart home water meters and other devices. The maximum lifespan of this type of battery is 10 years in storage.



FR6-BP4

1.5V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.0 kg
Inner Box	12 packs/box	Volume:	0.0166 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	27.5(L) x 28.0(W) x 21.5(H)



FR6-BP2

1.5V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.3 kg
Inner Box	12 packs/box	Volume:	0.0251 cbm
Outer Carton	216 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



FR03-BP4

1.5V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	12.1 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



FR03-BP2

1.5V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	8.0 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)

9V Lithium Batteries

The Camelion 9V Lithium Battery is a high-capacity battery designed to provide long-lasting life and stable operating voltage.

- 9V, 1200mAh capacity
- Up to 5x longer-lasting
- Low self-discharge
- Anti-leakage crimp design
- Temperature range: -20 to 55
- Non-rechargeable
- 10-year life in storage
- Stable and high operating voltage

*Compared to Camelion Alkaline Battery 6LR61. Camelion 2014 lab tests.



CR9V-BP1

9V

Packaging

Blister	1 pcs/pack	Gross Weight:	8.3 kg
Inner Box	12 packs/box	Volume:	0.0246 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Photo Lithium

Camelion Photo Lithium Batteries are ideal for a wide range of cameras, flashlights, meters and more.



CR123A-BP1

3V

Packaging

Blister	1 pcs/pack
Inner Box	10 packs/box
Outer Carton	200 packs/carton

Gross Weight:	5.5 kg
Volume:	0.0243 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 17.5(D)
Inner Box (mm)	118(L) x 95(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 21.5(H)



CR2-BP1

3V

Packaging

Blister	1 pcs/pack
Inner Box	10 packs/box
Outer Carton	200 packs/carton

Gross Weight:	4.5 kg
Volume:	0.0215 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 16.5(D)
Inner Box (mm)	118(L) x 85(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 19.0(H)



CR-P2-BP1

6V

Packaging

Blister	1 pcs/pack
Inner Box	10 packs/box
Outer Carton	200 packs/carton

Gross Weight:	10.0 kg
Volume:	0.0265 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 20.5(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)



2CR5-BP1

6V

Packaging

Blister	1 pcs/pack
Inner Box	10 packs/box
Outer Carton	200 packs/carton

Gross Weight:	10.0 kg
Volume:	0.0265 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)

Micro Batteries

Camelion Micro Batteries provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc-air. They are suitable for car keys, calculators, laser pointers, hearing aids and many other electronic gadgets.

Lithium

3V



ITEM	PACKAGING W x H x D(mm)	INNER BOX L x W x H(mm)	SHIPPING CARTON L x W x H(cm)	G.W. (KG)	VOLUME(CBM)
CR1216-BP1	56 x 92 x 6 1 PCS / BLISTER	98 x 37 x 58 10 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.5	0.0451
CR1220-BP1				8.0	
CR1225-BP1				8.0	
CR1616-BP1				8.0	
CR1620-BP1				8.5	
CR1632-BP1				10.4	
CR2016-BP1				9.5	
CR2025-BP1				11.0	
CR2032-BP1				12.0	
CR2320-BP1				11.5	
CR2330-BP1				13.0	
CR2430-BP1				13.5	
CR2450-BP1				17.5	
CR927-BP1				14.0	
CR2016-BP2	55 x 92 x 6 2 PCS / BLISTER	102 x 98 x 58 20 PACKS	41.5 x 32.5 x 31.0 1000 PACKS	8.64	0.0418
CR2025-BP2				9.76	
CR2032-BP2				10.4	
CR1216-BP5	55x 190 x 6 5 PCS / BLISTER	190 x 30 x 57 10 PACKS	29.0 x 22.0 x 26.0 360 PACKS	4.5	0.0165
CR1220-BP5				4.5	
CR1225-BP5				5.0	
CR1616-BP5				5.5	
CR1620-BP5				5.5	
CR2016-BP5				6.5	
CR2025-BP5				8.0	
CR2032-BP5				9.0	

Alkaline

1.5V

0% Hg



ITEM(0% Hg)	PACKAGING W x H x D(mm)	INNER BOX L x W x H(mm)	SHIPPING CARTON L x W x H(cm)	G.W. (KG)	VOLUME (CBM)
AG0-BP2(0% Hg)	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	7.0	0.0379
AG1-BP2(0% Hg)				7.0	
AG2-BP2(0% Hg)				7.8	
AG3-BP2(0% Hg)				8.0	
AG4-BP2(0% Hg)				7.0	
AG5-BP2(0% Hg)	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.0	0.0451
AG6-BP2(0% Hg)				8.0	
AG7-BP2(0% Hg)	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	8.5	0.0379
AG8-BP2(0% Hg)				9.0	
AG9-BP2(0% Hg)				9.0	
AG10-BP2(0% Hg)				10.0	
AG11-BP2(0% Hg)				7.0	
AG12-BP2(0% Hg)	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	11.0	0.0451
AG13-BP2(0% Hg)				13.0	
625A(0% Hg)	56 x 92 x 7 1 PC / BLISTER	146 x 98 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	18.0	0.0451
AG0-BP10(0% Hg)	50 x 160 x 5 10 PCS / BLISTER	170 x 40 x 52 10 PACKS	50.0 x 20.0 x 20.0 360 PACKS	4.0	0.0198
AG1-BP10(0% Hg)				4.0	
AG2-BP10(0% Hg)				4.5	
AG3-BP10(0% Hg)				5.0	
AG4-BP10(0% Hg)				4.0	
AG5-BP10(0% Hg)				6.5	
AG6-BP10(0% Hg)				5.0	
AG7-BP10(0% Hg)				5.5	
AG8-BP10(0% Hg)				6.0	
AG9-BP10(0% Hg)				6.0	
AG10-BP10(0% Hg)				7.0	
AG11-BP10(0% Hg)				4.0	
AG12-BP10(0% Hg)				8.7	
AG13-BP10(0% Hg)				10.0	
FB01-BP12(0% Hg)	84 x 190 x 13.5 12 PCS / BLISTER	191 x 78 x 85 12 PACKS	33.5 x 21.0 x 28.0 144 PACKS	7.5	0.0197

Micro Batteries

Alkaline 0% Hg



ITEM(0% Hg)	Voltage(V)	PACKAGING W x H x D(mm)	INNER BOX L x W x H(mm)	SHIPPING CARTON L x W x H(cm)	G.W. (KG)	VOLUME (CBM)
A23-BP1(0% Hg)	12V	56 x 92 x 10 1 PC / BLISTER	125 x 95 x 58 20 PACKS	39.5 x 30.5 x 31.5 900 PACKS	8.6	0.0380
A27-BP1(0% Hg)	12V				8.0	
A32-BP1(0% Hg)	9V				7.1	
A23-BP5(0% Hg)	12V	50 x 160 x 10 5 PCS / BLISTER	170 x 65 x 52 10 PACKS	42.0 x 36.0 x 18.0 360 PACKS	18.0	0.0273
A27-BP5(0% Hg)	12V				12.0	
A32-BP5(0% Hg)	9V				10.2	

Hearing Aid Zinc Air 1.45V 0% Hg

Camelion Hearing Aid Batteries are light and reliable. Their packaging is specially designed for easy storage and easy to use.



ITEM(0% Hg)	W x H x D (mm)	PACKAG- ING	W x H x D (mm)	INNER BOX	W x H x D (mm)	INNER CARTON	W x H x D (cm)	SHIPPING CARTON	G.W. (KG)	VOLUME (CBM)
A13-BP6(0% Hg)	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	6.5	0.0242
A10-BP6(0% Hg)	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.0	0.0196
A675-BP6(0% Hg)	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	9.5	0.0242
A312-BP6(0% Hg)	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.5	0.0196

Battery Tester

Camelion Batteries Testers are capable of testing a wide range of batteries and provide a fast indication of the battery's status.




BT-0503

Test AA, AAA, C, D, 9V


Main Features

- Quickly determines if battery needs charging or replacing.
- On the spot testing – just insert and check LED.
- Compact & light.

• Insert battery: Observe polarity



• Check LED indicator: If LED fluctuates press slightly




BT-0507

Tests 1.5V AA/AAA/C/D dry batteries; 1.5V button cell batteries; 9V rechargeable Ni-MH/Ni-Cd or dry batteries.

Main Features

- The three-color scale and pointer make it easy to quickly view the battery's voltage level
- Capable of testing most 1.5V and 9V batteries
- Rotatable Test Arm easily adapts to fit different battery types
- Portable



Battery Selection Chart

Ultra Alkaline Batteries	
	
Digi Alkaline Batteries	
	
Plus Alkaline Batteries	
	
Super Heavy Duty Batteries	
	
Lithium P7 Batteries	
	
Photo Lithium Batteries	
	
9V Lithium Battery	
	
Micro Batteries: Lithium	
	
Micro Batteries: Alkaline	
	
Zinc-Air Hearing Aid Batteries	
	

Please Note:

These are suggested recommendations only.
For the most accurate information, please refer to your device manufacturer's manual.
Camelion is not responsible for accidents resulting from the use of this information.

Rechargeable Batteries

AlwaysReady Batteries

Camelion AlwaysReady Batteries are pre-charged, long-lasting and high capacity. They are the economical choice for rechargeable batteries and can hold their charge for up to 2 years.

Hyper —

- Excellent energy recovery for camera flashes
- Supports up to 1500 camera flashes
- Shortest output interval, 10-15% faster



NH-AA2500HPBP4

1.2V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	10.2 kg
Volume:	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500HPBP2

1.2V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	11.2 kg
Volume:	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2000HPBP4

1.2V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	10.2 kg
Volume:	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2000HPBP2

1.2V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	11.2 kg
Volume:	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)

Pre-charged, long-lasting and economic, Camelion AlwaysReady rechargeable batteries use an improved formula of better atomic structure. The batteries hold their charge up to 2 years.



NH-AA2700ARBP2

1.2V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	13.1 kg
Volume:	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2700ARBP4

1.2V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	12.0 kg
Volume:	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500ARBP2

1.2V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	12.9 kg
Volume:	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2500ARBP4

1.2V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	11.8 kg
Volume:	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)

AlwaysReady Batteries



NH-AA2300ARBP2

1.2V AA

Packaging

Blister 2 pcs/pack

Inner Box 12 packs/box

Outer Carton 192 packs/carton

Gross Weight:

12.9 kg

Volume:

0.0274 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)

Inner Box (mm) 134(L) x 104(W) x 97(H)

Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA2300ARBP4

1.2V AA

Packaging

Blister 4 pcs/pack

Inner Box 12 packs/box

Outer Carton 96 packs/carton

Gross Weight:

11.8 kg

Volume:

0.0144 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)

Inner Box (mm) 134(L) x 104(W) x 97(H)

Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AA2100ARBP2

1.2V AA

Packaging

Blister 2 pcs/pack

Inner Box 12 packs/box

Outer Carton 192 packs/carton

Gross Weight:

12.7 kg

Volume:

0.0274 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)

Inner Box (mm) 134(L) x 104(W) x 97(H)

Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA2100ARBP4

1.2V AA

Packaging

Blister 4 pcs/pack

Inner Box 12 packs/box

Outer Carton 96 packs/carton

Gross Weight:

11.7 kg

Volume:

0.0144 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)

Inner Box (mm) 134(L) x 104(W) x 97(H)

Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AA1000ARBP2

1.2V AA

Packaging

Blister 2 pcs/pack

Inner Box 12 packs/box

Outer Carton 192 packs/carton

Gross Weight:

12.4 kg

Volume:

0.0274 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)

Inner Box (mm) 134(L) x 104(W) x 97(H)

Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA1000ARBP4

1.2V AA

Packaging

Blister 4 pcs/pack

Inner Box 12 packs/box

Outer Carton 96 packs/carton

Gross Weight:

11.4 kg

Volume:

0.0144 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)

Inner Box (mm) 134(L) x 104(W) x 97(H)

Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AA800ARBP2

1.2V AA

Packaging

Blister 2 pcs/pack

Inner Box 12 packs/box

Outer Carton 192 packs/carton

Gross Weight:

12.4 kg

Volume:

0.0274 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)

Inner Box (mm) 134(L) x 104(W) x 97(H)

Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA800ARBP4

1.2V AA

Packaging

Blister 4 pcs/pack

Inner Box 12 packs/box

Outer Carton 96 packs/carton

Gross Weight:

11.4 kg

Volume:

0.0144 cbm

Dimensions

Blister (mm) 90(W) x 117(H) x 15(D)

Inner Box (mm) 134(L) x 104(W) x 97(H)

Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)

AlwaysReady Batteries



NH-AAA1100ARBP2

1.2V AAA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	8.6 kg
Volume:	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA1100ARBP4

1.2V AAA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:	9.5 kg
Volume:	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA900ARBP2

1.2V AAA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	8.6 kg
Volume:	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA900ARBP4

1.2V AAA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:	9.5 kg
Volume:	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600ARBP4

1.2V AAA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:	8.6 kg
Volume:	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600ARBP2

1.2V AAA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	7.9 kg
Volume:	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-9V200ARBP1

9V

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	12.0 kg
Volume:	0.0385 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)

AlwaysReady Batteries

Energy Solutions for Solar-Powered Devices

Camelion Ni-MH Rechargeable Batteries are the perfect solution for outdoor solar-powered equipment. These batteries offer a long lifespan and outstanding sustainability when charged by solar-powered devices. They're the ideal choice for outdoor equipment such as landscape lighting.



NH-AA600ARBP4(GSL)

1.2V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.4 kg
Inner Box	12 packs/box	Volume:	0.0144 cbm
Outer Carton	96 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA600ARBP2(GSL)

1.2V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	12.4 kg
Inner Box	12 packs/box	Volume:	0.0274 cbm
Outer Carton	192 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA300ARBP4(GSL)

1.2V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	8.6 kg
Inner Box	12 packs/box	Volume:	0.0168 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA300ARBP2(GSL)

1.2V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	7.9 kg
Inner Box	12 packs/box	Volume:	0.0269 cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AA600ARPBH24(GSL)

1.2V AA

Packaging

Plastic Box	24 pcs/box	Gross Weight:	5.7 kg
Inner Box	6 boxes / inner box	Volume:	0.0168 cbm
Outer Carton	12 packs/carton		

Dimensions

Plastic Box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	192(L) x 115(W) x 108(H)
Outer Carton (cm)	24.5(L) x 20.8(W) x 12.8(H)



NH-AAA300ARPBH24(GSL)

1.2V AAA

Packaging

Plastic Box	24 pcs/box	Gross Weight:	6.2 kg
Inner Box	12 boxes / inner box	Volume:	0.067 cbm
Outer Carton	24 packs/carton		

Dimensions

Plastic Box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	215(L) x 200(W) x 55(H)
Outer Carton (cm)	23.0(L) x 21.5(W) x 13.5(H)

Ni-MH Rechargeable Batteries

Camelion Ni-MH Rechargeable Batteries have high capacities and offer great performance. They're capable of up to 1000 recharge cycles and are optimal for high-drain devices such as cameras, shavers, alarm clocks, microphones, and more.



NH-D10000BP2

1.2V D

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	48 packs/carton

Gross Weight:	17.0 kg
Volume:	0.0244 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	165(L) x 135(W) x 105(H)
Outer Carton (cm)	43.5(L) x 35.0(W) x 16.0(H)



NH-D2500BP2

1.2V D

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	60 packs/carton

Gross Weight:	11.2 kg
Volume:	0.0234 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	160(L) x 112(W) x 97(H)
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)



NH-C3500BP2

1.2V C

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	96 packs/carton

Gross Weight:	16.8 kg
Volume:	0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-C2500BP2

1.2V C

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	96 packs/carton

Gross Weight:	16.0 kg
Volume:	0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-AA2700BP4

1.2V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	13.4 kg
Volume:	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2700BP2

1.2V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	14.0 kg
Volume:	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2500BP4

1.2V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	13.0 kg
Volume:	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500BP2

1.2V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	14.3 kg
Volume:	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA1800BP4

1.2V AA

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	11.8 kg
Volume:	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA1800BP2

1.2V AA

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	12.7 kg
Volume:	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)

Ni-MH Rechargeable Batteries



NH-AAA1100BP4

1.2V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	9.8 kg
Inner Box	12 packs/box	Volume:	0.0168 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1100BP2

1.2V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.7 kg
Inner Box	12 packs/box	Volume:	0.0269 cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA800BP4

1.2V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	7.8 kg
Inner Box	12 packs/box	Volume:	0.0168 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA800BP2

1.2V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	7.7 kg
Inner Box	12 packs/box	Volume:	0.0269 cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-9V250BP1

9V Voltage: 8.4V

Packaging

Blister	1 pcs/pack	Gross Weight:	12.3 kg
Inner Box	12 packs/box	Volume:	0.0385 cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)



NH-9V200BP1

9V Voltage: 8.4V

Packaging

Blister	1 pcs/pack	Gross Weight:	11.6 kg
Inner Box	12 packs/box	Volume:	0.0385 cbm
Outer Carton	240 packs/carton		

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)

Lithium-ion Rechargeable Batteries

Camelion Lithium-ion Rechargeable Batteries are known for their high energy density, long cycle life, and superior efficiency. Perfect for applications requiring fast charging, reliability, and consistant performance.

- High energy density
- Long cycle life & superior efficiency
- Low self-discharge rate, holds power for an extended time
- Excellent performance across -20°C to 60°C



INR18650-3500P3-BP1

3.7V 3500 mAh

Packaging

Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	9.3 kg
Outer Carton	144 packs/carton	Volume:
		0.0326 cbm

Dimensions

Blister (mm)	84(W) x 130(H) x 21(D)
Inner Box (mm)	178(L) x 135(W) x 90(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 29.5(H)



INR18650-3000P10-BP1

3.7V 3000 mAh

Packaging

Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	9.0 kg
Outer Carton	144 packs/carton	Volume:
		0.0326 cbm

Dimensions

Blister (mm)	84(W) x 130(H) x 21(D)
Inner Box (mm)	178(L) x 135(W) x 90(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 29.5(H)



ICR18650-2600-BP1

3.7V 2600 mAh

Packaging

Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	9.0 kg
Outer Carton	144 packs/carton	Volume:
		0.0326 cbm

Dimensions

Blister (mm)	84(W) x 130(H) x 21(D)
Inner Box (mm)	178(L) x 135(W) x 90(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 29.5(H)



ICR18650-2200-BP1

3.7V 2200 mAh

Packaging

Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	9.0 kg
Outer Carton	144 packs/carton	Volume:
		0.0326 cbm

Dimensions

Blister (mm)	84(W) x 130(H) x 21(D)
Inner Box (mm)	178(L) x 135(W) x 90(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 29.5(H)



ICR18650-2000-BP1

3.7V 2000 mAh

Packaging

Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	9.0 kg
Outer Carton	144 packs/carton	Volume:
		0.0326 cbm

Dimensions

Blister (mm)	84(W) x 130(H) x 21(D)
Inner Box (mm)	178(L) x 135(W) x 90(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 29.5(H)



ICR18650-1500-BP1

3.7V 1500 mAh

Packaging

Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	9.0 kg
Outer Carton	144 packs/carton	Volume:
		0.0326 cbm

Dimensions

Blister (mm)	84(W) x 130(H) x 21(D)
Inner Box (mm)	178(L) x 135(W) x 90(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 29.5(H)



ICR18650-1200-BP1

3.7V 1200 mAh

Packaging

Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	9.0 kg
Outer Carton	144 packs/carton	Volume:
		0.0326 cbm

Dimensions

Blister (mm)	84(W) x 130(H) x 21(D)
Inner Box (mm)	178(L) x 135(W) x 90(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 29.5(H)

LiFePO₄ Rechargeable Batteries

Camelion LiFePO₄ Rechargeable Batteries offer enhanced safety, super long cycle life, stable performance across wide temperature range. They are eco-friendly and cost-effective, perfect for lawn lamps and backup power solutions.

- Low self-discharge rate
- Up to 1500+ recharge cycles
- High power output & fast charging capability
- Outstanding performance in extreme temperatures (-20°C to -60°C)
- Lightweight & environmental friendly



IFR14430-400BP4(GSL)

3.2V 400 mAh

Packaging		
Blister	4 pcs/pack	Gross Weight: 3.7 kg
Inner Box	24 packs/box	Volume: 0.0068 cbm
Outer Carton	48 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 14(D)
Inner Box (mm)	195(L) x 130(W) x 97(H)
Outer Carton (cm)	27.5(L) x 21.0(W) x 11.70(H)



IFR14500-500BP4(GSL)

3.2V 500 mAh

Packaging		
Blister	4 pcs/pack	Gross Weight: 4.0 kg
Inner Box	24 packs/box	Volume: 0.0068 cbm
Outer Carton	48 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 14(D)
Inner Box (mm)	195(L) x 130(W) x 97(H)
Outer Carton (cm)	27.5(L) x 21.0(W) x 11.70(H)



IFR14500-600BP4(GSL)

3.2V 600 mAh

Packaging		
Blister	4 pcs/pack	Gross Weight: 4.0 kg
Inner Box	24 packs/box	Volume: 0.0068 cbm
Outer Carton	48 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 14(D)
Inner Box (mm)	195(L) x 130(W) x 97(H)
Outer Carton (cm)	27.5(L) x 21.0(W) x 11.70(H)



IFR18500-1000BP4(GSL)

3.2V 1000 mAh

Packaging		
Blister	4 pcs/pack	Gross Weight: 6.7 kg
Inner Box	24 packs/box	Volume: 0.0108 cbm
Outer Carton	48 packs/carton	

Dimensions

Blister (mm)	108(W) x 117(H) x 18.1(D)
Inner Box (mm)	270(L) x 115(W) x 135(H)
Outer Carton (cm)	28.5(L) x 24.5(W) x 15.5(H)

USB-C Lithium Rechargeable Batteries

- Constant voltage, low self-discharge rate
- USB-C input, free from a separate battery charger
- 5 levels of safety protection
- Real-time charging process indicator
- Eco-friendly & cost-effective



UB-AA2200-PBH2

1.5V 2200 mWh

Packaging		
Plastic Box	2 pcs/box	Gross Weight: 7 kg
Inner Box	25 packs/box	Volume: 0.0178 cbm
Outer Carton	100 packs/carton	

Dimensions

Blister (mm)	58(W) x 106.5(H) x 18.5(D)
Inner Box (mm)	30(L) x 11(W) x 11(H)
Outer Carton (cm)	31.5(L) x 23.5(W) x 24(H)



UB-AAA650-PBH2

1.5V 650 mWh

Packaging		
Plastic Box	2 pcs/box	Gross Weight: 4.8 kg
Inner Box	25 packs/box	Volume: 0.0155 cbm
Outer Carton	100 packs/carton	

Dimensions

Blister (mm)	58(W) x 91(H) x 18.5(D)
Inner Box (mm)	30(L) x 9.5(W) x 11(H)
Outer Carton (cm)	31.5(L) x 20.5(W) x 24(H)

Model No.	Size	Energy	Capacity	Input	Output	Charging Time (Approx.)	Dimensions(ø xH)
UB-AAA650	AAA	650mWh	1.5V. 430mAh	5V --- 100mA	1.5V --- 1.6A	2h	10.5x 44.5 mm
UB-AA2200	AA	2200mWh	1.5V. 1460mAh	5V --- 500mA	1.5V --- 2A	1.5h	14.5x 50.5 mm

Battery Chargers

1.5V Li-ion Battery & Charger Set

LBC-326M

Charges:

1-4 x   1.5V Li-ion



PACKAGING

Box	
Plug:	USB-C
Weight(g)	47
Dimensions W x H x D (mm)	100 x 31 x 200
Inner Carton	
Packs / Inner ctn	20
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	42 x 22 x 14
Outer Carton	
Packs / Carton	40
Net Weight(kg)	7.6
Gross Weight(kg)	8.4
Dimensions L x W x H (cm)	36 x 34.5 x 11.5
Volume(cbm)	0.0342

MAIN FEATURES

- **4 Independent Slots:** Charge 1-4 AA and/or AAA batteries at the same time, in any mix
- **5 Levels of Safety Protection:**
Reverse polarity protection,
under voltage protection,
over current protection,
short circuit protection,
defective & non-1.5V Li-ion battery detection
- **Charging Indicators:** Easy monitoring of charging status

LED Indicators	Charging Status
Green Flashing	Charging in progress
Solid Green	Charging completed
Red Flashing	Error detected

SPECIFICATIONS

Input(USB-C): 5V $\overline{\text{---}}$ 2A, 10W
Charging Current:
AA: 4 x (5V $\overline{\text{---}}$ 0.35A); AAA: 4 x (5V $\overline{\text{---}}$ 0.2A)
Charging Cable: USB-A to USB-C cable
Dimensions: 77.5 x 62.5 x 25.5 mm

AVAILABLE COLORS

 White

CHARGING TIMES

Battery Model	CLB-AA3600	CLB-AAA1300
Energy	3600mWh	1300mWh
Capacity	2400mAh	865mAh
Nominal Voltage	1.5V	1.5V
Max Discharge Current	3A	2.8A
Charging Voltage	5V	5V
Charging Time	3 h	2 h

LBC-328M

1-4 x   1.5V Li-ion



PACKAGING

Box	
Plug:	USB-C
Weight(g)	110
Dimensions W x H x D (mm)	95 x 55 x 77
Inner Carton	
Packs / Inner ctn	/
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	/
Outer Carton	
Packs / Carton	45
Net Weight(kg)	11.6
Gross Weight(kg)	12.1
Dimensions L x W x H (cm)	29.5 x 29 x 24
Volume(cbm)	0.0205

MAIN FEATURES

- **8 Independent Slots:** Charge 1-4 AA and/or 1-4 AAA batteries simultaneously
- **2-In-1 Multi-Function:** Integrating charger and storage case
- **0V Activation:** Revives fully discharged (0%) batteries
- **6 Levels of Safety Protection:**
over current protection,
over voltage protection,
over temperature protection,
short-circuit protection,
electrostatic discharge (esd) protection,
defective & non-1.5V Li-ion battery detection
- **Charging Indicators:** Easy monitoring of charging status

LED Indicators	Charging Status
Green Flashing	Charging in progress
Solid Green	Charging completed
Red Flashing	Error detected

SPECIFICATIONS

Input(USB-C): 5V $\overline{\text{---}}$ 2.5A, 12.5W
Charging Current:
AA: 4 x (5V $\overline{\text{---}}$ 0.35A); AAA: 4 x (5V $\overline{\text{---}}$ 0.2A)
Charging Cable: USB-A to USB-C cable
Dimensions: 72 x 52 x 71.5 mm

AVAILABLE COLORS

 Black

CHARGING TIMES

Battery Model	CLB-AA3600	CLB-AAA1300
Energy	3600mWh	1300mWh
Capacity	2400mAh	865mAh
Nominal Voltage	1.5V	1.5V
Max Discharge Current	3A	2.8A
Charging Voltage	5V	5V
Charging Time	3 h	2 h

Battery Chargers

Offer ultimate charging speed; decreasing recharge time to one hour to save you time and money.

BC-0907N

Charges:

1-4 x AA
1-4 x AAA

Ni-MH



Includes:



AC Adapter

*Different plug models for different countries

MAIN FEATURES

- 4 Independent Charging Channels
- 7-Level Charge Protections
 - V Cut Off
 - Safety Timer Control Protection
 - Over-temperature Protection
 - Reverse Polarity Protection
 - Over-Current
 - Short-Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Trickle Charge
- Worldwide Voltage
- Refresh Battery Memory Capability
- Pulse Charging Technology
- Easy-to-read LCD Display



SPECIFICATIONS

AC To DC Adapter
Input: 100-240V~50/60Hz
Output: 12V --- 1.5A

Battery Charger
Input: 12V --- 1.5A
Output:
4 x (1.4V --- 2.2A) AA
4 x (1.4V --- 0.8A) AAA

AVAILABLE COLORS

White

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	302	229.5
Dimensions W x H x D (mm)	125 x 205 x 67	125 x 205 x 67
Inner Carton		
Packs / Inner ctn	8	8
Net Weight(kg)	2.2	2.17
Gross Weight(kg)	2.5	2.48
Dimensions L x W x H (cm)	42 x 22 x 14	42 x 22 x 14
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	8.8	8.66
Gross Weight(kg)	10.46	10.34
Dimensions L x W x H (cm)	45.4 x 43.5 x 30	45.4 x 43.5 x 30
Volume(cbm)	0.0593	0.0593

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	80 min
Ni-MH AA 2000 mAh	60 min
Ni-MH AA 1800 mAh	50 min
Ni-MH AAA1100 mAh	90 min
Ni-MH AAA800 mAh	70 min


BC-0905A

BC-0905T

Charges:

1-4 x AA
1-4 x AAA

Ni-MH



Different plug models for different countries

BC-0905A

MAIN FEATURES

- 4 Independent Charging Channels
- 6-Level Charge Protections
 - V Cut Off
 - Safety Timer Control Protection
 - Over-temperature Protection
 - Reverse Polarity Protection
 - Over-current and Short-circuit Protection
 - Defective and Non-rechargeable battery detection
- Trickle Charge
- LED Charging Indicators

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: AA: 1.4V --- 1.0A(1-2pcs)
1.4V --- 0.5A (3-4 pcs)
AAA: 1.4V --- 0.6A (1-2 pcs)
1.4V --- 0.3A (3-4 pcs)

Red	Charging
Green	Fully charged / Trickle
Flashing	Defective or non-rechargeable batteries / Short circuit

BC-0905T

MAIN FEATURES

- 2 Independent Charging Channels
- 4-Level Charge Protections
 - Safety Timer Control Protection
 - Reverse Polarity Protection
 - Over-Voltage and Short-Circuit Protection
 - 4 LED Charging Indicators

SPECIFICATIONS

Input: 100 - 240V~50/60Hz 0.1A Max
Output: 2 X (2.8V --- 0.25A) AA
2 X (2.8V --- 0.12A) AAA
Timer Control: 12 h

Working Status	Red LED	Green LED
Standby	OFF	OFF
Charging	ON	OFF
Fully Charged	OFF	ON

AVAILABLE COLORS

White Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	144	128
Dimensions W x H x D (mm)	125 x 205 x 70	125 x 205 x 70
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	2.3	2
Gross Weight(kg)	2.9	2.6
Dimensions L x W x H (cm)	43 x 19 x 27	43 x 19 x 27
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	4.6	4.1
Gross Weight(kg)	5.8	5.29
Dimensions L x W x H (cm)	44.5 x 40 x 29	44.5 x 40 x 29
Volume(cbm)	0.0516	0.0516

CHARGING TIMES

Type of Battery	Charging Times (Appr.)		
	BC-0905A	BC-0905T	
	1-2 Cells	3-4 Cells	
Ni-MH AA 2500 mAh	3h	6h	12h
Ni-MH AA 2000 mAh	2.5h	5h	10h
Ni-MH AA 1500 mAh	2h	3.5h	7h
Ni-MH AAA 1000 mAh	2h	4h	10h
Ni-MH AAA 800 mAh	100 min	3h	8h

Battery Chargers

BC-1015

Charges:

1-4 x AA
1-4 x AAA

Ni-MH



Different plug models for different countries



MAIN FEATURES

- 4 Independent Charging Channels Charge 1-4 pcs AA/AAA Ni-MH rechargeable batteries
- 6-Level Charging Protection
 - ΔV Cut Off
 - Safety Timer Control Protection
 - Reverse Polarity Protection
 - Over-current Protection
 - Short circuit Protection
 - Defective and No-rechargeable battery detection
- LED Charging Indicators

Solid Red	Charging in progress
Solid Green	Charging completed
Red and Green Alternating Flash	Error detected

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz 10W
Output: AA: 4 x (1.2V --- 0.5A)
 AAA: 4 x (1.2V --- 0.25A)

AVAILABLE COLORS

☐ White ☒ Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	118	113
Dimensions W x H x D (mm)	125 x 204 x 76	125 x 204 x 76
Inner Carton		
Packs / Inner ctn	8	8
Net Weight(kg)	0.95	0.90
Gross Weight(kg)	1.3	1.3
Dimensions L x W x H (cm)	49.5 x 23.5 x 14	49.5 x 23.5 x 14
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	3.78	3.62
Gross Weight(kg)	5.5	5.34
Dimensions L x W x H (cm)	50.5 x 48.5 x 30	50.5 x 48.5 x 30
Volume(cbm)	0.0735	0.0735

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	6 h
Ni-MH AA 2000 mAh	5 h
Ni-MH AA 1500 mAh	3.5 h
Ni-MH AAA 1000 mAh	5 h
Ni-MH AAA 800 mAh	4 h

BC-1010B

Charges:

2 or 4 x AA
2 or 4 x AAA

Ni-MH



Different plug models for different countries



MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Worldwide Voltage
- 2 LED Charging Indicators

Red	Charging or fully charged
------------	---------------------------

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: 2 x (2.8V --- 0.2A) AA/AAA

AVAILABLE COLORS

☐ White ☒ Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	118.2	113.2
Dimensions W x H x D (mm)	125 x 204 x 76	125 x 204 x 76
Inner Carton		
Packs / Inner ctn	8	8
Net Weight(kg)	0.95	0.90
Gross Weight(kg)	1.3	1.3
Dimensions L x W x H (cm)	49.5 x 23.5 x 14	49.5 x 23.5 x 14
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	3.78	3.62
Gross Weight(kg)	5.5	5.34
Dimensions L x W x H (cm)	50.5 x 48.5 x 30	50.5 x 48.5 x 30
Volume(cbm)	0.0735	0.0735

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	15 h
Ni-MH AA 2000 mAh	12 h
Ni-MH AA 1500 mAh	9 h
Ni-MH AAA 1000 mAh	6 h
Ni-MH AAA 800 mAh	5 h

Battery Chargers

BC-1092M

BC-1092S

Charges:

1-4 x AA
1-4 x AAA
1-2 x 9V

Ni-MH



Different plug models for different countries

BC-1092M

- 6 Independent Charging Channels Charge 1-4 pcs AA/ AAA or 1-2 pcs 9V Ni-MH rechargeable batteries
- 6-Level Charging Protection
 - ΔV Cut Off
 - Safety Timer Control Protection
 - Reverse Polarity Protection
 - Over-current Protection
 - Short circuit Protection
 - Defective and No-rechargeable battery detection
- LED Charging Indicators

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz 10W

Output: AA: 4 x (1.2V --- 0.5A)

AAA: 4 x (1.2V --- 0.25A)

9V: 2 x (9V --- 0.03A)

Solid Red	Charging in progress
Solid Green	Charging completed
Red and Green Alternating Flash	Error detected

BC-1092S

- 6 Independent Charging Channels Charge 1-4 pcs AA/ AAA or 1-2 pcs 9V Ni-MH rechargeable batteries
- 3-Level Charging Protection
 - Reverse Polarity Protection
 - Over-current Protection
 - Short circuit Protection
- LED Charging Indicators

SPECIFICATIONS

Input: Input: 100-240V ~ 50/60Hz 5W

Output: AA: 4 x (1.2V --- 0.3A)

AAA: 4 x (1.2V --- 0.12A)

9V: 2 x (9V --- 0.03A)

Red LED	Charging in progress
----------------	----------------------

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	95	90
Dimensions W x H x D (mm)	128 x 200 x 69	125 x 204 x 76
Inner Carton		
Packs / Inner ctn	8	8
Net Weight(kg)	1.1	1
Gross Weight(kg)	1.54	1.4
Dimensions L x W x H (cm)	43 x 22 x 13.5	49.5 x 23.5 x 14
Outer Carton		
Packs / Carton	/	/
Net Weight(kg)	2.2	2.1
Gross Weight(kg)	2.9	2.8
Dimensions L x W x H (cm)	44.5 x 23.5 x 29.5	44.5 x 23.5 x 29.5
Volume(cbm)	0.0308	0.0308

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	BC-1092M	BC-1092S
Ni-MH AA 2500 mAh	6 h	10 h
Ni-MH AA 2000 mAh	5 h	8 h
Ni-MH AA 1500 mAh	3.5 h	6 h
Ni-MH AAA 1000 mAh	5 h	10 h
Ni-MH AAA 800 mAh	4 h	8 h
Ni-MH 9V 200 mAh	8 h	8 h

AVAILABLE COLORS

Black

BC-1091

Charges:

1-2 x AA
1-2 x AAA
1 x 9V

Ni-MH



Different plug models for different countries



MAIN FEATURES

- 3 independent charging channels
- Suitable for 1-2pcs 1.2V AA/AAA or 1pc 9V Ni-MH rechargeable battery
- Reverse polarity protection, short circuit protection, over voltage protection
- Safety timer (12 hours)*

*The charging stops automatically after 12 hours to avoid overcharging the battery

On	Charging in progress
Off	Charging completed

SPECIFICATIONS

Input: 100-240V~ 50/60Hz

Output: AA: 1.4V --- 0.25A

AAA: 1.4V --- 0.12A

9V: 9V --- 0.025A

Dimensions:

97.5×42×63.5 mm / 3.84×1.65×2.5 in (EU Plug)

97.5×42×45 mm / 3.84×1.65×1.77 in (US Plug)

Net Weight: 60 g / 0.13 lb (EU Plug)

55 g / 0.12 lb (US Plug)

AVAILABLE COLORS

Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	90	85
Dimensions W x H x D (mm)	87 x 172 x 50	87 x 172 x 50
Inner Carton		
Packs / Inner ctn	32	32
Net Weight(kg)	2.82	2.66
Gross Weight(kg)	3.47	3.47
Dimensions L x W x H (cm)	39.5 x 37.5 x 18	39.5 x 37.5 x 18
Outer Carton		
Packs / Carton	64	64
Net Weight(kg)	5.64	5.32
Gross Weight(kg)	7.34	7.02
Dimensions L x W x H (cm)	41 x 39 x 39	41 x 39 x 39
Volume(cbm)	0.0624	0.0624

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	12 h
Ni-MH AA 2000 mAh	10 h
Ni-MH AA 1500 mAh	7 h
Ni-MH AAA 1000 mAh	10 h
Ni-MH AAA 800 mAh	8 h
Ni-MH 9V 200 mAh	10 h

Battery Chargers

BC-1009

Charges:

1-2 x AA
1-2 x AAA

Ni-MH



Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Slim Shell Case Design
- 2 LED Charging Indicators

Red	Charging or Fully Charged
-----	---------------------------

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: 2 x (1.4V $\frac{\square\square\square}{\square}$ 0.15A)

AVAILABLE COLORS

 Black

PACKAGING

Blister		
Plug:	EU	US
Weight(g)	75	65
Dimensions W x H x D (mm)	90 x 172 x 72	90 x 172 x 50
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	1.2	1.04
Gross Weight(kg)	1.6	1.35
Dimensions L x W x H (cm)	41.5 x 20 x 22.5	36 x 20 x 20
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	2.4	2.08
Gross Weight(kg)	3.5	3.2
Dimensions L x W x H (cm)	43 x 42 x 24.5	42 x 37.5 x 22
Volume(cbm)	0.0443	0.0347

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	20 h
Ni-MH AA 2000 mAh	16 h
Ni-MH AA 1500 mAh	12 h
Ni-MH AAA 1000 mAh	8 h
Ni-MH AAA 800 mAh	6 h

BC-1056T

Charges:

2 x AA
2 x AAA

Ni-MH



MAIN FEATURES

- Charge AA / AAA Ni-MH Rechargeable Batteries in Pairs
- 3-Level Charging Protection
 - Safety timer control protection
 - Over-voltage protection
 - Reverse polarity protection
- LED Charging Indicators

Flashing	Charging in progress
Constant On	Fully charged

SPECIFICATIONS

Input: 5V $\frac{\square\square\square}{\square}$ 1.0 A
Output: AA: 2.4V $\frac{\square\square\square}{\square}$ 0.3 A
AAA: 2.4V $\frac{\square\square\square}{\square}$ 0.12 A
Safety Timer Control: 12 h

AVAILABLE COLOR

 White

PACKAGING

Blister	
Plug:	/
Weight(g)	76
Dimensions W x H x D (mm)	57 x 24 x 92
Inner Carton	
Packs / Inner ctn	48
Net Weight(kg)	3.6
Gross Weight(kg)	3.8
Dimensions L x W x H (cm)	32 x 19.5 x 12.8
Outer Carton	
Packs / Carton	192
Net Weight(kg)	14.6
Gross Weight(kg)	15.27
Dimensions L x W x H (cm)	40.5 x 33.5 x 27.5
Volume(cbm)	0.0373

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	10 h
Ni-MH AA 2000 mAh	8 h
Ni-MH AA 1500 mAh	6 h
Ni-MH AAA 1000 mAh	10 h
Ni-MH AAA 800 mAh	8 h

Battery Chargers

BC-1057F

BC-1057M

Charges:

1 to 4 × AA
1 to 4 × AAA

Ni-MH



CAN ICES-3(B)/NMB-3(B)
Intertek 3109300



BC-1057F

BC-1057M

PACKAGING

Blister	
Weight(g)	220
Dimensions W x H x D (mm)	90 x 172 x 54
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	3.5
Gross Weight(kg)	3.84
Dimensions L x W x H (cm)	41.0 x 22.5 x 10.5
Outer Carton	
Packs / Carton	32
Net Weight(kg)	7.04
Gross Weight(kg)	7.68
Dimensions L x W x H (cm)	42.2 x 23.8 x 22.0
Volume(cbm)	0.022

MAIN FEATURES

BC-1057F

- **4 Independent Charging Channels**
Charge 1-4 pcs AA/AAA Ni-MH rechargeable batteries
- **6 Levels of Safety Protection:**
ΔV Cut Off
Safety Timer Control Protection
Reverse Polarity Protection
Over voltage protection
Short circuit Protection
Defective and No-rechargeable battery detection
- **USB-C Input**

Solid Red	Charging in progress
Solid Green	Charging completed
Flashing	Defective or non-rechargeable battery / short circuit

BC-1057M

- **4 Independent Charging Channels**
Charge 1-4 pcs AA/AAA Ni-MH rechargeable batteries
- **6-Level Charging Protection**
ΔV Cut Off
Safety Timer Control Protection
Reverse Polarity Protection
Over voltage protection
Short circuit Protection
Defective and No-rechargeable battery detection
- **USB-C Input**

Flashing	Charging in progress
Constant On	Charging complete
Flashing Rapidly	Defective or non-rechargeable battery / short circuit

SPECIFICATIONS

BC-1057F

Input: 5V $\overline{\text{---}}$ 2A
Output: AA: 1.4V $\overline{\text{---}}$ 1.6A (1-2pcs),
1.4V $\overline{\text{---}}$ 0.8A (3-4pcs)
AAA: 1.4V $\overline{\text{---}}$ 0.8A (1-2pcs),
1.4V $\overline{\text{---}}$ 0.4A (3-4pcs)

BC-1057M

Input: 5V $\overline{\text{---}}$ 1.5A
Output: AA: 4 x (1.2V $\overline{\text{---}}$ 0.5A)
AAA: 4 x (1.2V $\overline{\text{---}}$ 0.25A)

AVAILABLE COLORS



CHARGING TIMES

Type of Battery	Charging Times (Appr.)		
	BC-1057F		BC-1057M
	1-2 Cells	3-4 Cells	
Ni-MH AA 2500 mAh	2 h	4 h	6 h
Ni-MH AA 2000 mAh	90min	3 h	5 h
Ni-MH AA 1500 mAh	70min	2 h	3.5 h
Ni-MH AAA 1000 mAh	50min	90min	5 h
Ni-MH AAA800 mAh	40min	70min	4 h

BC-1058

Charges:

1-8 × AA
1-8 × AAA

Ni-MH



PACKAGING

Blister	
Plug:	/
Weight(g)	/
Dimensions W x H x D (mm)	85 x 27 x 170
Inner Carton	
Packs / Inner ctn	32
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	47.5 x 29 x 10
Outer Carton	
Packs / Carton	64
Net Weight(kg)	8.6
Gross Weight(kg)	9.7
Dimensions L x W x H (cm)	49 x 30.5 x 22
Volume(cbm)	0.0329

MAIN FEATURES

- **8 Independent Charging Channels**
Charges 1-8 pcs 1.2V AA and AAA size Ni-MH rechargeable batteries
- **Automatically cut off after 9 hours**
Protects against overcharge and helps to maximize the life cycle of the battery
- **6 Levels Of Safety Protection**
dV Cut Off,
reverse polarity protection,
short circuit protection,
over current protection,
safety timer control,
Defective and Non-rechargeable Battery Detection
- **Easy-to-monitor Charging Indicators**

Red LED	Charging in progress
Green LED	Fully charged
Red and green alternative flashing	Error

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 2.0A 10W
Output: 8 × (1.2V $\overline{\text{---}}$ 0.5A)

AVAILABLE COLORS



CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	6 h
Ni-MH AA 2000 mAh	5 h
Ni-MH AA 1500 mAh	3.5 h
Ni-MH AAA 1000 mAh	2.5 h
Ni-MH AAA 800 mAh	2 h

Battery Chargers

BC-1043MC

Charges:

- 1-4 x AAA
- 1-4 x AA
- 1-4 x C
- 1-4 x D
- 1-2 x 9V

Ni-MH



PACKAGING

Blister	
Plug:	/
Weight(g)	305
Dimensions W x H x D (mm)	95 x 54 x 243mm
Inner Carton	
Packs / Inner ctn	18
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	43.5 x 29.5 x 19
Outer Carton	
Packs / Carton	36
Net Weight(kg)	11
Gross Weight(kg)	12.4
Dimensions L x W x H (cm)	45 x 31 x 40
Volume(cbm)	0.0558

MAIN FEATURES

- 6 Independent Charging Channels**
Charge 1-4pcs AA/AAA/C/D or 1-2pcs 9V Ni-MH batteries
- Smart-charge with precise micro-controlunit**
Provide precise, high efficient and reliable charging and maximize the life cycle of the batteries
- Battery Refresh Function**
Reduce the memory effect enabling full battery discharge for long life span
- 4 Levels Of Safety Protection**
-dV, 0dV Cut Off, reverse polarity protection, short circuit protection, Defective and Non-rechargeable Battery Detection
- Easy-to-monitor Charging Indicators**

Red LED	Charging in progress
Green LED	Fully charged

SPECIFICATIONS

Input: 5V 1.0A 5W

Output: 1x1.4V 0.6A(AA/AAA/C/D)
2x1.4V 0.6A(AA/AAA/C/D)
3x1.4V 0.4A(AA/AAA/C/D)
4x1.4V 0.3A(AA/AAA/C/D)
1x9V 0.07A(9V block)
2x9V 0.04A(9V block)

AVAILABLE COLORS

Black

CHARGING TIMES

Type of Battery	Charging Times (Appr.)			
	1pcs	2pcs	3pcs	4pcs
Ni-MH D 6000 mAh	7 h	12 h	18 h	22 h
Ni-MH C 3500 mAh	4 h	7 h	11 h	14 h
Ni-MH AA 2500 mAh	3 h	5 h	8 h	10 h
Ni-MH AA 2000 mAh	2.5 h	4 h	6 h	8 h
Ni-MH AA 1500 mAh	2 h	3 h	4.5 h	6 h
Ni-MH AAA 1000 mAh	70min	2 h	3 h	4 h
Ni-MH AAA 800 mAh	60min	100min	2.5 h	3 h
Ni-MH 9V 200 mAh	3.5 h	6 h	-	-

BC-1046

Charges:

- 1-4 x AA
- 1-4 x AAA

Ni-MH



PACKAGING

Blister	
Plug:	/
Weight(g)	78g
Dimensions W x H x D (mm)	100x68x27 mm
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	50.5 x 23.5 x 9.5
Outer Carton	
Packs / Carton	32
Net Weight(kg)	4
Gross Weight(kg)	4.7
Dimensions L x W x H (cm)	52 x 25 x 21.5
Volume(cbm)	0.0280

MAIN FEATURES

- Suitable for AA and AAA batteries**
Charges 1-4 pcs 1.2V AA and AAA size Ni-MH rechargeable batteries at the same time.
- Smart charging system**
Built-in MCU control protects battery life and use safety, with detailed charging information showing on LCD screen.
- Rechargeable convenience**
The on-the-go battery charger works anywhere with the USB-C port. Eliminates the need to bring additional accessories like an AC outlet adapter.
- 7 levels of safety protection**
dV Cut Off, reverse polarity protection, trickle charge protection, short circuit protection, over temperature protection, over current protection and timer control protection.

SPECIFICATIONS

Input: 5V 2.0A 10W

Output: 1.4V 1.0A (Side Channels)
1.4V 0.5A (Middle Channels)

AVAILABLE COLORS

Black

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	Side Channels	Middle Channels
Ni-MH AA 2500 mAh	3 hrs	6 hrs
Ni-MH AA 2000 mAh	2.5 hrs	5 hrs
Ni-MH AA 1500 mAh	2 hrs	3.5 hrs
Ni-MH AAA 1100 mAh	80 min	2.5 hrs
Ni-MH AAA 800 mAh	60 min	2 hrs

Battery Chargers

LBC-305

Charges:

1-2 x 18650

Li-ion



USB-C Input



MAIN FEATURES

- 2 Independent Charging Channels
- Suitable for flat-top and high top 18650 Li-ion Batteries
- Reverse Polarity Protection
- Overcharge Protection
- Short-circuit Protection
- LED Charging Indicators

Red	Charging
Green	Fully charged

SPECIFICATIONS

Input: 5V $\equiv$ 1A

Output: 3.7V $\equiv$ 0.5A

Caution: Specialized charger for 18650 Lithium-ion batteries

AVAILABLE COLORS

Black

PACKAGING

Blister	
Plug:	/
Weight(g)	108
Dimensions W x H x D (mm)	95 x 176 x 64
Inner Carton	
Packs / Inner ctn	10
Net Weight(kg)	0.84
Gross Weight(kg)	1.2
Dimensions L x W x H (cm)	48.6 x 18.1 x 10.5
Outer Carton	
Packs / Carton	40
Net Weight(kg)	3.36
Gross Weight(kg)	4.78
Dimensions L x W x H (cm)	49.6 x 37.8 x 23
Volume(cbm)	0.0431

CHARGING TIMES

Battery Type	Battery Capacity	Charging Times (Appr.)
18650 Lithium-ion	2600 mAh	6.5 h
18650 Lithium-ion	2200 mAh	5.5 h
18650 Lithium-ion	1800 mAh	4.5 h
18650 Lithium-ion	1500 mAh	4 h

LBC-316

Charges:

1-2 x 3.7V

Li-ion



MAIN FEATURES

- 2 Independent Charge Channels
- Suitable for Charging 1-2 pcs Li-ion Batteries
- Abnormal Battery Detection
- Detect and activate deep discharged Batteries
- Multiple safety protections
- LED Charging Indicators

Red	Charging
Green	Fully charged
Red Flashing	Defective ,non-chargeable batteries, reverses polarity, or short-circuit be detected.

SPECIFICATIONS

Input: 5V $\equiv$ 2A

Output: 2 x (3.7 V $\equiv$ 1A)

AVAILABLE COLOR

Black

PACKAGING

Blister	
Plug:	/
Weight(g)	112
Dimensions W x H x D (mm)	94 x 165x 32
Inner Carton	
Packs / Inner ctn	12
Net Weight(kg)	1.35
Gross Weight(kg)	1.6
Dimensions L x W x H (cm)	28x 20.5 x 10.5
Outer Carton	
Packs / Carton	48
Net Weight(kg)	5.4
Gross Weight(kg)	6.4
Dimensions L x W x H (cm)	43 x 28 x 15
Volume(cbm)	0.0309

CHARGING TIMES

Battery Type	Battery Capacity	Charging Times (Appr.)
Li-ion 26650	5000 mAh	6 h
Li-ion 18650	2500 mAh	3 h
Li-ion 18650	2000 mAh	2.5 h
Li-ion 18650	1500 mAh	2 h
Li-ion 17335	1000 mAh	80 min

Battery Chargers

LBC-321

Charges:
1.2V
3.2V
3.7V
3.85V

Ni-MH

Li-Fe

Li-ion



MAIN FEATURES

- 4 Independent Charging Channels
- Suitable for charging 1-4 pcs AA / AAA / Li-ion batteries
- Automatically identifies battery type
- Multiple safety protections
- Capable of activating 0 volt Batteries
- Four selectable charging currents
- Mobile power function
- LED Charging Indicators

Red LED	Charging in progress
Green LED	Fully charged

SPECIFICATIONS

Input: USB-C 5V $\pm$ 2A

Output:

Battery Voltage:

1.2V, 3.2V, 3.7V, 3.85V

Charging Current:

1 PCS: 2.0A(4th Slot Only)

2 PCS: 1.0A / 0.7A / 0.5A

3 PCS: 0.7A / 0.5A

4 PCS: 0.5A

Mobile Power Function:

Output: 5V $\pm$ 1A (Request lithium battery at the 4th slot)

AVAILABLE COLOR

Black

PACKAGING

Blister	
Plug:	/
Weight(g)	155
Dimensions W x H x D (mm)	94 x 165 x 30
Inner Carton	
Packs / Inner ctn	12
Net Weight(kg)	1.9
Gross Weight(kg)	2.1
Dimensions L x W x H (cm)	28 x 20.5 x 10.5
Outer Carton	
Packs / Carton	48
Net Weight(kg)	7.5
Gross Weight(kg)	8.6
Dimensions L x W x H (cm)	44 x 30 x 26
Volume(cbm)	0.0343

CHARGING TIMES When charging Current is 500mA

Battery Type	Battery Capacity	Charging Times (Appr.)
26650 Li-ion	5000mAh	12 h
18650 Li-ion	2500mAh	6 h
18650 Li-ion	2000mAh	5 h
18500 Li-ion	1500mAh	3.5 h
17335 Li-ion	700mAh	100 min
Ni-MHAA	2000mAh	5 h
Ni-MHAAA	1000mAh	2.5 h

LBC-323

Charges:
1-2 x 9V

Ni-MH

Li-ion



MAIN FEATURES

- 2 Independent Charging Channels Charge 1-2pcs 9V Ni-MH/Li-ion batteries
- 5-Level Charging Protection
 - Safety timer control protection
 - Reverse polarity protection
 - Over-current protection
 - Short circuit protection
 - Defective and no-rechargeable battery detection
- LED Charging Indicators

Red LED	Charging in progress
Green LED	Fully charged

SPECIFICATIONS

Input: 5V $\pm$ 1A

Output: 9V Ni-MH: 1 x (9.5 V $\pm$ 0.08 A)

2 x (9.5 V $\pm$ 0.04 A)

9V Li-ion: 1 x (7.4V $\pm$ 0.26 A)

2 x (7.4V $\pm$ 0.13 A)

AVAILABLE COLOR

Black White

PACKAGING

Blister	
Plug:	/
Weight(g)	/
Dimensions W x H x D (mm)	/
Inner Carton	
Packs / Inner ctn	/
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	/
Outer Carton	
Packs / Carton	/
Net Weight(kg)	/
Gross Weight(kg)	/
Dimensions L x W x H (cm)	/
Volume(cbm)	/

CHARGING TIMES

Battery Type	Battery Capacity	Charging Times (Appr.)	
		1Cells	2 Cells
Ni-MH 9V	250 mAh	4 h	8 h
Ni-MH 9V	200 mAh	3 h	6 h
Li-ion 9V	600 mAh	3 h	6 h

Battery Charging Table

Notes:
The following table is the cross reference of specific Camellion battery charger against the time it takes to recharge different batteries. To use this table, first locate the model of the Camellion charger you're using, then cross check with the battery's model to identify the charging time.

Camellion Model	BC-0907N	BC-0905A		BC-0905T	BC-1010B	BC-1092S	BC-1092W	BC-1091	BC-1009	BC-1056T	BC-1057F		BC-1057W	BC-1058	BC-1043MC				BC-1046		LBC-305 Li-ion	LBC-316 Li-ion	LBC-321				LBC-323		
	DC In 12V, 1.5A	1-2 cells	3-4 cells								1-2 cells	3-4 cells			1pcs	2pcs	3pcs	4pcs	CH1 & CH4	CH2 & CH3			1pcs	2pcs	3pcs	4pcs	1pcs	2pcs	
Rechargeable Batteries																													
NH-D6000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7h	12h	18h	22h	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NH-C3500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4h	7h	11h	14h	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NH-AA2700	90min	3.5h	7h	/	7h	16h	11h	7h	22h	11h	2h	4h	7h	7h	3.5h	5.5h	8h	11h	3.5h	6h	NA	NA	100min	3.5h	4.5h	7h	NA	NA	NA
NH-AA2500	80min	3h	6h	/	6h	15h	10h	6h	20h	10h	2h	4h	6h	6h	3h	5h	8h	10h	3h	6h	NA	NA	90min	3h	4h	6h	NA	NA	NA
NH-AA2300	/	3h	5.5h	/	5.5h	14h	9h	5.5h	11h	18h	2h	3.5h	5.5h	5.5h	3h	4h	7h	9h	2.5h	5.5h	NA	NA	80min	3h	4h	5.5h	NA	NA	NA
NH-AA2200	/	2.5h	5.5h	/	5.5h	13h	8h	5.5h	11h	18h	100min	3.5h	5.5h	5.5h	2.5h	4h	7h	9h	2.5h	5.5h	NA	NA	80min	2.5h	4h	5.5h	NA	NA	NA
NH-AA2100	70min	2.5h	5h	10h	5h	13h	8h	5h	10h	17h	100min	3h	5h	5h	2.5h	4h	6h	8h	2.5h	5h	NA	NA	70min	2.5h	3.5h	5h	NA	NA	NA
NH-AA2000	60min	2.5h	5h	9h	5h	12h	8h	5h	16h	8h	90min	3h	5h	5h	2.5h	4h	6h	8h	2.5h	5h	NA	NA	70min	2.5h	3.5h	5h	NA	NA	NA
NH-AA1800	/	2h	4.5h	8h	4.5h	11h	7h	4.5h	9h	14h	80min	2.5h	4.5h	4.5h	2h	3.5h	5.5h	7h	2h	4.5h	NA	NA	60min	2h	3h	4.5h	NA	NA	NA
NH-AA1500	50min	2h	3.5h	7h	3.5h	9h	6h	3.5h	7h	12h	70min	2h	3.5h	3.5h	2h	3h	4.5h	6h	2h	3.5h	NA	NA	50min	2h	2.5h	3.5h	NA	NA	NA
NH-AAA1100	90min	2h	4.5h	/	5.5h	7h	11h	5.5h	9h	11h	100min	3.5h	5.5h	2.5h	80min	2h	3.5h	4.5h	80min	2.5h	NA	NA	40min	80min	2h	2.5h	NA	NA	NA
NH-AAA1000	80min	2h	4h	10h	5h	6h	10h	5h	8h	10h	90min	3h	5h	2.5h	70min	2h	3h	4h	70min	2.5h	NA	NA	40min	70min	100min	2.5h	NA	NA	NA
NH-AAA900	80min	2h	3.5h	9h	4.5h	5h	9h	4.5h	7h	9h	80min	2.5h	4.5h	2h	60min	2h	2.5h	3.5h	60min	2h	NA	NA	30min	60min	90min	2h	NA	NA	NA
NH-AAA800	70min	2h	3h	8h	4h	5h	4h	8h	6h	8h	70min	2.5h	4h	2h	60min	100min	2.5h	3h	60min	2h	NA	NA	30min	60min	80min	2h	NA	NA	NA
NH-AAA600	60min	80min	2.5h	6h	3h	4h	3h	6h	5h	6h	50min	2h	3h	90min	40min	70min	2h	2.5h	40min	90min	NA	NA	20min	40min	60min	90min	NA	NA	NA
NH-9V250	NA	NA	NA	NA	NA	NA	10h	10h	NA	NA	NA	NA	NA	NA	4h	7h	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4h	8h	
NH-9V200	NA	NA	NA	NA	NA	NA	8h	8h	10h	NA	NA	NA	NA	NA	3.5h	6h	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3h	6h	
26650 Li-ion 5000mAh	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6h	NA	NA	NA	NA	NA	NA	NA
18650 Li-ion 2500mAh	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3h	NA	NA	NA	NA	NA	NA	NA
18650 Li-ion 2000mAh	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.5h	NA	NA	NA	NA	NA	NA	NA
18500 Li-ion 1500mAh	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2h	NA	NA	NA	NA	NA	NA	NA
17335 Li-ion 700mAh	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	80min	NA	NA	NA	NA	NA	NA	NA

Notes:
NA - Not Applicable
T/C: Charger has timer control. This is the cut off time, whether the battery is fully charged or not.
All the data is based on Camellion latest lab tests. Charging times may vary based upon temperature, product age, voltage and other conditions.
This data sheet is for customer reference purposes only and to help customers choose the appropriate product. Contents do not constitute a warranty.
For information on specific Camellion products please visit our website at www.camellionbattery.com or contact us directly at info@camellionbattery.com.

Displays & Merchandiser

Displays, Merchandiser and Promotional Accessories

Promotional Accessory

Maximum Impact, Minimum Space, Optimal Sales

Impactful exposure for all your Camelion products.

For custom merchandising solutions please contact us at info@camelionbattery.com



MFD-01

Metal Floor Display

- 36 hooks (18 cm each) that can hold 216-540 medium/large size packages
- Add or remove metal racks depending on the products you wish to display
- Made with steel and designed to be sturdy, ensuring a long-lasting lifespan
- Easy assembly thanks to interlocking joints, no screws or hammers needed (instructions included)
- 2 horizontal display areas for displaying large and/or heavy products
- L x W x H: 60 x 35 x 170 cm



WCD-06

Metal Counter Display

- Durable furnace-tested metal finish
- 20 Racks (L=15 cm)
- Simple and lightweight design
- L x W x H: 35 x 35 x 160 cm

Qty for Each Hook:

AAA Size	10 packs
AA Size	7 packs
9V Size	6 packs
C Size	5 packs
D Size	4 packs

WCD-02



WCD-03



WCD-05



Metal Counter Display

WCD-02 L x W x H: 33 x 22 x 43 cm (6 hooks)

WCD-03 L x W x H: 33 x 22 x 58 cm (9 hooks)

WCD-05 L x W x H: 44 x 20 x 66 cm (12 hooks)

- Made with steel to be strong and long-lasting
- Lightweight for easy portability
- Available in black



Metal Counter Display

Qty for each hook

AAA Size: 9 packs

AA Size: 7 packs

9V Size: 5 packs

C Size: 4 packs

D Size: 3 packs

L x W x H: 20 x 30 x 65 cm

- Made with steel to be strong and long-lasting
- Lightweight for easy portability
- Available in black

HW-04



HW-05



HW-06



HW-07



HW-04 12 Clear Plastic Hook Racks

L x H: 7.5 x 62 cm

HW-05 12 White Plastic Hook Racks

L x H: 6.2 x 77.5 cm

HW-06 12 Black Plastic Hook Racks

L x H: 84 x 11.3 cm

HW-07 12 Clear Plastic Hook Racks

L x H: 84 x 11.3 cm



DR-25

Aisle Display Box

This new display rack is designed to make items easier to reach. Displaying all the different batteries in your sales mix has never been simpler. The display box is easy to transport and easy to set up in stores and supermarkets.

- Display informative images
- Clear branding
- Light, durable materials
- Easy to place and retrieve items
- Clear messages
- L x W x H: 34.4 x 28.5 x 155.6 cm



Aisle Display Box

Economical, corrugated cardboard retail display boxes are great for supermarkets, presentations and trade shows. This portable display is lightweight and easy to set up for maximum retail exposure.

- Freestanding cardboard display has 20 trays, each tray is 9.5cm wide x 11.8cm high x 13cm deep
- L x W x H: 41.5 x 32.5 x 138.2 cm

DR-06-SHD

DR-06-A

Displays, Merchandiser and Promotional Accessories



DR-16

Aisle Display Box

Economical, corrugated cardboard retail display for larger package types, great for supermarkets, presentations and trade shows.

- Freestanding cardboard display box has 9 trays
- L x W x H: 54.8 x 38.4 x 117 cm



DR-17

Aisle Display Box

Economical, corrugated cardboard retail display boxes are great for supermarkets, presentations, and trade shows. Designed to be lightweight, portable and easy to set up, making them the perfect solution for maximizing retail exposure.

- Freestanding cardboard display has 18 trays
- L x W x H: 34.5 x 42.4 x 143 cm



DR-13

Desktop Cardboard Display

This Desktop Cardboard Display is a great way to present products in stores, supermarkets, road shows and exhibitions. Easy to set up and transport, making it an ideal option when trying to maximize retail exposure.

- L x W x H: 30x20x50cm
- Display Options:
 - AA: 3 x 10 packs
 - AAA: 3 x 12 packs
 - C: 4 packs
 - D: 3 packs
 - 9V: 5 packs



DR-20

Button Cell Depot

Easily display Camelion Lithium CR series button cells, AG23, AG27, AA and AAA batteries all in a single desktop display.

Model	Quantity
CR-BP1	24pk
A23-BP1	12pk
A27-BP1	12pk



DR-21

Desktop Cardboard Display Stand

- Perfect on a shelf or at the checkout counter thanks to its compact size
- Mix and match hooks depending on the products you wish to display (hook length = 10 cm)
- L x W x H: 15 x 34.5 x 52.5 cm (stands at 75° angle)
- Elegant design: Economical and versatile
- Environmentally friendly and light: Made with paper materials

Five Options:





T228KC

Keychain Flashlight

It's not a battery, it's a Camelion keychain flashlight! A great, pocket-sized promotional item that can be taken anywhere and is also a fully functional flashlight.



PN-04R

Ball Pen



PN-04B

Ball Pen



T-06

Short-Sleeved Polo Shirt

Durable cotton, short-sleeved, polo-style shirt



T-10

Short-Sleeved Polo Shirt

Durable cotton, short-sleeved, polo-style shirt



C-03

Caps

Comfortable golf caps with one-size-fits-all design.

Displays, Merchandiser and Promotional Accessories

	HB-04 Non-Woven Bag • Material: Fiber • L x W x H: 38 x 34 x 10 cm		HB-05 Plastic • L x W x H: 30 x 38 x 6 cm
		HB-09 Promotional Tote Bag • Material: Fiber • L x W x H: 38 x 34 x 12 cm	
Battery Adapter For Rechargeable & Non-Rechargeable Batteries  AA Battery + Adapter D or C Size Warning: When using two or more adapters together, avoid mixing new and used batteries, batteries with different charge levels or different brands. Don't mix adapters with actual D batteries in the device. Please insert the AA batteries into the adapter correctly. Remove battery after use, or when not in use. Store adapter separately from battery. Do not recharge battery while in the adapter.		Lithium Battery Case 	
Battery Case 		Main Features • Durable plastic case holds • Keep your batteries together and safe.	

Empower Every Possibility with More Energy Solutions

Camelion has been providing energy solutions to customers worldwide for over 29 years. As one of the most influential energy solution brands in the global market, Camelion is now actively operating in over 120 countries and regions in collaboration with our business partners. Our mission is to satisfy our customers with the finest quality products, customer-friendly price and thoughtful services. Whenever and wherever you are in need, we are always ready for your help with all the energy solutions you need.



Camelion Battery Co., Ltd.

Unit 705, Cyber Times Tower A, Tianan Cyber Park,
Futian, Shenzhen, Guangdong, China

Camelion Enterprises Ltd.

Block 8, 3/F, Sunray Industrial Centre,
610 Cha Kwo Ling Road , Kowloon, Hong Kong

For more information about Camelion, please visit www.camelionbattery.com

Camelion is a registered trademark of Camelion Battery Co., Ltd.
All other brand names are trademarks or registered trademarks of the respective companies.
Copyright ©2026 Camelion Battery Co., Ltd. All rights reserved.



www.camelionbattery.com

CA-B&C-2026