

Empower Every Possibility with More Energy Solutions

Camelion has been providing energy solutions to customers worldwide for over 29 years. As one of the most influential energy solution brands in the global market, Camelion is now actively operating in over 120 countries and regions in collaboration with our business partners. Our mission is to satisfy our customers with the finest quality products, customer-friendly price and thoughtful services. Whenever and wherever you are in need, we are always ready for your help with all the energy solutions you need.



Camelion Battery Co., Ltd.

Unit 705, Cyber Times Tower A, Tianan Cyber Park,
Futian, Shenzhen, Guangdong, China

Camelion Enterprises Ltd.

Block 8, 3/F, Sunray Industrial Centre,
610 Cha Kwo Ling Road , Kowloon, Hong Kong

For more information about Camelion, please visit www.camelionbattery.com

Camelion is a registered trademark of Camelion Battery Co., Ltd.
All other brand names are trademarks or registered trademarks of the respective companies.
Copyright ©2026 Camelion Battery Co., Ltd. All rights reserved.



Camelion®

Batteries and Chargers

Primary Batteries
Rechargeable Batteries
Battery Chargers
Displays & Merchandise




Product Catalogue

www.camelionbattery.com



More Energy Solutions



**Try us out
today!**

- Primary Batteries
- Micro Batteries
- Rechargeable Batteries
- Battery Chargers
- Displays & Merchandiser

Content

Primary Batteries

| | |
|--------------------------|----|
| Ultra Alkaline | 5 |
| Digi Alkaline | 6 |
| Plus Alkaline | 7 |
| Super Heavy Duty (Blue) | 12 |
| Super Heavy Duty (Green) | 15 |
| Lithium P7 | 18 |
| 9V Lithium | 18 |
| Photo Lithium | 19 |

Micro Batteries

| | |
|-------------------------|----|
| Lithium | 20 |
| Alkaline | 20 |
| Hearing Aid Zinc Air | 21 |
| Battery Tester | 22 |
| Battery Selection Chart | 23 |

Rechargeable Batteries

| | |
|----------------------------------|----|
| AlwaysReady Rechargeable | 25 |
| Ni-MH Rechargeable | 29 |
| Lithium-ion Rechargeable | 31 |
| LiFePO ₄ Rechargeable | 32 |
| USB-C Lithium Rechargeable | 32 |
| 1.5V Lithium Rechargeable | 33 |

Battery Chargers

| | | | |
|---------------------|----|-------------------|----|
| LBC-326M / LBC-328M | 35 | BC-1057F/BC-1057M | 40 |
| BC-0907N | 36 | BC-1058 | 40 |
| BC-0905A / BC-0905T | 36 | BC-1043MC | 41 |
| BC-1015 | 37 | BC-1046 | 41 |
| BC-1010B | 37 | LBC-305 | 42 |
| BC-1092S/BC-1092M | 38 | LBC-316 | 42 |
| BC-1091 | 38 | LBC-321 | 43 |
| BC-1009 | 39 | LBC-323 | 43 |
| BC-1056T | 39 | | |

| | |
|------------------------------------|-----------|
| Battery Charging Time Table | 44 |
|------------------------------------|-----------|

Displays & Merchandiser Accessories 46



Primary Batteries

Ultra Alkaline

Camelion Ultra Alkaline Batteries are engineered to deliver maximum power for today's most energy-demanding devices such as digital cameras, camera flashes, electric shavers, smart locks, and more. As our best-performing alkaline batteries, they generate exceptional energy density, peak performance, and are always trusted for the toughest tasks.



LR6-BP4UT

1.5V AA

| | | |
|---------------------|------------------|-------------------------------|
| Packaging | | |
| Blister | 4 pcs/pack | Gross Weight: 15.22 kg |
| Inner Box | 12 packs/box | Volume: 0.0185 cbm |
| Outer Carton | 144 packs/carton | |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 29.0(L) x 28.3(W) x 22.5(H) |



LR6-BP2UT

1.5V AA

| | | |
|---------------------|------------------|------------------------------|
| Packaging | | |
| Blister | 2 pcs/pack | Gross Weight: 12.6 kg |
| Inner Box | 12 packs/box | Volume: 0.0251 cbm |
| Outer Carton | 216 packs/carton | |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 41.5(L) x 27.5(W) x 22.0(H) |



LR03-BP4UT

1.5V AAA

| | | |
|---------------------|------------------|------------------------------|
| Packaging | | |
| Blister | 4 pcs/pack | Gross Weight: 15.9 kg |
| Inner Box | 12 packs/box | Volume: 0.0237 cbm |
| Outer Carton | 288 packs/carton | |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |



LR03-BP2UT

1.5V AAA

| | | |
|---------------------|------------------|-----------------------------|
| Packaging | | |
| Blister | 2 pcs/pack | Gross Weight: 9.1 kg |
| Inner Box | 12 packs/box | Volume: 0.0237 cbm |
| Outer Carton | 288 packs/carton | |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |



LR20-BP2UT

1.5V D

| | | |
|---------------------|-----------------|------------------------------|
| Packaging | | |
| Blister | 2 pcs/pack | Gross Weight: 15.0 kg |
| Inner Box | 6 packs/box | Volume: 0.0157 cbm |
| Outer Carton | 48 packs/carton | |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 34(D) |
| Inner Box (mm) | 160(L) x 110(W) x 92(H) |
| Outer Carton (cm) | 33.5(L) x 19.5(W) x 24.0(H) |



LR14-BP2UT

1.5V C

| | | |
|---------------------|-----------------|------------------------------|
| Packaging | | |
| Blister | 2 pcs/pack | Gross Weight: 14.3 kg |
| Inner Box | 6 packs/box | Volume: 0.0227 cbm |
| Outer Carton | 96 packs/carton | |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 27(D) |
| Inner Box (mm) | 140(L) x 90(W) x 92(H) |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 20.5(H) |



6LR61-BP1UT

9V

| | | |
|---------------------|------------------|------------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 11.2 kg |
| Inner Box | 12 packs/box | Volume: 0.0246 cbm |
| Outer Carton | 192 packs/carton | |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 18(D) |
| Inner Box (mm) | 123(L) x 117(W) x 86(H) |
| Outer Carton (cm) | 36.2(L) x 26.3(W) x 25.8(H) |

Digi Alkaline

Camelion Digi Alkaline Batteries are perfect for many electronic devices, such as cameras, smart locks, smart sensors and boomboxes. Powered by innovative technology, these batteries offer longer lifespan for your high-drain devices.



LR20-BP2DG

1.5V D

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 15.0 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 48 packs/carton | 0.0157 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 34(D) |
| Inner Box (mm) | 160(L) x 110(W) x 92(H) |
| Outer Carton (cm) | 33.5(L) x 19.5(W) x 24.0(H) |



LR14-BP2DG

1.5V C

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 14.3 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0227 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 27(D) |
| Inner Box (mm) | 140(L) x 90(W) x 92(H) |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 20.5(H) |



LR6-BP4DG

1.5V AA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 15.22 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0185 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 29.0(L) x 28.3(W) x 22.5(H) |



LR6-BP2DG

1.5V AA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 12.6 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 216 packs/carton | 0.0251 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 41.5(L) x 27.5(W) x 22.0(H) |



LR03-BP4DG

1.5V AAA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 15.9 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 288 packs/carton | 0.0237 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |



LR03-BP2DG

1.5V AAA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 9.1 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 288 packs/carton | 0.0237 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |



6LR61-BP1DG

9V

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 1 pcs/pack | 11.2 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 192 packs/carton | 0.0246 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 18(D) |
| Inner Box (mm) | 123(L) x 117(W) x 86(H) |
| Outer Carton (cm) | 36.2(L) x 26.3(W) x 25.8(H) |

Plus Alkaline

Camelion Plus Alkaline Batteries offer reliable and long-lasting power for your devices. The batteries are specially designed to deliver stable and long-term current, supporting devices such as remote control, toys, smart lock, smart sensors and electronic gaming devices.



LR20-BP2

1.5V D

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 15.0 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 48 packs/carton | 0.0157 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 34(D) |
| Inner Box (mm) | 160(L) x 110(W) x 92(H) |
| Outer Carton (cm) | 33.5(L) x 19.5(W) x 24.0(H) |



LR14-BP2

1.5V C

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 14.3 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0227 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 27(D) |
| Inner Box (mm) | 140(L) x 90(W) x 92(H) |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 20.5(H) |



LR6-BP4

1.5V AA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 15.22 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0185 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 29.0(L) x 28.3(W) x 22.5(H) |



LR6-BP2

1.5V AA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 12.6 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 216 packs/carton | 0.0251 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 41.5(L) x 27.5(W) x 22.0(H) |



4&2LR6V-BP

1.5V AA

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 6 pcs/pack | 11.8 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0160 cbm |

| | |
|--------------------------|---------------------------|
| Dimensions | |
| Blister (mm) | 125(W) x 114(H) x 15(D) |
| Inner Box (mm) | 132(L) x 105(W) x 138(H) |
| Outer Carton (cm) | 41.5(L) x 29.5(W) x 13(H) |



4&4LR6

1.5V AA

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 8 pcs/pack | 15.5 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0199 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 168(W) x 114(H) x 15(D) |
| Inner Box (mm) | 175(L) x 140(W) x 10.8(H) |
| Outer Carton (cm) | 43.5(L) x 19.0(W) x 24.0(H) |



LR6-BP4x4

1.5V AA

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 8 pcs/pack | 15.4 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0182 cbm |

| | |
|--------------------------|---------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 114(H) x 29(D) |
| Inner Box (mm) | 190(W) x 138(H) x 95(D) |
| Outer Carton (cm) | 29(L) x 20.5(W) x 30.5(H) |



LR03-BP4x4

1.5V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 8 pcs/pack | 15.9 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0239 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 84(W) x 144(H) x 22(D) |
| Inner Box (mm) | 145(L) x 121(W) x 90(H) |
| Outer Carton (cm) | 37.8(L) x 31.5(W) x 20.0(H) |

Plus Alkaline



LR03-BP4

1.5V AAA

Packaging

| | |
|---------------------|------------------|
| Blister | 4 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 288 packs/carton |

| | |
|----------------------|------------|
| Gross Weight: | 16.03kg |
| Volume: | 0.0237 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 33.0(L) x 26.5(W) x 29.0(H) |



LR03-BP2

1.5V AAA

Packaging

| | |
|---------------------|------------------|
| Blister | 2 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 288 packs/carton |

| | |
|----------------------|------------|
| Gross Weight: | 9.1 kg |
| Volume: | 0.0237 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |



4&2LR03V-BP

1.5V AAA

Packaging

| | |
|---------------------|------------------|
| Blister | 6 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 144 packs/carton |

| | |
|----------------------|------------|
| Gross Weight: | 12.8 kg |
| Volume: | 0.0207 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 125(W) x 114(H) x 11(D) |
| Inner Box (mm) | 132(L) x 75(W) x 125(H) |
| Outer Carton (cm) | 41.5(L) x 28.5(W) x 17.5(H) |



4&4LR03

1.5V AAA

Packaging

| | |
|---------------------|-----------------|
| Blister | 8 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 72 packs/carton |

| | |
|----------------------|------------|
| Gross Weight: | 8.9 kg |
| Volume: | 0.0147 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 168(W) x 114(H) x 11(D) |
| Inner Box (mm) | 175(L) x 130(W) x 85(H) |
| Outer Carton (cm) | 40.5(L) x 19.0(W) x 19.0(H) |



6LR61-BP1

9V

Packaging

| | |
|---------------------|------------------|
| Blister | 1 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 192 packs/carton |

| | |
|----------------------|------------|
| Gross Weight: | 11.2 kg |
| Volume: | 0.0246 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 18(D) |
| Inner Box (mm) | 123(L) x 117(W) x 86(H) |
| Outer Carton (cm) | 36.2(L) x 26.3(W) x 25.8(H) |



3LR12-BP1

4.5V

Packaging

| | |
|---------------------|------------------|
| Blister | 1 pcs/pack |
| Inner Box | 6 packs/box |
| Outer Carton | 144 packs/carton |

| | |
|----------------------|------------|
| Gross Weight: | 16.9 kg |
| Volume: | 0.0295 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 23(D) |
| Inner Box (mm) | 160(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 36.0(L) x 33.5(W) x 24.5(H) |



LR1-BP2

1.5V N

Packaging

| | |
|---------------------|------------------|
| Blister | 2 pcs/pack |
| Inner Box | 6 packs/box |
| Outer Carton | 192 packs/carton |

| | |
|----------------------|------------|
| Gross Weight: | 6.3 kg |
| Volume: | 0.0181 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 12(D) |
| Inner Box (mm) | 116(L) x 45(W) x 86(H) |
| Outer Carton (cm) | 36.2(L) x 25.0(W) x 20.0(H) |



LR8D425-BP2

1.5V AAAA

Packaging

| | |
|---------------------|------------------|
| Blister | 2 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 288 packs/carton |

| | |
|----------------------|------------|
| Gross Weight: | 6.2 kg |
| Volume: | 0.0251 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 128(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 27.6(W) x 28.0(H) |

Plus Alkaline



4 + 2LR6-BP

1.5V AA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 6 pcs/pack | 11.8 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0160 cbm |

| | |
|-------------------|---------------------------|
| Dimensions | |
| Blister (mm) | 125(W) x 114(H) x 15(D) |
| Inner Box (mm) | 132(L) x 105(W) x 138(H) |
| Outer Carton (cm) | 41.5(L) x 29.5(W) x 13(H) |



4 + 2LR03-BP

1.5V AAA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 6 pcs/pack | 12.8 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0207 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 125(W) x 114(H) x 11(D) |
| Inner Box (mm) | 132(L) x 75(W) x 125(H) |
| Outer Carton (cm) | 41.5(L) x 28.5(W) x 17.5(H) |



8 + 4LR6-BP

1.5V AA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 12 pcs/pack | 15.0 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 48 packs/carton | 0.0190 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 125(W) x 114(H) x 29(D) |
| Inner Box (mm) | 132(L) x 100(W) x 137(H) |
| Outer Carton (cm) | 29.5(L) x 28.5(W) x 22.5(H) |



8 + 4LR03-BP

1.5V AAA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 12 pcs/pack | 12.2 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0207 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 125(W) x 114(H) x 21(D) |
| Inner Box (mm) | 132(L) x 75(W) x 125(H) |
| Outer Carton (cm) | 41.5(L) x 28.5(W) x 17.5(H) |



LR6-DBP24

1.5V AA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 24 pcs/pack | 15 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 24 packs/carton | 0.0153 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 187(W) x 119(H) x 36(D) |
| Inner Box (mm) | 248(L) x 128(W) x 190(H) |
| Outer Carton (cm) | 27.5(L) x 26.5(W) x 21.0(H) |



LR03-DBP24

1.5V AAA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 24 pcs/pack | 7.7 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 24 packs/carton | 0.010 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 162(W) x 110(H) x 29(D) |
| Inner Box (mm) | 210(L) x 118(W) x 166(H) |
| Outer Carton (cm) | 25.5(L) x 23.0(W) x 18.5(H) |



28 + 8LR6-CB

1.5V AA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Box | 36 pcs/pack | 14.0 kg |
| Inner Box | | Volume: |
| Outer Carton | 16 packs/carton | 0.0083 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Box (mm) | 253(W) x 102(H) x 15(D) |
| Inner Box (mm) | |
| Outer Carton (cm) | 26.8(L) x 22.0(W) x 14.0(H) |



28 + 8LR03-CB

1.5V AAA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Box | 36 pcs/pack | 14.04 kg |
| Inner Box | | Volume: |
| Outer Carton | 32 packs/carton | 0.0081 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Box (mm) | 186(W) x 90(H) x 11(D) |
| Inner Box (mm) | |
| Outer Carton (cm) | 37.5(L) x 20.0(W) x 10.8(H) |

Plus Alkaline



LR20-SP2

1.5V D

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 2 pcs/pack | 16.7 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 60 packs/carton | 0.0122 cbm |

| | | |
|-------------------|-----------------------------|--|
| Dimensions | | |
| Shrink (mm) | 66(W) x 61(H) x 33(D) | |
| Inner Box (mm) | 137(L) x 103(W) x 68(H) | |
| Outer Carton (cm) | 35.5(L) x 15.0(W) x 23.0(H) | |



LR14-SP2

1.5V C

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 2 pcs/pack | 16.6 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 120 packs/carton | 0.0123 cbm |

| | | |
|-------------------|-----------------------------|--|
| Dimensions | | |
| Shrink (mm) | 52(W) x 50(H) x 26(D) | |
| Inner Box (mm) | 107(L) x 81(W) x 56(H) | |
| Outer Carton (cm) | 29.5(L) x 22.5(W) x 18.5(H) | |



LR6-SP4

1.5V AA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 4 pcs/pack | 17.8 kg |
| Inner Box | 15 packs/box | Volume: |
| Outer Carton | 180 packs/carton | 0.0096 cbm |

| | | |
|-------------------|-----------------------------|--|
| Dimensions | | |
| Shrink (mm) | 56(W) x 50(H) x 14(D) | |
| Inner Box (mm) | 174(L) x 72(W) x 50(H) | |
| Outer Carton (cm) | 23.5(L) x 21.5(W) x 19.0(H) | |



LR03-SP4

1.5V AAA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 4 pcs/pack | 14.7 kg |
| Inner Box | 15 packs/box | Volume: |
| Outer Carton | 300 packs/carton | 0.0084 cbm |

| | | |
|-------------------|-----------------------------|--|
| Dimensions | | |
| Shrink (mm) | 40(W) x 44.5(H) x 10(D) | |
| Inner Box (mm) | 125(L) x 52(W) x 45(H) | |
| Outer Carton (cm) | 29.0(L) x 20.0(W) x 14.5(H) | |



6LR61-SP1

9V

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 1 pcs/pack | 11.4 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0083 cbm |

| | | |
|-------------------|------------------------------|--|
| Dimensions | | |
| Shrink (mm) | 25.5(W) x 48.5(H) x 17.5 (D) | |
| Inner Box (mm) | 105(L) x 52(W) x 50(H) | |
| Outer Carton (cm) | 29.0(L) x 23.0(W) x 12.5(H) | |



LR6-SP10

1.5V AA

| | | |
|------------------|----------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 10 pcs/pack | 10 kg |
| Inner Box | 20 packs/box | Volume: |
| Outer Carton | 2 boxes/carton | 0.0064 cbm |

| | | |
|-------------------|-----------------------------|--|
| Dimensions | | |
| Inner Box (mm) | 150(L) x 147(W) x 110(H) | |
| Outer Carton (cm) | 23.5(L) x 16.0(W) x 17.0(H) | |



LR03-SP10

1.5V AAA

| | | |
|------------------|----------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 10 pcs/pack | 9.9 kg |
| Inner Box | 40 packs/box | Volume: |
| Outer Carton | 2 boxes/carton | 0.0064 cbm |

| | | |
|-------------------|-----------------------------|--|
| Dimensions | | |
| Inner Box (mm) | 213(L) x 110(W) x 100(H) | |
| Outer Carton (cm) | 23.5(L) x 22.5(W) x 12.0(H) | |

Shrink Wrap Packaging and Display Boxes

Convenient Packaging

Our shrink wrap packaging and display boxes help keep your batteries organized and neat.

- Convenient & easy to open
- Self-standing, sturdy display boxes
- Many sizes and shapes available
- Securely holds several batteries
- Professional, branded card inserts and designs for effective messaging



Plus Alkaline

LR20-PB4

1.5V D



| | | |
|---------------------|---------------------|---|
| Packaging | | Gross Weight: 14.8 kg Volume: 0.0191 cbm |
| Plastic Box | 4 pcs/box | |
| Inner Box | 6 boxes / inner box | |
| Outer Carton | | 24 packs/carton |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 89(L) x 84(W) x 62 (H) |
| Inner Box (mm) | 260(L) x 185(W) x 75(H) |
| Outer Carton (cm) | 38.5(L) x 27.5(W) x 18.0(H) |

LR14-PB4

1.5V C



| | | |
|---------------------|---------------------|--|
| Packaging | | Gross Weight: 7.6 kg Volume: 0.0112 cbm |
| Plastic Box | 4 pcs/box | |
| Inner Box | 6 boxes / inner box | |
| Outer Carton | | 24 packs/carton |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 73(L) x 68(W) x 50(H) |
| Inner Box (mm) | 210(L) x 152(W) x 61(H) |
| Outer Carton (cm) | 32.0(L) x 22.5(W) x 15.5(H) |

LR6-PB24

1.5V AA



| | | |
|---------------------|---------------------|---|
| Packaging | | Gross Weight: 14.1 kg Volume: 0.0149 cbm |
| Plastic Box | 24 pcs/box | |
| Inner Box | 6 boxes / inner box | |
| Outer Carton | | 24 packs/carton |

| | |
|--------------------------|-------------------------|
| Dimensions | |
| Plastic Box (mm) | 98(L) x 75(W) x 50(H) |
| Inner Box (mm) | 237(L) x 200(W) x 65(H) |
| Outer Carton (cm) | 42.5(L) x 25(W) x 14(H) |

LR03-PB24

1.5V AAA



| | | |
|---------------------|---------------------|--|
| Packaging | | Gross Weight: 7.4 kg Volume: 0.0091 cbm |
| Plastic Box | 24 pcs/box | |
| Inner Box | 6 boxes / inner box | |
| Outer Carton | | 24 packs/carton |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 76(L) x 60(W) x 44(H) |
| Inner Box (mm) | 190(L) x 165(W) x 60(H) |
| Outer Carton (cm) | 34.0(L) x 20.5(W) x 13.0(H) |

6LR61-PB6

9V



| | | |
|---------------------|---------------------|--|
| Packaging | | Gross Weight: 7.8 kg Volume: 0.0105 cbm |
| Plastic Box | 6 pcs/box | |
| Inner Box | 6 boxes / inner box | |
| Outer Carton | | 24 packs/carton |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 71(L) x 68(W) x 49 (H) |
| Inner Box (mm) | 210(L) x 148(W) x 60(H) |
| Outer Carton (cm) | 31.0(L) x 22.5(W) x 15.0(H) |

LR6-PBH24

1.5V AA



| | | |
|---------------------|----------------------|---|
| Packaging | | Gross Weight: 16.3 kg Volume: 0.0142 cbm |
| Plastic Box | 24 pcs/box | |
| Inner Box | 12 boxes / inner box | |
| Outer Carton | | 24 packs/carton |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 108(L) x 92(W) x 32(H) |
| Inner Box (mm) | 285(L) x 225(W) x 80(H) |
| Outer Carton (cm) | 30.5(L) x 24.5(W) x 19.0(H) |

LR03-PBH24

1.5V AAA



| | | |
|---------------------|----------------------|--|
| Packaging | | Gross Weight: 8.8 kg Volume: 0.0084 cbm |
| Plastic Box | 24 pcs/box | |
| Inner Box | 12 boxes / inner box | |
| Outer Carton | | 24 packs/carton |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 96(L) x 70(W) x 26(H) |
| Inner Box (mm) | 220(L) x 200(W) x 65(H) |
| Outer Carton (cm) | 24.0(L) x 22.0(W) x 16.0(H) |

LR6-PBH12

1.5V AA



| | | |
|---------------------|----------------------|---|
| Packaging | | Gross Weight: 15.2 kg Volume: 0.0127 cbm |
| Plastic Box | 12 pcs/box | |
| Inner Box | 24 boxes / inner box | |
| Outer Carton | | 48 packs/carton |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 55(L) x 95(W) x 34(H) |
| Inner Box (mm) | 195(L) x 170(W) x 142(H) |
| Outer Carton (cm) | 36.5(L) x 21.0(W) x 16.5(H) |

LR03-PBH12

1.5V AAA



| | | |
|---------------------|----------------------|--|
| Packaging | | Gross Weight: 7.5 kg Volume: 0.0069 cbm |
| Plastic Box | 12 pcs/box | |
| Inner Box | 24 boxes / inner box | |
| Outer Carton | | 48 packs/carton |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 49(L) x 72(W) x 26(H) |
| Inner Box (mm) | 150(L) x 150(W) x 110(H) |
| Outer Carton (cm) | 32.0(L) x 16.5(W) x 13.0(H) |

Super Heavy Duty

Camelion Zinc Carbon Batteries are the perfect solution for small household electronic devices that require continuous power supply, such as clocks, flashlights, remote controls and transistor radios. By incorporating manganese dioxide and zinc/ammonium chloride, we've designed a leak-proof battery.



R20P-BP2B

1.5V D

Packaging

| | | | |
|--------------|-----------------|---------------|------------|
| Blister | 2 pcs/pack | Gross Weight: | 14.9 kg |
| Inner Box | 6 packs/box | Volume: | 0.0229 cbm |
| Outer Carton | 72 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 34(D) |
| Inner Box (mm) | 160(L) x 110(W) x 92(H) |
| Outer Carton (cm) | 33.0(L) x 29.0(W) x 23.5(H) |



R14P-BP2B

1.5V C

Packaging

| | | | |
|--------------|------------------|---------------|------------|
| Blister | 2 pcs/pack | Gross Weight: | 14.3 kg |
| Inner Box | 6 packs/box | Volume: | 0.0315 cbm |
| Outer Carton | 144 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 27(D) |
| Inner Box (mm) | 137(L) x 86(W) x 86(H) |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 28.5(H) |



R6P-BP4B

1.5V AA

Packaging

| | | | |
|--------------|------------------|---------------|-----------|
| Blister | 4 pcs/pack | Gross Weight: | 15.9 kg |
| Inner Box | 12 packs/box | Volume: | 0.0272cbm |
| Outer Carton | 240 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 45.0(L) x 27.5(W) x 22.0(H) |



R6P-BP2B

1.5V AA

Packaging

| | | | |
|--------------|------------------|---------------|-----------|
| Blister | 2 pcs/pack | Gross Weight: | 9.2 kg |
| Inner Box | 12 packs/box | Volume: | 0.0272cbm |
| Outer Carton | 240 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 45.0(L) x 27.5(W) x 22.0(H) |



R03P-BP4B

1.5V AAA

Packaging

| | | | |
|--------------|------------------|---------------|-----------|
| Blister | 4 pcs/pack | Gross Weight: | 11.1 kg |
| Inner Box | 12 packs/box | Volume: | 0.0237cbm |
| Outer Carton | 288 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |



R03P-BP2B

1.5V AAA

Packaging

| | | | |
|--------------|------------------|---------------|-----------|
| Blister | 2 pcs/pack | Gross Weight: | 7.5 kg |
| Inner Box | 12 packs/box | Volume: | 0.0237cbm |
| Outer Carton | 288 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |



6F22-BP1B

9V

Packaging

| | | | |
|--------------|------------------|---------------|------------|
| Blister | 1 pcs/pack | Gross Weight: | 11.4 kg |
| Inner Box | 12 packs/box | Volume: | 0.0310 cbm |
| Outer Carton | 240 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 18(D) |
| Inner Box (mm) | 123(L) x 117(W) x 86(H) |
| Outer Carton (cm) | 45.0(L) x 27.0(W) x 25.5(H) |

Super Heavy Duty



4+2R6PBS-BP

1.5V AA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 6 pcs/pack | 9.24 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0227 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Shrink (mm) | 84(W) x 114(H) x 30(D) |
| Inner Box (mm) | 185(L) x 133(W) x 90(H) |
| Outer Carton (cm) | 39.0(L) x 28.7(W) x 20.3(H) |



4+2R03PBS-BP

1.5V AAA

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 6 pcs/pack | 5.59 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0172 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Shrink (mm) | 84(W) x 114(H) x 22(D) |
| Inner Box (mm) | 148(L) x 120(W) x 90(H) |
| Outer Carton (cm) | 39.0(L) x 26.0(W) x 17.0(H) |



R20P-SP2B

1.5V D

| | | |
|------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 2 pcs/pack | 13.9 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0147 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Shrink (mm) | 66(W) x 61(H) x 33(D) |
| Inner Box (mm) | 137(L) x 103(W) x 68(H) |
| Outer Carton (cm) | 29.0(L) x 22.0(W) x 23.0(H) |



R14P-SP2B

1.5V C

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 2 pcs/pack | 14.7 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0129 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Shrink (mm) | 52(W) x 50(H) x 26(D) |
| Inner Box (mm) | 104(L) x 78(W) x 50(H) |
| Outer Carton (cm) | 25.5(L) x 23.0(W) x 22.0(H) |



R6P-SP4B

1.5V AA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 4 pcs/pack | 18.5 kg |
| Inner Box | 15 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0127cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Shrink (mm) | 56(W) x 50(H) x 14(D) |
| Inner Box (mm) | 174(L) x 72(W) x 50(H) |
| Outer Carton (cm) | 30.5(L) x 22.0(W) x 19.0(H) |



R03P-SP4B

1.5V AAA

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 4 pcs/pack | 10.0 kg |
| Inner Box | 15 packs/box | Volume: |
| Outer Carton | 300 packs/carton | 0.0083 cbm |

| | |
|-------------------|-----------------------------|
| Dimensions | |
| Shrink (mm) | 40(W) x 44.5(H) x 10(D) |
| Inner Box (mm) | 125(L) x 52(W) x 45(H) |
| Outer Carton (cm) | 28.5(L) x 20.0(W) x 14.5(H) |



6F22-SP1B

9V

| | | |
|------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Shrink | 1 pcs/pack | 17.8 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 480 packs/carton | 0.0144 cbm |

| | |
|-------------------|------------------------------|
| Dimensions | |
| Shrink (mm) | 25.5(W) x 48.5(H) x 17.5 (D) |
| Inner Box (mm) | 105(L) x 52(W) x 50(H) |
| Outer Carton (cm) | 29.0(L) x 22.5(W) x 22.0(H) |

Super Heavy Duty

R6P-SP10B

1.5V AA



| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Shrink | 10 pcs/box | Gross Weight: 8.0 kg |
| Inner Box | 24 packs/box | Volume: 0.0085 cbm |
| Outer Carton | 2 boxes/carton | |
| Dimensions | | |
| Inner Box (mm) | 180(L) x 147(W) x 110(H) | |
| Outer Carton (cm) | 31.5(L) x 20.0(W) x 13.5(H) | |

R03P-SP10B

1.5V AA



| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Shrink | 10 pcs/box | Gross Weight: 7.1 kg |
| Inner Box | 40 packs/box | Volume: 0.0064 cbm |
| Outer Carton | 2 boxes/carton | |
| Dimensions | | |
| Inner Box (mm) | 213(L) x 110(W) x 100(H) | |
| Outer Carton (cm) | 23.5(L) x 22.5(W) x 12.0(H) | |

R20P-PB4B

1.5V D



| | | |
|-------------------|-----------------------------|------------------------------|
| Packaging | | |
| Plastic Box | 4 pcs/box | Gross Weight: 10.1 kg |
| Inner Box | 6 boxes / inner box | Volume: 0.0191 cbm |
| Outer Carton | 24 packs/carton | |
| Dimensions | | |
| Plastic Box (mm) | 89(L) x 84(W) x 62(H) | |
| Inner Box (mm) | 260(L) x 185(W) x 75(H) | |
| Outer Carton (cm) | 38.5(L) x 27.5(W) x 18.0(H) | |

R14P-PB4B

1.5V C



| | | |
|-------------------|---------------------------|-----------------------------|
| Packaging | | |
| Plastic Box | 4 pcs/box | Gross Weight: 5.9 kg |
| Inner Box | 6 boxes / inner box | Volume: 0.0112 cbm |
| Outer Carton | 24 packs/carton | |
| Dimensions | | |
| Plastic Box (mm) | 73(L) x 68(W) x 50(H) | |
| Inner Box (mm) | 210(L) x 152(W) x 61(H) | |
| Outer Carton (cm) | 32(L) x 22.5(W) x 15.5(H) | |

R6P-PB24B

1.5V AA



| | | |
|-------------------|-------------------------|------------------------------|
| Packaging | | |
| Plastic Box | 24 pcs/box | Gross Weight: 11.7 kg |
| Inner Box | 6 boxes / inner box | Volume: 0.0149 cbm |
| Outer Carton | 24 packs/carton | |
| Dimensions | | |
| Plastic Box (mm) | 98(L) x 75(W) x 50(H) | |
| Inner Box (mm) | 237(L) x 200(W) x 65(H) | |
| Outer Carton (cm) | 42.5(L) x 25(W) x 14(H) | |

R03P-PB24B

1.5V AAA



| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Plastic Box | 24 pcs/box | Gross Weight: 6.8 kg |
| Inner Box | 6 boxes / inner box | Volume: 0.0091 cbm |
| Outer Carton | 24 packs/carton | |
| Dimensions | | |
| Plastic Box (mm) | 76(L) x 60(W) x 44(H) | |
| Inner Box (mm) | 190(L) x 165(W) x 60(H) | |
| Outer Carton (cm) | 34.0(L) x 20.5(W) x 13.0(H) | |

6F22-PB6B

9V



| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Plastic Box | 6 pcs/box | Gross Weight: 6.5 kg |
| Inner Box | 6 boxes / inner box | Volume: 0.0105 cbm |
| Outer Carton | 24 packs/carton | |
| Dimensions | | |
| Plastic Box (mm) | 71(L) x 68(W) x 49(H) | |
| Inner Box (mm) | 210(L) x 148(W) x 60(H) | |
| Outer Carton (cm) | 31.0(L) x 22.5(W) x 15.0(H) | |

R6P-PBH24B

1.5V AA



| | | |
|-------------------|-----------------------------|------------------------------|
| Packaging | | |
| Plastic Box | 24 pcs/box | Gross Weight: 12.4 kg |
| Inner Box | 12 boxes / inner box | Volume: 0.0142 cbm |
| Outer Carton | 24 packs/carton | |
| Dimensions | | |
| Plastic Box (mm) | 108(L) x 92(W) x 32(H) | |
| Inner Box (mm) | 285(L) x 225(W) x 80(H) | |
| Outer Carton (cm) | 30.5(L) x 24.5(W) x 19.0(H) | |

R03P-PBH24B

1.5V AAA



| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Plastic Box | 24 pcs/box | Gross Weight: 7.0 kg |
| Inner Box | 12 boxes / inner box | Volume: 0.0084 cbm |
| Outer Carton | 24 packs/carton | |
| Dimensions | | |
| Plastic Box (mm) | 96(L) x 70(W) x 26(H) | |
| Inner Box (mm) | 220(L) x 200(W) x 65(H) | |
| Outer Carton (cm) | 24.0(L) x 22.0(W) x 16.0(H) | |

Super Heavy Duty



R20P-BP2G

1.5V D

| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 14.1 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0238cbm |
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 34(D) | |
| Inner Box (mm) | 160(L) x 110(W) x 92(H) | |
| Outer Carton (cm) | 33.5(L) x 29.0(W) x 24.5(H) | |



R14P-BP2G

1.5V C

| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 14.3 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0315 cbm |
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 27(D) | |
| Inner Box (mm) | 137(L) x 86(W) x 86(H) | |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 28.5(H) | |



R6P-BP4G

1.5V AA


| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 15.9 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0272cbm |
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 15(D) | |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) | |
| Outer Carton (cm) | 45.0(L) x 27.5(W) x 22.0(H) | |



R6P-BP2G

1.5V AA

| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 9.2 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0272cbm |
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 15(D) | |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) | |
| Outer Carton (cm) | 45.0(L) x 27.5(W) x 22.0(H) | |



R03P-BP4G

1.5V AAA

| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 11.1 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 288 packs/carton | 0.0237cbm |
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 11(D) | |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) | |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) | |



R03P-BP2G

1.5V AAA

| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 7.5 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 288 packs/carton | 0.0237cbm |
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 11(D) | |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) | |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) | |



6F22-BP1G

9V


| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 1 pcs/pack | 11.4 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0310 cbm |
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 18(D) | |
| Inner Box (mm) | 123(L) x 117(W) x 86(H) | |
| Outer Carton (cm) | 45.0(L) x 27.0(W) x 25.5(H) | |



R6P-BP10G

1.5V AA

| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 10 pcs/pack | 12.1 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0239 cbm |
| Dimensions | | |
| Blister (mm) | 84(W) x 165(H) x 15(D) | |
| Inner Box (mm) | 315(L) x 104(W) x 90(H) | |
| Outer Carton (cm) | 33.0(L) x 30.5(W) x 23.0(H) | |



R6P-BP1x10GP

1.5V AA

| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 10 pcs/pack | 12.4 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0264 cbm |
| Dimensions | | |
| Blister (mm) | 135(W) x 225(H) x 15.5(D) | |
| Inner Box (mm) | 235(L) x 105(W) x 147(H) | |
| Outer Carton (cm) | 33.0(L) x 25.0(W) x 32.0(H) | |



R03P-BP1x10GP

1.5V AAA

| | | |
|-------------------|-----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 10 pcs/pack | 8.0 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 72 packs/carton | 0.0216 cbm |
| Dimensions | | |
| Blister (mm) | 135(W) x 225(H) x 11.5(D) | |
| Inner Box (mm) | 235(L) x 85(W) x 147(H) | |
| Outer Carton (cm) | 27.0(L) x 25.0(W) x 32.0(H) | |

Super Heavy Duty



4+2R6PG-BP

1.5V AA

| | | |
|------------------|-----------------|-----------------------------|
| Packaging | | |
| Blister | 6 pcs/pack | Gross Weight: 7.5 kg |
| Inner Box | 12 packs/box | Volume: 0.0160 cbm |
| Outer Carton | 72 packs/carton | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 125(W) x 114(H) x 15(D) |
| Inner Box (mm) | 132(L) x 105(W) x 138(H) |
| Outer Carton (cm) | 41.5(L) x 29.5(W) x 13.0(H) |



4+2R03PG-BP

1.5V AAA

| | | |
|------------------|------------------|-----------------------------|
| Packaging | | |
| Blister | 6 pcs/pack | Gross Weight: 9.2 kg |
| Inner Box | 12 packs/box | Volume: 0.0207 cbm |
| Outer Carton | 144 packs/carton | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 125(W) x 114(H) x 11(D) |
| Inner Box (mm) | 132(L) x 75(W) x 125(H) |
| Outer Carton (cm) | 41.5(L) x 28.5(W) x 17.5(H) |



8+4R6PG-BP

1.5V AA

| | | |
|------------------|-----------------|-----------------------------|
| Packaging | | |
| Blister | 12 pcs/pack | Gross Weight: 9.2 kg |
| Inner Box | 6 packs/box | Volume: 0.0190 cbm |
| Outer Carton | 48 packs/carton | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 125(W) x 114(H) x 29(D) |
| Inner Box (mm) | 132(L) x 100(W) x 137(H) |
| Outer Carton (cm) | 29.5(L) x 28.5(W) x 22.5(H) |



8+4R03PG-BP

1.5V AAA

| | | |
|------------------|-----------------|-----------------------------|
| Packaging | | |
| Blister | 12 pcs/pack | Gross Weight: 7.8 kg |
| Inner Box | 6 packs/box | Volume: 0.0207 cbm |
| Outer Carton | 72 packs/carton | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 125(W) x 114(H) x 21(D) |
| Inner Box (mm) | 132(L) x 75(W) x 125(H) |
| Outer Carton (cm) | 41.5(L) x 28.5(W) x 17.5(H) |



R20P-SP2G

1.5V D

| | | |
|------------------|-----------------|------------------------------|
| Packaging | | |
| Shrink | 2 pcs/pack | Gross Weight: 13.4 kg |
| Inner Box | 6 packs/box | Volume: 0.0147 cbm |
| Outer Carton | 72 packs/carton | |

Dimensions

| | |
|-------------------|-----------------------------|
| Shrink (mm) | 66(W) x 61(H) x 33(D) |
| Inner Box (mm) | 137(L) x 103(W) x 68(H) |
| Outer Carton (cm) | 29.0(L) x 22.0(W) x 23.0(H) |



R14P-SP2G

1.5V C

| | | |
|------------------|------------------|------------------------------|
| Packaging | | |
| Shrink | 2 pcs/pack | Gross Weight: 13.2 kg |
| Inner Box | 6 packs/box | Volume: 0.0129 cbm |
| Outer Carton | 144 packs/carton | |

Dimensions

| | |
|-------------------|-----------------------------|
| Shrink (mm) | 52(W) x 50(H) x 26(D) |
| Inner Box (mm) | 104(L) x 78(W) x 50(H) |
| Outer Carton (cm) | 25.5(L) x 23.0(W) x 22.0(H) |



R6P-SP4G

1.5V AA

| | | |
|------------------|------------------|------------------------------|
| Packaging | | |
| Shrink | 4 pcs/pack | Gross Weight: 14.7 kg |
| Inner Box | 15 packs/box | Volume: 0.0127 cbm |
| Outer Carton | 240 packs/carton | |

Dimensions

| | |
|-------------------|-----------------------------|
| Shrink (mm) | 56(W) x 50(H) x 14(D) |
| Inner Box (mm) | 174(L) x 72(W) x 50(H) |
| Outer Carton (cm) | 30.5(L) x 22.0(W) x 19.0(H) |



R03P-SP4G

1.5V AAA

| | | |
|------------------|------------------|------------------------------|
| Packaging | | |
| Shrink | 4 pcs/pack | Gross Weight: 10.0 kg |
| Inner Box | 15 packs/box | Volume: 0.0083 cbm |
| Outer Carton | 300 packs/carton | |

Dimensions

| | |
|-------------------|-----------------------------|
| Shrink (mm) | 40(W) x 44.5(H) x 10(D) |
| Inner Box (mm) | 125(L) x 52(W) x 45(H) |
| Outer Carton (cm) | 28.5(L) x 20.0(W) x 14.5(H) |



6F22-SP1G

9V

| | | |
|------------------|------------------|------------------------------|
| Packaging | | |
| Shrink | 1 pcs/pack | Gross Weight: 19.0 kg |
| Inner Box | 12 packs/box | Volume: 0.0144 cbm |
| Outer Carton | 480 packs/carton | |

Dimensions

| | |
|-------------------|------------------------------|
| Shrink (mm) | 25.5(W) x 48.5(H) x 17.5 (D) |
| Inner Box (mm) | 105(L) x 52(W) x 50(H) |
| Outer Carton (cm) | 29.0(L) x 22.5(W) x 22.0(H) |

Super Heavy Duty

R20P-PB4G

1.5V D



| | | |
|---------------------|---------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 4 pcs/box | 9.5 kg |
| Inner Box | 6 boxes / inner box | Volume: |
| Outer Carton | 24 packs/carton | 0.0191 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 89(L) x 84(W) x 62(H) |
| Inner Box (mm) | 260(L) x 185(W) x 75(H) |
| Outer Carton (cm) | 38.5(L) x 27.5(W) x 18.0(H) |

R14P-PB4G

1.5V C



| | | |
|---------------------|---------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 4 pcs/box | 5.4 kg |
| Inner Box | 6 boxes / inner box | Volume: |
| Outer Carton | 24 packs/carton | 0.0112 cbm |

| | |
|--------------------------|---------------------------|
| Dimensions | |
| Plastic Box (mm) | 73(L) x 68(W) x 50(H) |
| Inner Box (mm) | 210(L) x 152(W) x 61(H) |
| Outer Carton (cm) | 32(L) x 22.5(W) x 15.5(H) |

R6P-PB24G

1.5V AA



| | | |
|---------------------|---------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 24 pcs/box | 9.4 kg |
| Inner Box | 6 boxes / inner box | Volume: |
| Outer Carton | 24 packs/carton | 0.0149 cbm |

| | |
|--------------------------|-------------------------|
| Dimensions | |
| Plastic box (mm) | 98(L) x 75(W) x 50(H) |
| Inner Box (mm) | 237(L) x 200(W) x 65(H) |
| Outer Carton (cm) | 42.5(L) x 25(W) x 14(H) |

R03P-PB24G

1.5V AAA



| | | |
|---------------------|---------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 24 pcs/box | 5.5 kg |
| Inner Box | 6 boxes / inner box | Volume: |
| Outer Carton | 24 packs/carton | 0.0091 cbm |

| | |
|--------------------------|-------------------------|
| Dimensions | |
| Plastic Box (mm) | 76(L) x 60(W) x 44(H) |
| Inner Box (mm) | 190(L) x 165(W) x 60(H) |
| Outer Carton (cm) | 34(L) x 20.5(W) x 13(H) |

6F22-PB6G

9V



| | | |
|---------------------|---------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 6 pcs/box | 6.5 kg |
| Inner Box | 6 boxes / inner box | Volume: |
| Outer Carton | 24 packs/carton | 0.0105 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 71(L) x 68(W) x 49(H) |
| Inner Box (mm) | 210(L) x 148(W) x 60(H) |
| Outer Carton (cm) | 31.0(L) x 22.5(W) x 15.0(H) |

R6P-PBH24G

1.5V AA



| | | |
|---------------------|----------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 24 pcs/box | 10.1 kg |
| Inner Box | 12 boxes / inner box | Volume: |
| Outer Carton | 24 packs/carton | 0.0142 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 108(L) x 92(W) x 32(H) |
| Inner Box (mm) | 285(L) x 225(W) x 80(H) |
| Outer Carton (cm) | 30.5(L) x 24.5(W) x 19.0(H) |

R03P-PBH24G

1.5V AAA



| | | |
|---------------------|----------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 24 pcs/box | 5.7 kg |
| Inner Box | 12 boxes / inner box | Volume: |
| Outer Carton | 24 packs/carton | 0.0084 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Plastic Box (mm) | 96(L) x 70(W) x 26(H) |
| Inner Box (mm) | 220(L) x 200(W) x 65(H) |
| Outer Carton (cm) | 24.0(L) x 22.0(W) x 16.0(H) |

Lithium Batteries

Camelion Lithium P7™ Batteries are lightweight and deliver higher energy performance. As Camelion's most powerful primary battery, P7 batteries offer unbeatable performance for your high-drain devices, such as cameras, smart home water meters and other devices. The maximum lifespan of this type of battery is 10 years in storage.



FR6-BP4

1.5V AA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 11.0 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0166 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 27.5(L) x 28.0(W) x 21.5(H) |



FR6-BP2

1.5V AA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 9.3 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 216 packs/carton | 0.0251 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 15(D) |
| Inner Box (mm) | 131(L) x 98(W) x 86(H) |
| Outer Carton (cm) | 41.5(L) x 27.5(W) x 22.0(H) |



FR03-BP4

1.5V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 12.1 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 288 packs/carton | 0.0237 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |



FR03-BP2

1.5V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 8.0 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 288 packs/carton | 0.0237 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 11(D) |
| Inner Box (mm) | 119(L) x 75(W) x 86(H) |
| Outer Carton (cm) | 32.5(L) x 26.0(W) x 28.0(H) |

9V Lithium Batteries

The Camelion 9V Lithium Battery is a high-capacity battery designed to provide long-lasting life and stable operating voltage.

- 9V, 1200mAh capacity
- Up to 5x longer-lasting
- Low self-discharge
- Anti-leakage crimp design
- Temperature range: -20°C to 55°C
- Non-rechargeable
- 10-year life in storage
- Stable and high operating voltage

*Compared to Camelion Alkaline Battery 6LR61. Camelion 2014 lab tests.



CR9V-BP1

9V

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 1 pcs/pack | 8.3 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 192 packs/carton | 0.0246 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 84(W) x 114(H) x 18(D) |
| Inner Box (mm) | 123(L) x 117(W) x 86(H) |
| Outer Carton (cm) | 36.2(L) x 26.3(W) x 25.8(H) |

Photo Lithium

Camelion Photo Lithium Batteries are ideal for a wide range of cameras, flashlights, meters and more.



CR123A-BP1

3V

| | | |
|---------------------|------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 5.5 kg |
| Inner Box | 10 packs/box | Volume: 0.0243 cbm |
| Outer Carton | 200 packs/carton | |

| | | |
|--------------------------|-----------------------------|--|
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 17.5(D) | |
| Inner Box (mm) | 118(L) x 95(W) x 85(H) | |
| Outer Carton (cm) | 45.0(L) x 25.0(W) x 21.5(H) | |



CR2-BP1

3V

| | | |
|---------------------|------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 4.5 kg |
| Inner Box | 10 packs/box | Volume: 0.0215 cbm |
| Outer Carton | 200 packs/carton | |

| | | |
|--------------------------|-----------------------------|--|
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 16.5(D) | |
| Inner Box (mm) | 118(L) x 85(W) x 85(H) | |
| Outer Carton (cm) | 45.0(L) x 25.0(W) x 19.0(H) | |



CR-P2-BP1

6V

| | | |
|---------------------|------------------|------------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 10.0 kg |
| Inner Box | 10 packs/box | Volume: 0.0265 cbm |
| Outer Carton | 200 packs/carton | |

| | | |
|--------------------------|-----------------------------|--|
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 20.5(D) | |
| Inner Box (mm) | 118(L) x 105(W) x 85(H) | |
| Outer Carton (cm) | 45.0(L) x 25.0(W) x 23.5(H) | |



2CR5-BP1

6V

| | | |
|---------------------|------------------|------------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 10.0 kg |
| Inner Box | 10 packs/box | Volume: 0.0265 cbm |
| Outer Carton | 200 packs/carton | |

| | | |
|--------------------------|-----------------------------|--|
| Dimensions | | |
| Blister (mm) | 84(W) x 114(H) x 18(D) | |
| Inner Box (mm) | 118(L) x 105(W) x 85(H) | |
| Outer Carton (cm) | 45.0(L) x 25.0(W) x 23.5(H) | |

Micro Batteries

Camelion Micro Batteries provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc-air. They are suitable for car keys, calculators, laser pointers, hearing aids and many other electronic gadgets.

Lithium

3V



| ITEM | PACKAGING W x H x D(mm) | INNER BOX L x W x H(mm) | SHIPPING CARTON L x W x H(cm) | G.W. (KG) | VOLUME(CBM) |
|------------|--------------------------------|----------------------------|----------------------------------|-----------|-------------|
| CR1216-BP1 | 56 x 92 x 6 1 PCS / BLISTER | 98 x 37 x 58 10 PACKS | 45.5 x 31.5 x 31.5 1800 PACKS | 9.5 | 0.0451 |
| CR1220-BP1 | | | | 8.0 | |
| CR1225-BP1 | | | | 8.0 | |
| CR1616-BP1 | | | | 8.0 | |
| CR1620-BP1 | | | | 8.5 | |
| CR1632-BP1 | | | | 10.4 | |
| CR2016-BP1 | | | | 9.5 | |
| CR2025-BP1 | | | | 11.0 | |
| CR2032-BP1 | | | | 12.0 | |
| CR2320-BP1 | | | | 11.5 | |
| CR2330-BP1 | | | | 13.0 | |
| CR2430-BP1 | | | | 13.5 | |
| CR2450-BP1 | | | | 17.5 | |
| CR3032-BP1 | | | | 21.0 | |
| CR927-BP1 | | | | 14.0 | |
| CR2016-BP2 | 55 x 92 x 6 2 PCS / BLISTER | 102 x 98 x 58 20 PACKS | 41.5 x 32.5 x 31.0 1000 PACKS | 8.64 | 0.0418 |
| CR2025-BP2 | | | | 9.76 | |
| CR2032-BP2 | | | | 10.4 | |
| CR1216-BP5 | 55x 190 x 6 5 PCS / BLISTER | 190 x 30 x 57 10 PACKS | 29.0 x 22.0 x 26.0 360 PACKS | 4.5 | 0.0165 |
| CR1220-BP5 | | | | 4.5 | |
| CR1225-BP5 | | | | 5.0 | |
| CR1616-BP5 | | | | 5.5 | |
| CR1620-BP5 | | | | 5.5 | |
| CR2016-BP5 | | | | 6.5 | |
| CR2025-BP5 | | | | 8.0 | |
| CR2032-BP5 | | | | 9.0 | |

Alkaline

1.5V

0% Hg



| ITEM(0% Hg) | PACKAGING W x H x D(mm) | INNER BOX L x W x H(mm) | SHIPPING CARTON L x W x H(cm) | G.W. (KG) | VOLUME (CBM) |
|------------------|-------------------------------------|----------------------------|----------------------------------|-----------|--------------|
| AG0-BP2(0% Hg) | 56 x 92 x 5 2 PC / BLISTER | 95 x 63 x 58 20 PACKS | 39.5 x 30.5 x 31.5 1800 PACKS | 7.0 | 0.0379 |
| AG1-BP2(0% Hg) | | | | 7.0 | |
| AG2-BP2(0% Hg) | | | | 7.8 | |
| AG3-BP2(0% Hg) | | | | 8.0 | |
| AG4-BP2(0% Hg) | | | | 7.0 | |
| AG5-BP2(0% Hg) | 56 x 92 x 7 2 PC / BLISTER | 98 x 73 x 58 20 PACKS | 45.5 x 31.5 x 31.5 1800 PACKS | 9.0 | 0.0451 |
| AG6-BP2(0% Hg) | 56 x 92 x 5 2 PC / BLISTER | 95 x 63 x 58 20 PACKS | 39.5 x 30.5 x 31.5 1800 PACKS | 8.0 | 0.0379 |
| AG7-BP2(0% Hg) | | | | 8.5 | |
| AG8-BP2(0% Hg) | | | | 9.0 | |
| AG9-BP2(0% Hg) | | | | 9.0 | |
| AG10-BP2(0% Hg) | | | | 10.0 | |
| AG11-BP2(0% Hg) | 56 x 92 x 7 2 PC / BLISTER | 98 x 73 x 58 20 PACKS | 45.5 x 31.5 x 31.5 1800 PACKS | 7.0 | 0.0451 |
| AG12-BP2(0% Hg) | | | | 11.0 | |
| AG13-BP2(0% Hg) | | | | 13.0 | |
| 625A(0% Hg) | 56 x 92 x 7 1 PC / BLISTER | 146 x 98 x 58 40 PACKS | 45.5 x 31.5 x 31.5 1800 PACKS | 18.0 | 0.0451 |
| AG0-BP10(0% Hg) | 50 x 160 x 5 10 PCS / BLISTER | 170 x 40 x 52 10 PACKS | 50.0 x 20.0 x 20.0 360 PACKS | 4.0 | 0.0198 |
| AG1-BP10(0% Hg) | | | | 4.0 | |
| AG2-BP10(0% Hg) | | | | 4.5 | |
| AG3-BP10(0% Hg) | | | | 5.0 | |
| AG4-BP10(0% Hg) | | | | 4.0 | |
| AG5-BP10(0% Hg) | | | | 6.5 | |
| AG6-BP10(0% Hg) | | | | 5.0 | |
| AG7-BP10(0% Hg) | | | | 5.5 | |
| AG8-BP10(0% Hg) | | | | 6.0 | |
| AG9-BP10(0% Hg) | | | | 6.0 | |
| AG10-BP10(0% Hg) | | | | 7.0 | |
| AG11-BP10(0% Hg) | | | | 4.0 | |
| AG12-BP10(0% Hg) | | | | 8.7 | |
| AG13-BP10(0% Hg) | 10.0 | | | | |
| FB01-BP12(0% Hg) | 84 x 190 x 13.5 12 PCS / BLISTER | 191 x 78 x 85 12 PACKS | 33.5 x 21.0 x 28.0 144 PACKS | 7.5 | 0.0197 |

Micro Batteries

Alkaline 0% Hg



| ITEM(0% Hg) | Voltage(V) | PACKAGING W x H x D(mm) | INNER BOX L x W x H(mm) | SHIPPING CARTON L x W x H(cm) | G.W. (KG) | VOLUME (CBM) |
|----------------|------------|----------------------------------|----------------------------|-------------------------------------|-----------|-----------------|
| A23-BP1(0% Hg) | 12V | 56 x 92 x 10 1 PC / BLISTER | 125 x 95 x 58 20 PACKS | 39.5 x 30.5 x 31.5 900 PACKS | 8.6 | 0.0380 |
| A27-BP1(0% Hg) | 12V | | | | 8.0 | |
| A32-BP1(0% Hg) | 9V | | | | 7.1 | |
| A23-BP5(0% Hg) | 12V | 50 x 160 x 10 5 PCS / BLISTER | 170 x 65 x 52 10 PACKS | 42.0 x 36.0 x 18.0 360 PACKS | 18.0 | 0.0273 |
| A27-BP5(0% Hg) | 12V | | | | 12.0 | |
| A32-BP5(0% Hg) | 9V | | | | 10.2 | |

Hearing Aid Zinc Air 1.45V 0% Hg

Camelion Hearing Aid Batteries are light and reliable. Their packaging is specially designed for easy storage and easy to use.



| ITEM(0% Hg) | W x H x D (mm) | PACKAG- ING | W x H x D (mm) | INNER BOX | W x H x D (mm) | INNER CARTON | W x H x D (cm) | SHIPPING CARTON | G.W. (KG) | VOLUME (CBM) |
|-----------------|-------------------|----------------|-------------------|-----------|-------------------|-----------------|-------------------|--------------------|-----------|-----------------|
| A13-BP6(0% Hg) | 48 x 90 x 6.5 | 6PCS/Blister | 92 x 42 x 50 | 10 Packs | 245 x 120 x 130 | 100 Packs | 62 x 26 x 15 | 500 Packs | 6.5 | 0.0242 |
| A10-BP6(0% Hg) | 48 x 90 x 4.5 | 6PCS/Blister | 92 x 32 x 50 | 10 Packs | 195 x 120 x 130 | 100 Packs | 62 x 21 x 15 | 500 Packs | 6.0 | 0.0196 |
| A675-BP6(0% Hg) | 48 x 90 x 6.5 | 6PCS/Blister | 92 x 42 x 50 | 10 Packs | 245 x 120 x 130 | 100 Packs | 62 x 26 x 15 | 500 Packs | 9.5 | 0.0242 |
| A312-BP6(0% Hg) | 48 x 90 x 4.5 | 6PCS/Blister | 92 x 32 x 50 | 10 Packs | 195 x 120 x 130 | 100 Packs | 62 x 21 x 15 | 500 Packs | 6.5 | 0.0196 |

Battery Tester

Camelion Batteries Testers are capable of testing a wide range of batteries and provide a fast indication of the battery's status.




BT-0503

Test AA, AAA, C, D, 9V


Main Features

- Quickly determines if battery needs charging or replacing.
- On the spot testing – just insert and check LED.
- Compact & light.

• Insert battery: Observe polarity



• Check LED indicator: If LED fluctuates press slightly




BT-0507





















Tests 1.5V AA/AAA/C/D dry batteries; 1.5V button cell batteries; 9V rechargeable Ni-MH/Ni-Cd or dry batteries.

Main Features

- The three-color scale and pointer make it easy to quickly view the battery's voltage level
- Capable of testing most 1.5V and 9V batteries
- Rotatable Test Arm easily adapts to fit different battery types
- Portable



Battery Selection Chart

| | |
|--------------------------------|--|
| Ultra Alkaline Batteries |   |
| Digi Alkaline Batteries |   |
| Plus Alkaline Batteries |   |
| Super Heavy Duty Batteries |   |
| Lithium P7 Batteries |   |
| Photo Lithium Batteries |   |
| 9V Lithium Battery |   |
| Micro Batteries: Lithium |   |
| Micro Batteries: Alkaline |   |
| Zinc-Air Hearing Aid Batteries |   |

Please Note:
 These are suggested recommendations only.
 For the most accurate information, please refer to your device manufacturer's manual.
 Camelion is not responsible for accidents resulting from the use of this information.

Rechargeable Batteries

AlwaysReady Batteries

Camelion AlwaysReady Batteries are pre-charged, long-lasting and high capacity. They are the economical choice for rechargeable batteries and can hold their charge for up to 2 years.

Hyper —

- Excellent energy recovery for camera flashes
- Supports up to 1500 camera flashes
- Shortest output interval, 10-15% faster



NH-AA2500HPBP4

1.2V AA

| | | |
|---------------------|-----------------|------------------------------|
| Packaging | | |
| Blister | 4 pcs/pack | Gross Weight: 10.2 kg |
| Inner Box | 12 packs/box | Volume: 0.0144 cbm |
| Outer Carton | 96 packs/carton | |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA2500HPBP2

1.2V AA

| | | |
|---------------------|------------------|------------------------------|
| Packaging | | |
| Blister | 2 pcs/pack | Gross Weight: 11.2 kg |
| Inner Box | 12 packs/box | Volume: 0.0274 cbm |
| Outer Carton | 192 packs/carton | |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA2000HPBP4

1.2V AA

| | | |
|---------------------|-----------------|------------------------------|
| Packaging | | |
| Blister | 4 pcs/pack | Gross Weight: 10.2 kg |
| Inner Box | 12 packs/box | Volume: 0.0144 cbm |
| Outer Carton | 96 packs/carton | |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA2000HPBP2

1.2V AA

| | | |
|---------------------|------------------|------------------------------|
| Packaging | | |
| Blister | 2 pcs/pack | Gross Weight: 11.2 kg |
| Inner Box | 12 packs/box | Volume: 0.0274 cbm |
| Outer Carton | 192 packs/carton | |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |

Pre-charged, long-lasting and economic, Camelion AlwaysReady rechargeable batteries use an improved formula of better atomic structure. The batteries hold their charge up to 2 years.



NH-AA2700ARBP2

1.2V AA

| | | |
|---------------------|-----------------|------------------------------|
| Packaging | | |
| Blister | 2 pcs/pack | Gross Weight: 13.1 kg |
| Inner Box | 12 packs/box | Volume: 0.0274 cbm |
| Outer Carton | 96 packs/carton | |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA2700ARBP4

1.2V AA

| | | |
|---------------------|-----------------|------------------------------|
| Packaging | | |
| Blister | 4 pcs/pack | Gross Weight: 12.0 kg |
| Inner Box | 12 packs/box | Volume: 0.0144 cbm |
| Outer Carton | 96 packs/carton | |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA2500ARBP2

1.2V AA

| | | |
|---------------------|------------------|------------------------------|
| Packaging | | |
| Blister | 2 pcs/pack | Gross Weight: 12.9 kg |
| Inner Box | 12 packs/box | Volume: 0.0274 cbm |
| Outer Carton | 192 packs/carton | |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA2500ARBP4

1.2V AA

| | | |
|---------------------|-----------------|------------------------------|
| Packaging | | |
| Blister | 4 pcs/pack | Gross Weight: 11.8 kg |
| Inner Box | 12 packs/box | Volume: 0.0144 cbm |
| Outer Carton | 96 packs/carton | |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |

AlwaysReady Batteries



NH-AA2300ARBP2

1.2V AA

Packaging

| | |
|--------------|------------------|
| Blister | 2 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 192 packs/carton |

| | |
|---------------|------------|
| Gross Weight: | 12.9 kg |
| Volume: | 0.0274 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA2300ARBP4

1.2V AA

Packaging

| | |
|--------------|-----------------|
| Blister | 4 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 96 packs/carton |

| | |
|---------------|------------|
| Gross Weight: | 11.8 kg |
| Volume: | 0.0144 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA2100ARBP2

1.2V AA

Packaging

| | |
|--------------|------------------|
| Blister | 2 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 192 packs/carton |

| | |
|---------------|------------|
| Gross Weight: | 12.7 kg |
| Volume: | 0.0274 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA2100ARBP4

1.2V AA

Packaging

| | |
|--------------|-----------------|
| Blister | 4 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 96 packs/carton |

| | |
|---------------|------------|
| Gross Weight: | 11.7 kg |
| Volume: | 0.0144 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA1000ARBP2

1.2V AA

Packaging

| | |
|--------------|------------------|
| Blister | 2 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 192 packs/carton |

| | |
|---------------|------------|
| Gross Weight: | 12.4 kg |
| Volume: | 0.0274 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA1000ARBP4

1.2V AA

Packaging

| | |
|--------------|-----------------|
| Blister | 4 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 96 packs/carton |

| | |
|---------------|------------|
| Gross Weight: | 11.4 kg |
| Volume: | 0.0144 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA800ARBP2

1.2V AA

Packaging

| | |
|--------------|------------------|
| Blister | 2 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 192 packs/carton |

| | |
|---------------|------------|
| Gross Weight: | 12.4 kg |
| Volume: | 0.0274 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA800ARBP4

1.2V AA

Packaging

| | |
|--------------|-----------------|
| Blister | 4 pcs/pack |
| Inner Box | 12 packs/box |
| Outer Carton | 96 packs/carton |

| | |
|---------------|------------|
| Gross Weight: | 11.4 kg |
| Volume: | 0.0144 cbm |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |

AlwaysReady Batteries



NH-AAA1100ARBP2

1.2V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 8.6 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0269 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 27.0(W) x 19.5(H) |



NH-AAA1100ARBP4

1.2V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 9.5 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0168 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 31.0(L) x 27.0(W) x 20.0(H) |



NH-AAA900ARBP2

1.2V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 8.6 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0269 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 27.0(W) x 19.5(H) |



NH-AAA900ARBP4

1.2V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 9.5 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0168 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 31.0(L) x 27.0(W) x 20.0(H) |



NH-AAA800ARBP4

1.2V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 8.6 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 144 packs/carton | 0.0168 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 31.0(L) x 27.0(W) x 20.0(H) |



NH-AAA800ARBP2

1.2V AAA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 7.9 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0269 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 27.0(W) x 19.5(H) |



NH-9V200ARBP1

9V

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 1 pcs/pack | 12.0 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 240 packs/carton | 0.0385 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 18(D) |
| Inner Box (mm) | 135(L) x 125(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 29.0(W) x 26.0(H) |

AlwaysReady Batteries



Energy Solutions for Solar-Powered Devices

Camelion Ni-MH Rechargeable Batteries are the perfect solution for outdoor solar-powered equipment. These batteries offer a long lifespan and outstanding sustainability when charged by solar-powered devices. They're the ideal choice for outdoor equipment such as landscape lighting.



NH-AA600ARBP4(GSL)

1.2V AA

| | | |
|---------------------|-----------------|---------------------------------|
| Packaging | | Gross Weight: 11.4 kg |
| Blister | 4 pcs/pack | |
| Inner Box | 12 packs/box | |
| Outer Carton | 96 packs/carton | Volume: 0.0144 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA600ARBP2(GSL)

1.2V AA

| | | |
|---------------------|------------------|---------------------------------|
| Packaging | | Gross Weight: 12.4 kg |
| Blister | 2 pcs/pack | |
| Inner Box | 12 packs/box | |
| Outer Carton | 192 packs/carton | Volume: 0.0274 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AAA300ARBP4(GSL)

1.2V AAA

| | | |
|---------------------|------------------|--------------------------------|
| Packaging | | Gross Weight: 8.6 kg |
| Blister | 4 pcs/pack | |
| Inner Box | 12 packs/box | |
| Outer Carton | 144 packs/carton | Volume: 0.0168 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 31.0(L) x 27.0(W) x 20.0(H) |



NH-AAA300ARBP2(GSL)

1.2V AAA

| | | |
|---------------------|------------------|--------------------------------|
| Packaging | | Gross Weight: 7.9 kg |
| Blister | 2 pcs/pack | |
| Inner Box | 12 packs/box | |
| Outer Carton | 240 packs/carton | Volume: 0.0269 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 27.0(W) x 19.5(H) |



NH-AA600ARPBH24(GSL)

1.2V AAA

| | | |
|---------------------|---------------------|--------------------------------|
| Packaging | | Gross Weight: 5.7 kg |
| Plastic Box | 24 pcs/box | |
| Inner Box | 6 boxes / inner box | |
| Outer Carton | 12 packs/carton | Volume: 0.0065 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Plastic Box (mm) | 108(L) x 92(W) x 32(H) |
| Inner Box (mm) | 192(L) x 115(W) x 108(H) |
| Outer Carton (cm) | 24.5(L) x 20.8(W) x 12.8(H) |



NH-AAA300ARPBH24(GSL)

1.2V AAA

| | | |
|---------------------|----------------------|--------------------------------|
| Packaging | | Gross Weight: 6.2 kg |
| Plastic Box | 24 pcs/box | |
| Inner Box | 12 boxes / inner box | |
| Outer Carton | 24 packs/carton | Volume: 0.067 cbm |

Dimensions

| | |
|--------------------------|-----------------------------|
| Plastic Box (mm) | 96(L) x 70(W) x 26(H) |
| Inner Box (mm) | 215(L) x 200(W) x 55(H) |
| Outer Carton (cm) | 23.0(L) x 21.5(W) x 13.5(H) |

Ni-MH Rechargeable Batteries

Camelion Ni-MH Rechargeable Batteries have high capacities and offer great performance. They're capable of up to 1000 recharge cycles and are optimal for high-drain devices such as cameras, shavers, alarm clocks, microphones, and more.



NH-D1000BP2

1.2V D

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 17.0 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 48 packs/carton | 0.0244 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 34(D) |
| Inner Box (mm) | 165(L) x 135(W) x 105(H) |
| Outer Carton (cm) | 43.5(L) x 35.0(W) x 16.0(H) |



NH-D2500BP2

1.2V D

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 11.2 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 60 packs/carton | 0.0234 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 34(D) |
| Inner Box (mm) | 160(L) x 112(W) x 97(H) |
| Outer Carton (cm) | 34.0(L) x 27.5(W) x 25.0(H) |



NH-C3500BP2

1.2V C

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 16.8 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0248 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 27(D) |
| Inner Box (mm) | 138(L) x 90(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.5(W) x 20.5(H) |



NH-C2500BP2

1.2V C

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 16.0 kg |
| Inner Box | 6 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0248 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 27(D) |
| Inner Box (mm) | 138(L) x 90(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.5(W) x 20.5(H) |



NH-AA2700BP4

1.2V AA

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 13.4 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0144 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA2700BP2

1.2V AA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 14.0 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 192 packs/carton | 0.0274 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA2500BP4

1.2V AA

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 13.0 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0144 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA2500BP2

1.2V AA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 14.3 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 192 packs/carton | 0.0274 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |



NH-AA1800BP4

1.2V AA

| | | |
|---------------------|-----------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 4 pcs/pack | 11.8 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 96 packs/carton | 0.0144 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 29.0(L) x 21.5(W) x 23.0(H) |



NH-AA1800BP2

1.2V AA

| | | |
|---------------------|------------------|----------------------|
| Packaging | | Gross Weight: |
| Blister | 2 pcs/pack | 12.7 kg |
| Inner Box | 12 packs/box | Volume: |
| Outer Carton | 192 packs/carton | 0.0274 cbm |

| | |
|--------------------------|-----------------------------|
| Dimensions | |
| Blister (mm) | 90(W) x 117(H) x 15(D) |
| Inner Box (mm) | 134(L) x 104(W) x 97(H) |
| Outer Carton (cm) | 41.0(L) x 29.0(W) x 23.0(H) |

Ni-MH Rechargeable Batteries



NH-AAA1100BP4

1.2V AAA

Packaging

| | | | |
|--------------|------------------|---------------|------------|
| Blister | 4 pcs/pack | Gross Weight: | 9.8 kg |
| Inner Box | 12 packs/box | Volume: | 0.0168 cbm |
| Outer Carton | 144 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 31.0(L) x 27.0(W) x 20.0(H) |



NH-AAA1100BP2

1.2V AAA

Packaging

| | | | |
|--------------|------------------|---------------|------------|
| Blister | 2 pcs/pack | Gross Weight: | 9.7 kg |
| Inner Box | 12 packs/box | Volume: | 0.0269 cbm |
| Outer Carton | 240 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 27.0(W) x 19.5(H) |



NH-AAA800BP4

1.2V AAA

Packaging

| | | | |
|--------------|------------------|---------------|------------|
| Blister | 4 pcs/pack | Gross Weight: | 7.8 kg |
| Inner Box | 12 packs/box | Volume: | 0.0168 cbm |
| Outer Carton | 144 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 31.0(L) x 27.0(W) x 20.0(H) |



NH-AAA800BP2

1.2V AAA

Packaging

| | | | |
|--------------|------------------|---------------|------------|
| Blister | 2 pcs/pack | Gross Weight: | 7.7 kg |
| Inner Box | 12 packs/box | Volume: | 0.0269 cbm |
| Outer Carton | 240 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 11(D) |
| Inner Box (mm) | 125(L) x 84(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 27.0(W) x 19.5(H) |



NH-9V250BP1

9V Voltage: 8.4V

Packaging

| | | | |
|--------------|------------------|---------------|------------|
| Blister | 1 pcs/pack | Gross Weight: | 12.3 kg |
| Inner Box | 12 packs/box | Volume: | 0.0385 cbm |
| Outer Carton | 240 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 18(D) |
| Inner Box (mm) | 135(L) x 125(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 29.0(W) x 26.0(H) |



NH-9V200BP1

9V Voltage: 8.4V

Packaging

| | | | |
|--------------|------------------|---------------|------------|
| Blister | 1 pcs/pack | Gross Weight: | 11.6 kg |
| Inner Box | 12 packs/box | Volume: | 0.0385 cbm |
| Outer Carton | 240 packs/carton | | |

Dimensions

| | |
|-------------------|-----------------------------|
| Blister (mm) | 90(W) x 117(H) x 18(D) |
| Inner Box (mm) | 135(L) x 125(W) x 97(H) |
| Outer Carton (cm) | 51.0(L) x 29.0(W) x 26.0(H) |

Lithium-ion Rechargeable Batteries

Camelion Lithium-ion Rechargeable Batteries are known for their high energy density, long cycle life, and superior efficiency. Perfect for applications requiring fast charging, reliability, and consistent performance.

- High energy density
- Long cycle life & superior efficiency
- Low self-discharge rate, holds power for an extended time
- Excellent performance across -20°C to 60°C



INR18650-3500P3-BP1

3.7V 3500 mAh

| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 9.3 kg |
| Inner Box | 12 packs/box | Volume: 0.0326 cbm |
| Outer Carton | 144 packs/carton | |
| Dimensions | | |
| Blister (mm) | 84(W) x 130(H) x 21(D) | |
| Inner Box (mm) | 178(L) x 135(W) x 90(H) | |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 29.5(H) | |



INR18650-3000P10-BP1

3.7V 3000 mAh

| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 9.0 kg |
| Inner Box | 12 packs/box | Volume: 0.0326 cbm |
| Outer Carton | 144 packs/carton | |
| Dimensions | | |
| Blister (mm) | 84(W) x 130(H) x 21(D) | |
| Inner Box (mm) | 178(L) x 135(W) x 90(H) | |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 29.5(H) | |



ICR18650-2600-BP1

3.7V 2600 mAh

| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 9.0 kg |
| Inner Box | 12 packs/box | Volume: 0.0326 cbm |
| Outer Carton | 144 packs/carton | |
| Dimensions | | |
| Blister (mm) | 84(W) x 130(H) x 21(D) | |
| Inner Box (mm) | 178(L) x 135(W) x 90(H) | |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 29.5(H) | |



ICR18650-2200-BP1

3.7V 2200 mAh

| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 9.0 kg |
| Inner Box | 12 packs/box | Volume: 0.0326 cbm |
| Outer Carton | 144 packs/carton | |
| Dimensions | | |
| Blister (mm) | 84(W) x 130(H) x 21(D) | |
| Inner Box (mm) | 178(L) x 135(W) x 90(H) | |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 29.5(H) | |



ICR18650-2000-BP1

3.7V 2000 mAh

| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 9.0 kg |
| Inner Box | 12 packs/box | Volume: 0.0326 cbm |
| Outer Carton | 144 packs/carton | |
| Dimensions | | |
| Blister (mm) | 84(W) x 130(H) x 21(D) | |
| Inner Box (mm) | 178(L) x 135(W) x 90(H) | |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 29.5(H) | |



ICR18650-1500-BP1

3.7V 1500 mAh

| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 9.0 kg |
| Inner Box | 12 packs/box | Volume: 0.0326 cbm |
| Outer Carton | 144 packs/carton | |
| Dimensions | | |
| Blister (mm) | 84(W) x 130(H) x 21(D) | |
| Inner Box (mm) | 178(L) x 135(W) x 90(H) | |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 29.5(H) | |



ICR18650-1200-BP1

3.7V 1200 mAh

| | | |
|-------------------|-----------------------------|-----------------------------|
| Packaging | | |
| Blister | 1 pcs/pack | Gross Weight: 9.0 kg |
| Inner Box | 12 packs/box | Volume: 0.0326 cbm |
| Outer Carton | 144 packs/carton | |
| Dimensions | | |
| Blister (mm) | 84(W) x 130(H) x 21(D) | |
| Inner Box (mm) | 178(L) x 135(W) x 90(H) | |
| Outer Carton (cm) | 37.5(L) x 29.5(W) x 29.5(H) | |

Lithium Rechargeable Batteries

Camelion Lithium Rechargeable Batteries are designed to power 99% of electronic devices with superior performance. Combining advanced smart IC technology, long cycle life, and multi-level safety protection, they deliver stable power across a wide temperature range—ideal for both everyday use and high-drain applications.

USB-C Lithium Rechargeable Batteries

Main Features

- Smart chip integration, lightening-fast recharge time
- Constant voltage, ultra slow self-discharge rate
- Powers 99% battery-powered electric devices
- Comes with an USB-C input port, free from a separate battery charger
- 5 levels of safety protection ensure safe and worry-free charging processes
- Real-time charging process indicator
- Eco-friendly & cost-effective



Specifications

| Model No. | Size | Energy | Capacity | Input | Output | Charging Time (Approx.) | Dimensions (Ø x H) |
|-------------|------|---------|---------------|-------------------|--------------------|-------------------------|-----------------------|
| UB-AAA650 | AAA | 650mWh | 1.5V, 430mAh | 5V \equiv 100mA | 1.5V \equiv 1.5A | 2 h | 10.5 x 44.5 mm |
| UB-AA2200 | AA | 2200mWh | 1.5V, 1460mAh | 5V \equiv 500mA | 1.5V \equiv 2A | 1.5 h | 14.5 x 50.5 mm |
| UB-C7400 | C | 7400mWh | 1.5V, 4900mAh | 5V \equiv 500mA | 1.5V \equiv 2A | 4 h | 26 x 51 mm |
| UB-D7400 | D | 7400mWh | 1.5V, 4900mAh | 5V \equiv 500mA | 1.5V \equiv 2A | 4 h | 33 x 61.5 mm |
| UB-9V200 | 9V | 5000mWh | 9V, 555mAh | 5V \equiv 500mA | 9V \equiv 600mA | 3 h | 48.5 x 26.5 x 17.5 mm |
| UB-123A2100 | 123A | 2100mWh | 3.7V, 700mAh | 5V \equiv 500mA | 3V \equiv 1.5A | 1.5 h | 17 x 34.5 mm |

* Please note Item NO. UB-123A700 does not feature constant voltage output.



UB-AA2200-PBH2

1.5V 2200 mWh

| | | |
|-------------------|----------------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 2 pcs/box | 7 kg |
| Inner Box | 25 packs/box | Volume: |
| Outer Carton | 100 packs/carton | 0.0178 cbm |
| Dimensions | | |
| Plastic Box (mm) | 58(W) x 106.5(H) x 18.5(D) | |
| Inner Box (mm) | 30(L) x 11(W) x 11(H) | |
| Outer Carton (cm) | 31.5(L) x 23.5(W) x 24(H) | |



UB-AAA650-PBH2

1.5V 650 mWh

| | | |
|-------------------|---------------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 2 pcs/box | 4.8 kg |
| Inner Box | 25 packs/box | Volume: |
| Outer Carton | 100 packs/carton | 0.0155 cbm |
| Dimensions | | |
| Plastic Box (mm) | 58(W) x 91(H) x 18.5(D) | |
| Inner Box (mm) | 30(L) x 9.5(W) x 11(H) | |
| Outer Carton (cm) | 31.5(L) x 20.5(W) x 24(H) | |



UB-9V5000-PBH

9V 5000 mWh

| | | |
|-------------------|---------------------------|----------------------|
| Packaging | | Gross Weight: |
| Plastic Box | 1 pcs/box | 6.1 kg |
| Inner Box | 10 packs/box | Volume: |
| Outer Carton | 100 packs/carton | 0.0187 cbm |
| Dimensions | | |
| Plastic Box (mm) | 58(W) x 101(H) x 20.5(D) | |
| Inner Box (mm) | 21(L) x 6.4(W) x 11.2(H) | |
| Outer Carton (cm) | 34(L) x 22.5(W) x 24.5(H) | |



1.5V AA/AAA Lithium Rechargeable Batteries

Main Features

- **Smart IC Integration:** Supports up to 3A discharge current
- **1200 Life Cycles:** Long lifespan with no memory effect
- **Fast Recharge:** Fully recharged in 2-3 hours*
- **5 Levels of Safety Protection:** Under voltage protection, over charge protection, over current protection, short-circuit protection, over discharge protection



High Capacity



Discharge Current



Fast Recharge




Safety Protection

Specifications

| Battery Model | CLB-AA3600 | CLB-AAA1300 |
|-----------------------|------------|-------------|
| Size | AA | AAA |
| Energy | 3600mWh | 1300mWh |
| Capacity | 2400mAh | 865mAh |
| Nominal Voltage | 1.5V | 1.5V |
| Max Discharge Current | 3A | 2.8A |
| Charging Voltage | 5V | 5V |
| Charging Time | 3 h | 2 h |

Battery Discharges Performance



* Charge Camelion 1.5V Li-ion batteries ONLY with the Camelion 1.5V Li-ion Battery Charger. Use with other chargers may cause damage or safety hazards.

Pictures are for illustrative purposes only and may differ slightly from the actual product. Camelion reserves the right to make changes without notice.

Battery Chargers

1.5V Li-ion Battery & Charger Set

LBC-326M

Charges:

1-4 x  **1.5V Li-ion**



Charge
1-4
AA/AAA

2-3H
Fast
Recharge

Built-in
MCU

5
Safety
Protection

CE FC



PACKAGING

| Box | |
|---------------------------|------------------|
| Plug: | USB-C |
| Weight(g) | 47 |
| Dimensions W x H x D (mm) | 100 x 31 x 200 |
| Inner Carton | |
| Packs / Inner ctn | 20 |
| Net Weight(kg) | / |
| Gross Weight(kg) | / |
| Dimensions L x W x H (cm) | 36 x 35 x 11.5 |
| Outer Carton | |
| Packs / Carton | 40 |
| Net Weight(kg) | 7.6 |
| Gross Weight(kg) | 8.4 |
| Dimensions L x W x H (cm) | 37.5 x 36.5 x 25 |
| Volume(cbm) | 0.0342 |

MAIN FEATURES

- **4 Independent Slots:** Charge 1-4 AA and/or AAA batteries at the same time, in any mix
- **5 Levels of Safety Protection:** Reverse polarity protection, under voltage protection, over current protection, short circuit protection, defective & non-1.5V Li-ion battery detection
- **Charging Indicators:** Easy monitoring of charging status

| LED Indicators | Charging Status |
|----------------|----------------------|
| Green Flashing | Charging in progress |
| Solid Green | Charging completed |
| Red Flashing | Error detected |

SPECIFICATIONS

Input(USB-C): 5V $\overline{\text{---}}$ 2A, 10W
 Charging Current:
 4 x (5V $\overline{\text{---}}$ 0.35A) AA
 4 x (5V $\overline{\text{---}}$ 0.2A) AAA
 Charging Cable: USB-A to USB-C cable
 Dimensions: 77.5 x 62.5 x 25.5 mm

AVAILABLE COLORS

 White

CHARGING TIMES

| Battery Model | CLB-AA3600 | CLB-AAA1300 |
|-----------------------|------------|-------------|
| Energy | 3600mWh | 1300mWh |
| Capacity | 2400mAh | 865mAh |
| Nominal Voltage | 1.5V | 1.5V |
| Max Discharge Current | 3A | 2.8A |
| Charging Voltage | 5V | 5V |
| Charging Time | 3 h | 2 h |

LBC-328M

1-4 x  **1.5V Li-ion**



2-In-One

Charge
1-8
AA/AAA

Built-in
MCU

6
Safety
Protection

CE FC



PACKAGING

| Box | |
|---------------------------|----------------|
| Plug: | USB-C |
| Weight(g) | 110 |
| Dimensions W x H x D (mm) | 95 x 55 x 77 |
| Inner Carton | |
| Packs / Inner ctn | / |
| Net Weight(kg) | / |
| Gross Weight(kg) | / |
| Dimensions L x W x H (cm) | / |
| Outer Carton | |
| Packs / Carton | 45 |
| Net Weight(kg) | 11.6 |
| Gross Weight(kg) | 12.1 |
| Dimensions L x W x H (cm) | 29.5 x 29 x 24 |
| Volume(cbm) | 0.0205 |

MAIN FEATURES

- **8 Independent Slots:** Charge 1-4 AA and/or 1-4 AAA batteries simultaneously
- **2-In-1 Multi-Function:** Integrating charger and storage case
- **0V Activation:** Revives fully discharged (0%) batteries
- **6 Levels of Safety Protection:** over current protection, over voltage protection, over temperature protection, short-circuit protection, electrostatic discharge (esd) protection, defective & non-1.5V Li-ion battery detection
- **Charging Indicators:** Easy monitoring of charging status

| LED Indicators | Charging Status |
|----------------|----------------------|
| Green Flashing | Charging in progress |
| Solid Green | Charging completed |
| Red Flashing | Error detected |

SPECIFICATIONS

Input(USB-C): 5V $\overline{\text{---}}$ 2.5A, 12.5W
 Charging Current:
 4 x (5V $\overline{\text{---}}$ 0.35A) AA
 4 x (5V $\overline{\text{---}}$ 0.2A) AAA
 Charging Cable: USB-A to USB-C cable
 Dimensions: 72 x 52 x 71.5 mm

AVAILABLE COLORS

 Black

CHARGING TIMES

| Battery Model | CLB-AA3600 | CLB-AAA1300 |
|-----------------------|------------|-------------|
| Energy | 3600mWh | 1300mWh |
| Capacity | 2400mAh | 865mAh |
| Nominal Voltage | 1.5V | 1.5V |
| Max Discharge Current | 3A | 2.8A |
| Charging Voltage | 5V | 5V |
| Charging Time | 3 h | 2 h |

Battery Chargers

Offer ultimate charging speed; decreasing recharge time to one hour to save you time and money.

BC-0907N

Charges:

1-4 x AA
1-4 x AAA

NI-MH



Includes:



AC Adapter

*Different plug models for different countries



CONFORMS TO
UL STD.1316
CERTIFIED TO
CSA C22.2 No.223

PACKAGING

| Blister | | |
|---------------------------|------------------|------------------|
| Plug: | EU | US |
| Weight(g) | 302 | 229.5 |
| Dimensions W x H x D (mm) | 125 x 205 x 67 | 125 x 205 x 67 |
| Inner Carton | | |
| Packs / Inner ctn | 8 | 8 |
| Net Weight(kg) | 2.2 | 2.17 |
| Gross Weight(kg) | 2.5 | 2.48 |
| Dimensions L x W x H (cm) | 42 x 22 x 14 | 42 x 22 x 14 |
| Outer Carton | | |
| Packs / Carton | 32 | 32 |
| Net Weight(kg) | 8.8 | 8.66 |
| Gross Weight(kg) | 10.46 | 10.34 |
| Dimensions L x W x H (cm) | 45.4 x 43.5 x 30 | 45.4 x 43.5 x 30 |
| Volume(cbm) | 0.0593 | 0.0593 |

MAIN FEATURES

- 4 Independent Charging Channels
- 7-Level Charge Protections
 - ΔV Cut Off
 - Safety Timer Control Protection
 - Over-temperature Protection
 - Reverse Polarity Protection
 - Over-Current
 - Short-Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Trickle Charge
- Worldwide Voltage
- Refresh Battery Memory Capability
- Pulse Charging Technology
- Easy-to-read LCD Display



SPECIFICATIONS

AC To DC Adapter
Input: 100-240V~50/60Hz
Output: 12V 1.5A

Battery Charger
Input: 12V 1.5A
Output:
4 x (1.4V 2.2A) AA
4 x (1.4V 0.8A) AAA

AVAILABLE COLORS

White

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) |
|-------------------|------------------------|
| Ni-MH AA 2500 mAh | 80 min |
| Ni-MH AA 2000 mAh | 60 min |
| Ni-MH AA 1800 mAh | 50 min |
| Ni-MH AAA1100 mAh | 90 min |
| Ni-MH AAA800 mAh | 70 min |


BC-0905A

BC-0905T

Charges:

1-4 x AA
1-4 x AAA

NI-MH



Different plug models for different countries



PACKAGING

| Blister | | |
|---------------------------|----------------|----------------|
| Plug: | EU | US |
| Weight(g) | 144 | 128 |
| Dimensions W x H x D (mm) | 125 x 205 x 70 | 125 x 205 x 70 |
| Inner Carton | | |
| Packs / Inner ctn | 16 | 16 |
| Net Weight(kg) | 2.3 | 2 |
| Gross Weight(kg) | 2.9 | 2.6 |
| Dimensions L x W x H (cm) | 43 x 19 x 27 | 43 x 19 x 27 |
| Outer Carton | | |
| Packs / Carton | 32 | 32 |
| Net Weight(kg) | 4.6 | 4.1 |
| Gross Weight(kg) | 5.8 | 5.29 |
| Dimensions L x W x H (cm) | 44.5 x 40 x 29 | 44.5 x 40 x 29 |
| Volume(cbm) | 0.0516 | 0.0516 |

BC-0905A

MAIN FEATURES

- 4 Independent Charging Channels
- 6-Level Charge Protections
 - ΔV Cut Off
 - Safety Timer Control Protection
 - Over-temperature Protection
 - Reverse Polarity Protection
 - Over-current and Short-circuit Protection
 - Defective and Non-rechargeable battery detection
- Trickle Charge
- LED Charging Indicators

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: AA: 1.4V 0.5A (3-4 pcs)
1.4V 0.5A (3-4 pcs)
AAA: 1.4V 0.6A (1-2 pcs)
1.4V 0.3A (3-4 pcs)

| | |
|----------|---|
| Red | Charging |
| Green | Fully charged / Trickle |
| Flashing | Defective or non-rechargeable batteries / Short circuit |

AVAILABLE COLORS

White Black

BC-0905T

MAIN FEATURES

- 2 Independent Charging Channels
- 4-Level Charge Protections
 - Safety Timer Control Protection
 - Reverse Polarity Protection
 - Over-Voltage and Short-Circuit Protection
 - 4 LED Charging Indicators

SPECIFICATIONS

Input: 100 - 240V~50/60Hz 0.1A Max
Output: 2 X (2.8V 0.25A) AA
2 X (2.8V 0.12A) AAA
Timer Control: 12 h

| Working Status | Red LED | Green LED |
|----------------|---------|-----------|
| Standby | OFF | OFF |
| Charging | ON | OFF |
| Fully Charged | OFF | ON |

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) | | |
|--------------------|------------------------|-----------|----------|
| | BC-0905A | | BC-0905T |
| | 1-2 Cells | 3-4 Cells | |
| Ni-MH AA 2500 mAh | 3h | 6h | 12h |
| Ni-MH AA 2000 mAh | 2.5h | 5h | 10h |
| Ni-MH AA 1500 mAh | 2h | 3.5h | 7h |
| Ni-MH AAA 1000 mAh | 2h | 4h | 10h |
| Ni-MH AAA 800 mAh | 100 min | 3h | 8h |

Battery Chargers

BC-1015

Charges:

1-4 x AA

1-4 x AAA

NI-MH



Different plug models for different countries



MAIN FEATURES

- 4 Independent Charging Channels Charge 1-4 pcs AA/AAA Ni-MH rechargeable batteries
- 6-Level Charging Protection
 - ΔV Cut Off
 - Safety Timer Control Protection
 - Reverse Polarity Protection
 - Over-current Protection
 - Short circuit Protection
 - Defective and No-rechargeable battery detection
- LED Charging Indicators

| | |
|---------------------------------|----------------------|
| Solid Red | Charging in progress |
| Solid Green | Charging completed |
| Red and Green Alternating Flash | Error detected |

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz 10W
 Output: 4 x (1.2V $\overline{\text{---}}$ 0.5A) AA
 4 x (1.2V $\overline{\text{---}}$ 0.25A) AAA

AVAILABLE COLORS

White Black

PACKAGING

| Blister | | |
|---------------------------|------------------|------------------|
| Plug: | EU | US |
| Weight(g) | 118 | 113 |
| Dimensions W x H x D (mm) | 125 x 204 x 76 | 125 x 204 x 76 |
| Inner Carton | | |
| Packs / Inner ctn | 8 | 8 |
| Net Weight(kg) | 0.95 | 0.90 |
| Gross Weight(kg) | 1.3 | 1.3 |
| Dimensions L x W x H (cm) | 49.5 x 23.5 x 14 | 49.5 x 23.5 x 14 |
| Outer Carton | | |
| Packs / Carton | 32 | 32 |
| Net Weight(kg) | 3.78 | 3.62 |
| Gross Weight(kg) | 5.5 | 5.34 |
| Dimensions L x W x H (cm) | 50.5 x 48.5 x 30 | 50.5 x 48.5 x 30 |
| Volume(cbm) | 0.0735 | 0.0735 |

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) |
|--------------------|------------------------|
| Ni-MH AA 2500 mAh | 6 h |
| Ni-MH AA 2000 mAh | 5 h |
| Ni-MH AA 1500 mAh | 3.5 h |
| Ni-MH AAA 1000 mAh | 5 h |
| Ni-MH AAA 800 mAh | 4 h |

BC-1010B

Charges:

2 or 4 x AA

2 or 4 x AAA

NI-MH



Different plug models for different countries



MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Worldwide Voltage
- 2 LED Charging Indicators

| | |
|-----|---------------------------|
| Red | Charging or fully charged |
|-----|---------------------------|

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz
 Output: 2 x (2.8V $\overline{\text{---}}$ 0.2A) AA/AAA

AVAILABLE COLORS

White Black

PACKAGING

| Blister | | |
|---------------------------|------------------|------------------|
| Plug: | EU | US |
| Weight(g) | 118.2 | 113.2 |
| Dimensions W x H x D (mm) | 125 x 204 x 76 | 125 x 204 x 76 |
| Inner Carton | | |
| Packs / Inner ctn | 8 | 8 |
| Net Weight(kg) | 0.95 | 0.90 |
| Gross Weight(kg) | 1.3 | 1.3 |
| Dimensions L x W x H (cm) | 49.5 x 23.5 x 14 | 49.5 x 23.5 x 14 |
| Outer Carton | | |
| Packs / Carton | 32 | 32 |
| Net Weight(kg) | 3.78 | 3.62 |
| Gross Weight(kg) | 5.5 | 5.34 |
| Dimensions L x W x H (cm) | 50.5 x 48.5 x 30 | 50.5 x 48.5 x 30 |
| Volume(cbm) | 0.0735 | 0.0735 |

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) |
|--------------------|------------------------|
| Ni-MH AA 2500 mAh | 15 h |
| Ni-MH AA 2000 mAh | 12 h |
| Ni-MH AA 1500 mAh | 9 h |
| Ni-MH AAA 1000 mAh | 6 h |
| Ni-MH AAA 800 mAh | 5 h |

Battery Chargers

BC-1092M

BC-1092S

Charges:

1-4 x  AA

1-4 x  AAA

1-2 x  9V

Ni-MH



Different plug models for different countries






BC-1092M

- 6 Independent Charging Channels Charge 1-4 pcs AA/ AAA or 1-2 pcs 9V Ni-MH rechargeable batteries
- 6-Level Charging Protection
 - ΔV Cut Off
 - Safety Timer Control Protection
 - Reverse Polarity Protection
 - Over-current Protection
 - Short circuit Protection
 - Defective and No-rechargeable battery detection
- LED Charging Indicators

SPECIFICATIONS

Input: 100-240V ~ 50/60Hz 10W

Output: 4 x (1.2V  0.5A) AA
4 x (1.2V  0.25A) AAA
2 x (9V  0.03A) 9V




| | |
|---------------------------------|----------------------|
| Solid Red | Charging in progress |
| Solid Green | Charging completed |
| Red and Green Alternating Flash | Error detected |

BC-1092S

- 6 Independent Charging Channels Charge 1-4 pcs AA/ AAA or 1-2 pcs 9V Ni-MH rechargeable batteries
- 3-Level Charging Protection
 - Reverse Polarity Protection
 - Over-current Protection
 - Short circuit Protection
 - LED Charging Indicators

SPECIFICATIONS

Input: Input: 100-240V ~ 50/60Hz 5W

Output: 4 x (1.2V  0.3A) AA
4 x (1.2V  0.12A) AAA
2 x (9V  0.03A) 9V

| | |
|---------|----------------------|
| Red LED | Charging in progress |
|---------|----------------------|

PACKAGING

| Blister | | |
|---------------------------|--------------------|--------------------|
| Plug: | EU | US |
| Weight(g) | 95 | 90 |
| Dimensions W x H x D (mm) | 128 x 200 x 69 | 125 x 204 x 76 |
| Inner Carton | | |
| Packs / Inner ctn | 8 | 8 |
| Net Weight(kg) | 1.1 | 1 |
| Gross Weight(kg) | 1.54 | 1.4 |
| Dimensions L x W x H (cm) | 43 x 22 x 13.5 | 49.5 x 23.5 x 14 |
| Outer Carton | | |
| Packs / Carton | / | / |
| Net Weight(kg) | 2.2 | 2.1 |
| Gross Weight(kg) | 2.9 | 2.8 |
| Dimensions L x W x H (cm) | 44.5 x 23.5 x 29.5 | 44.5 x 23.5 x 29.5 |
| Volume(cbm) | 0.0308 | 0.0308 |

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) | |
|--------------------|------------------------|----------|
| | BC-1092M | BC-1092S |
| Ni-MH AA 2500 mAh | 6 h | 10 h |
| Ni-MH AA 2000 mAh | 5 h | 8 h |
| Ni-MH AA 1500 mAh | 3.5 h | 6 h |
| Ni-MH AAA 1000 mAh | 5 h | 10 h |
| Ni-MH AAA 800 mAh | 4 h | 8 h |
| Ni-MH 9V 200 mAh | 8 h | 8 h |

AVAILABLE COLORS

 Black

BC-1091

Charges:

1-2 x  AA

1-2 x  AAA

1 x  9V

Ni-MH



Different plug models for different countries



PACKAGING

| Blister | | |
|---------------------------|------------------|------------------|
| Plug: | EU | US |
| Weight(g) | 90 | 85 |
| Dimensions W x H x D (mm) | 87 x 172 x 50 | 87 x 172 x 50 |
| Inner Carton | | |
| Packs / Inner ctn | 32 | 32 |
| Net Weight(kg) | 2.82 | 2.66 |
| Gross Weight(kg) | 3.47 | 3.47 |
| Dimensions L x W x H (cm) | 39.5 x 37.5 x 18 | 39.5 x 37.5 x 18 |
| Outer Carton | | |
| Packs / Carton | 64 | 64 |
| Net Weight(kg) | 5.64 | 5.32 |
| Gross Weight(kg) | 7.34 | 7.02 |
| Dimensions L x W x H (cm) | 41 x 39 x 39 | 41 x 39 x 39 |
| Volume(cbm) | 0.0624 | 0.0624 |

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) |
|--------------------|------------------------|
| Ni-MH AA 2500 mAh | 12 h |
| Ni-MH AA 2000 mAh | 10 h |
| Ni-MH AA 1500 mAh | 7 h |
| Ni-MH AAA 1000 mAh | 10 h |
| Ni-MH AAA 800 mAh | 8 h |
| Ni-MH 9V 200 mAh | 10 h |

MAIN FEATURES




- 3 independent charging channels
- Suitable for 1-2pcs 1.2V AA/AAA or 1pc 9V Ni-MH rechargeable battery
- Reverse polarity protection, short circuit protection, over voltage protection
- Safety timer (12 hours)*

*The charging stops automatically after 12 hours to avoid overcharging the battery

| | |
|-----|----------------------|
| On | Charging in progress |
| Off | Charging completed |

SPECIFICATIONS

Input: 100-240V~ 50/60Hz

Output: 2 x (1.4V  0.25A) AA
2 x (1.4V  0.12A) AAA
1 x (9V  0.025A) 9V

Dimensions:

97.5 x 42 x 63.5 mm / 3.84 x 1.65 x 2.5 in (EU Plug)
97.5 x 42 x 45 mm / 3.84 x 1.65 x 1.77 in (US Plug)
Net Weight: 60 g / 0.13 lb (EU Plug)
55 g / 0.12 lb (US Plug)

AVAILABLE COLORS

 Black

Battery Chargers

BC-1009

Charges:

1-2 x AA
1-2 x AAA

Ni-MH



Different plug models for different countries



MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Slim Shell Case Design
- 2 LED Charging Indicators

| | |
|-----|---------------------------|
| Red | Charging or Fully Charged |
|-----|---------------------------|

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: 2 x (1.4V \square 0.15A) AA/AAA

AVAILABLE COLORS

 Black

PACKAGING

| Blister | | |
|---------------------------|------------------|----------------|
| Plug: | EU | US |
| Weight(g) | 75 | 65 |
| Dimensions W x H x D (mm) | 90 x 172 x 72 | 90 x 172 x 50 |
| Inner Carton | | |
| Packs / Inner ctn | 16 | 16 |
| Net Weight(kg) | 1.2 | 1.04 |
| Gross Weight(kg) | 1.6 | 1.35 |
| Dimensions L x W x H (cm) | 41.5 x 20 x 22.5 | 36 x 20 x 20 |
| Outer Carton | | |
| Packs / Carton | 32 | 32 |
| Net Weight(kg) | 2.4 | 2.08 |
| Gross Weight(kg) | 3.5 | 3.2 |
| Dimensions L x W x H (cm) | 43 x 42 x 24.5 | 42 x 37.5 x 22 |
| Volume(cbm) | 0.0443 | 0.0347 |

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) |
|--------------------|------------------------|
| Ni-MH AA 2500 mAh | 20 h |
| Ni-MH AA 2000 mAh | 16 h |
| Ni-MH AA 1500 mAh | 12 h |
| Ni-MH AAA 1000 mAh | 8 h |
| Ni-MH AAA 800 mAh | 6 h |

BC-1056T

Charges:

2 x AA
2 x AAA

Ni-MH



MAIN FEATURES

- Charge AA / AAA Ni-MH Rechargeable Batteries in Pairs
- 3-Level Charging Protection
 - Safety timer control protection
 - Over-voltage protection
 - Reverse polarity protection
- LED Charging Indicators

| | |
|-------------|----------------------|
| Flashing | Charging in progress |
| Constant On | Fully charged |

SPECIFICATIONS

Input: 5V \square 1.0 A
Output: 1 x (2.4V \square 0.3 A) AA
1 x (2.4V \square 0.12 A) AAA
Safety Timer Control: 12 h

AVAILABLE COLOR

 White

PACKAGING

| Blister | |
|---------------------------|--------------------|
| Plug: | / |
| Weight(g) | 76 |
| Dimensions W x H x D (mm) | 57 x 24 x 92 |
| Inner Carton | |
| Packs / Inner ctn | 48 |
| Net Weight(kg) | 3.6 |
| Gross Weight(kg) | 3.8 |
| Dimensions L x W x H (cm) | 32 x 19.5 x 12.8 |
| Outer Carton | |
| Packs / Carton | 192 |
| Net Weight(kg) | 14.6 |
| Gross Weight(kg) | 15.27 |
| Dimensions L x W x H (cm) | 40.5 x 33.5 x 27.5 |
| Volume(cbm) | 0.0373 |

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) |
|--------------------|------------------------|
| Ni-MH AA 2500 mAh | 10 h |
| Ni-MH AA 2000 mAh | 8 h |
| Ni-MH AA 1500 mAh | 6 h |
| Ni-MH AAA 1000 mAh | 10 h |
| Ni-MH AAA 800 mAh | 8 h |

Battery Chargers

BC-1057F

BC-1057M

Charges:

1 to 4 × AA
1 to 4 × AAA

NI-MH



CAN ICES-3(B)/NMB-3(B) Intertek 3109300



BC-1057F

BC-1057M

PACKAGING

| Blister | |
|---------------------------|--------------------|
| Weight(g) | 220 |
| Dimensions W x H x D (mm) | 90 x 172 x 54 |
| Inner Carton | |
| Packs / Inner ctn | 16 |
| Net Weight(kg) | 3.5 |
| Gross Weight(kg) | 3.84 |
| Dimensions L x W x H (cm) | 41.0 x 22.5 x 10.5 |
| Outer Carton | |
| Packs / Carton | 32 |
| Net Weight(kg) | 7.04 |
| Gross Weight(kg) | 7.68 |
| Dimensions L x W x H (cm) | 42.2 x 23.8 x 22.0 |
| Volume(cbm) | 0.022 |

MAIN FEATURES

BC-1057F

- **4 Independent Charging Channels**
Charge 1-4 pcs AA/AAA Ni-MH rechargeable batteries

- **6 Levels of Safety Protection:**

ΔV Cut Off
Safety Timer Control Protection
Reverse Polarity Protection
Over voltage protection
Short circuit Protection
Defective and No-rechargeable battery detection

- **USB-C Input**

BC-1057M

- **4 Independent Charging Channels**
Charge 1-4 pcs AA/AAA Ni-MH rechargeable batteries

- **6-Level Charging Protection**

ΔV Cut Off
Safety Timer Control Protection
Reverse Polarity Protection
Over voltage protection
Short circuit Protection
Defective and No-rechargeable battery detection

- **USB-C Input**

| | |
|--------------------|---|
| Solid Red | Charging in progress |
| Solid Green | Charging completed |
| Flashing | Defective or non-rechargeable battery / short circuit |

| | |
|-------------------------|---|
| Flashing | Charging in progress |
| Constant On | Charging complete |
| Flashing Rapidly | Defective or non-rechargeable battery / short circuit |

SPECIFICATIONS

BC-1057F

Input: 5V $\overline{\text{---}}$ 2A
Output: AA: 1.4V $\overline{\text{---}}$ 1.6A (1-2pcs),
1.4V $\overline{\text{---}}$ 0.8A (3-4pcs)
AAA: 1.4V $\overline{\text{---}}$ 0.8A (1-2pcs),
1.4V $\overline{\text{---}}$ 0.4A (3-4pcs)

BC-1057M

Input: 5V $\overline{\text{---}}$ 1.5A
Output: 4 x (1.2V $\overline{\text{---}}$ 0.5A) AA
4 x (1.2V $\overline{\text{---}}$ 0.25A) AAA

AVAILABLE COLORS



BC-1057F

BC-1057M

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) | | |
|--------------------|------------------------|-----------|-----------|
| | BC-1057F | | BC-1057M |
| | 1-2 Cells | 3-4 Cells | 1-4 Cells |
| Ni-MH AA 2500 mAh | 2 h | 4 h | 6 h |
| Ni-MH AA 2000 mAh | 90min | 3 h | 5 h |
| Ni-MH AA 1500 mAh | 70min | 2 h | 3.5 h |
| Ni-MH AAA 1000 mAh | 50min | 90min | 5 h |
| Ni-MH AAA 800 mAh | 40min | 70min | 4 h |

BC-1058

Charges:

1-8 × AA
1-8 × AAA

NI-MH



PACKAGING

| Blister | |
|---------------------------|----------------|
| Plug: | / |
| Weight(g) | / |
| Dimensions W x H x D (mm) | 85 x 27 x 170 |
| Inner Carton | |
| Packs / Inner ctn | 32 |
| Net Weight(kg) | / |
| Gross Weight(kg) | / |
| Dimensions L x W x H (cm) | 47.5 x 29 x 10 |
| Outer Carton | |
| Packs / Carton | 64 |
| Net Weight(kg) | 8.6 |
| Gross Weight(kg) | 9.7 |
| Dimensions L x W x H (cm) | 49 x 30.5 x 22 |
| Volume(cbm) | 0.0329 |

MAIN FEATURES

- **8 Independent Charging Channels**
Charges 1-8 pcs 1.2V AA and AAA size Ni-MH rechargeable batteries
- **Automatically cut off after 9 hours**
Protects against overcharge and helps to maximize the life cycle of the battery

- **6 Levels Of Safety Protection**

dV Cut Off,
reverse polarity protection,
short circuit protection,
over current protection,
safety timer control,
Defective and Non-rechargeable Battery Detection

- **Easy-to-monitor Charging Indicators**

| | |
|---|----------------------|
| Red LED | Charging in progress |
| Green LED | Fully charged |
| Red and green alternative flashing | Error |

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 2.0A 10W
Output: 8 × (1.2V $\overline{\text{---}}$ 0.5A) AA/AAA

AVAILABLE COLORS



BC-1058






CHARGING TIMES

| Type of Battery | Charging Times (Appr.) |
|--------------------|------------------------|
| Ni-MH AA 2500 mAh | 6 h |
| Ni-MH AA 2000 mAh | 5 h |
| Ni-MH AA 1500 mAh | 3.5 h |
| Ni-MH AAA 1000 mAh | 2.5 h |
| Ni-MH AAA 800 mAh | 2 h |

Battery Chargers

BC-1043MC

Charges:

- 1-4 x  AAA
- 1-4 x  AA
- 1-4 x  C
- 1-4 x  D
- 1-2 x  9V

NI-MH



PACKAGING








| Blister | |
|---------------------------|------------------|
| Plug: | / |
| Weight(g) | 305 |
| Dimensions W x H x D (mm) | 95 x 54 x 243mm |
| Inner Carton | |
| Packs / Inner ctn | 18 |
| Net Weight(kg) | / |
| Gross Weight(kg) | / |
| Dimensions L x W x H (cm) | 43.5 x 29.5 x 19 |
| Outer Carton | |
| Packs / Carton | 36 |
| Net Weight(kg) | 11 |
| Gross Weight(kg) | 12.4 |
| Dimensions L x W x H (cm) | 45 x 31 x 40 |
| Volume(cbm) | 0.0558 |

MAIN FEATURES

- 6 Independent Charging Channels**
Charge 1-4pcs AA/AAA/C/D or 1-2pcs 9V Ni-MH batteries
- Smart-charge with precise micro-controlunit**
Provide precise, high efficient and reliable charging and maximize the life cycle of the batteries
- Battery Refresh Function**
Reduce the memory effect enabling full battery discharge for long life span
- 4 Levels Of Safety Protection**
-dV, 0dV Cut Off, reverse polarity protection, short circuit protection, Defective and Non-rechargeable Battery Detection
- Easy-to-monitor Charging Indicators**

| | |
|-----------|----------------------|
| Red LED | Charging in progress |
| Green LED | Fully charged |

SPECIFICATIONS

Input: 5V  1.0A 5W
 Output: 1 x (1.4V  1A) AA/AAA/C/D
 2 x (1.4V  0.6A) AA/AAA/C/D
 3 x (1.4V  0.4A) AA/AAA/C/D
 4 x (1.4V  0.3A) AA/AAA/C/D
 1 x (9V  0.07A) 9V block
 2 x (9V  0.04A) 9V block

AVAILABLE COLORS

 Black

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) | | | |
|--------------------|------------------------|--------|-------|------|
| | 1pcs | 2pcs | 3pcs | 4pcs |
| Ni-MH D 6000 mAh | 7 h | 12 h | 18 h | 22 h |
| Ni-MH C 3500 mAh | 4 h | 7 h | 11 h | 14 h |
| Ni-MH AA 2500 mAh | 3 h | 5 h | 8 h | 10 h |
| Ni-MH AA 2000 mAh | 2.5 h | 4 h | 6 h | 8 h |
| Ni-MH AA 1500 mAh | 2 h | 3 h | 4.5 h | 6 h |
| Ni-MH AAA 1000 mAh | 70min | 2 h | 3 h | 4 h |
| Ni-MH AAA 800 mAh | 60min | 100min | 2.5 h | 3 h |
| Ni-MH 9V 200 mAh | 3.5 h | 6 h | - | - |

BC-1046

Charges:

- 1-4 x  AA
- 1-4 x  AAA

NI-MH






PACKAGING

| Blister | |
|---------------------------|-------------------|
| Plug: | / |
| Weight(g) | 78g |
| Dimensions W x H x D (mm) | 100 x 68 x 27 mm |
| Inner Carton | |
| Packs / Inner ctn | 16 |
| Net Weight(kg) | / |
| Gross Weight(kg) | / |
| Dimensions L x W x H (cm) | 50.5 x 23.5 x 9.5 |
| Outer Carton | |
| Packs / Carton | 32 |
| Net Weight(kg) | 4 |
| Gross Weight(kg) | 4.7 |
| Dimensions L x W x H (cm) | 52 x 25 x 21.5 |
| Volume(cbm) | 0.0280 |

MAIN FEATURES

- Suitable for AA and AAA batteries**
Charges 1-4 pcs 1.2V AA and AAA size Ni-MH rechargeable batteries at the same time.
- Smart charging system**
Built-in MCU control protects battery life and use safety, with detailed charging information showing on LCD screen.
- Rechargeable convenience**
The on-the-go battery charger works anywhere with the USB-C port. Eliminates the need to bring additional accessories like an AC outlet adapter.
- 7 levels of safety protection**
dV Cut Off, reverse polarity protection, trickle charge protection, short circuit protection, over temperature protection, over current protection and timer control protection.

SPECIFICATIONS

Input: 5V  2.0A 10W
 Output: 1.4V  1.0A (Side Channels)
 1.4V  0.5A (Middle Channels)

AVAILABLE COLORS

 Black

CHARGING TIMES

| Type of Battery | Charging Times (Appr.) | |
|--------------------|------------------------|-----------------|
| | Side Channels | Middle Channels |
| Ni-MH AA 2500 mAh | 3 hrs | 6 hrs |
| Ni-MH AA 2000 mAh | 2.5 hrs | 5 hrs |
| Ni-MH AA 1500 mAh | 2 hrs | 3.5 hrs |
| Ni-MH AAA 1100 mAh | 80 min | 2.5 hrs |
| Ni-MH AAA 800 mAh | 60 min | 2 hrs |

Battery Chargers

LBC-305

Charges:

1-2 × 18650

Li-ion



USB-C Input



MAIN FEATURES

- 2 Independent Charging Channels
- Suitable for flat-top and high top 18650 Li-ion Batteries
- Reverse Polarity Protection
- Overcharge Protection
- Short-circuit Protection
- LED Charging Indicators

| | |
|-------|---------------|
| Red | Charging |
| Green | Fully charged |

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 1A

Output: 3.7V $\overline{\text{---}}$ 0.5A

Caution: Specialized charger for 18650 Lithium-ion batteries

AVAILABLE COLORS

 Black

PACKAGING

| Blister | |
|---------------------------|--------------------|
| Plug: | / |
| Weight(g) | 108 |
| Dimensions W x H x D (mm) | 95 x 176 x 64 |
| Inner Carton | |
| Packs / Inner ctn | 10 |
| Net Weight(kg) | 0.84 |
| Gross Weight(kg) | 1.2 |
| Dimensions L x W x H (cm) | 48.6 x 18.1 x 10.5 |
| Outer Carton | |
| Packs / Carton | 40 |
| Net Weight(kg) | 3.36 |
| Gross Weight(kg) | 4.78 |
| Dimensions L x W x H (cm) | 49.6 x 37.8 x 23 |
| Volume(cbm) | 0.0431 |

CHARGING TIMES

| Battery Type | Battery Capacity | Charging Times (Appr.) |
|-------------------|------------------|------------------------|
| 18650 Lithium-ion | 2600 mAh | 6.5 h |
| 18650 Lithium-ion | 2200 mAh | 5.5 h |
| 18650 Lithium-ion | 1800 mAh | 4.5 h |
| 18650 Lithium-ion | 1500 mAh | 4 h |

LBC-316

Charges:

1-2 × 3.7V

Li-ion



MAIN FEATURES

- 2 Independent Charge Channels
- Suitable for Charging 1-2 pcs Li-ion Batteries
- Abnormal Battery Detection
- Detect and activate deep discharged Batteries
- Multiple safety protections
- LED Charging Indicators

| | |
|--------------|---|
| Red | Charging |
| Green | Fully charged |
| Red Flashing | Defective ,non-chargeable batteries, reverses polarity, or short-circuit be detected. |

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 2A

Output: 2 x (3.7 V $\overline{\text{---}}$ 1A)

AVAILABLE COLOR

 Black

PACKAGING

| Blister | |
|---------------------------|-----------------|
| Plug: | / |
| Weight(g) | 112 |
| Dimensions W x H x D (mm) | 94 x 165x 32 |
| Inner Carton | |
| Packs / Inner ctn | 12 |
| Net Weight(kg) | 1.35 |
| Gross Weight(kg) | 1.6 |
| Dimensions L x W x H (cm) | 28x 20.5 x 10.5 |
| Outer Carton | |
| Packs / Carton | 48 |
| Net Weight(kg) | 5.4 |
| Gross Weight(kg) | 6.4 |
| Dimensions L x W x H (cm) | 43 x 28 x 15 |
| Volume(cbm) | 0.0309 |

CHARGING TIMES

| Battery Type | Battery Capacity | Charging Times (Appr.) |
|--------------|------------------|------------------------|
| Li-ion 26650 | 5000 mAh | 6 h |
| Li-ion 18650 | 2500 mAh | 3 h |
| Li-ion 18650 | 2000 mAh | 2.5 h |
| Li-ion 18650 | 1500 mAh | 2 h |
| Li-ion 17335 | 1000 mAh | 80 min |

Battery Chargers

LBC-321

Charges:
1-4 x
1.2V
3.2V
3.7V
3.85V

Ni-MH
Li-Fe
Li-ion



MAIN FEATURES

- 4 Independent Charging Channels
- Suitable for charging 1-4 pcs AA / AAA / Li-ion batteries
- Automatically identifies battery type
- Multiple safety protections
- Capable of activating 0 volt Batteries
- Four selectable charging currents
- Mobile power function
- LED Charging Indicators

| | |
|-----------|----------------------|
| Red LED | Charging in progress |
| Green LED | Fully charged |

SPECIFICATIONS

Input: USB-C 5V $\overline{\text{---}}$ 2A
Output:
Battery Voltage:
 1.2V, 3.2V, 3.7V, 3.85V
Charging Current:
 1 PCS: 2.0A(4th Slot Only)
 2 PCS: 1.0A / 0.7A / 0.5A
 3 PCS: 0.7A / 0.5A
 4 PCS: 0.5A
Mobile Power Function:
 Output: 5V $\overline{\text{---}}$ 1A (Request lithium battery at the 4th slot)

AVAILABLE COLOR

Black

PACKAGING

| Blister | |
|---------------------------|------------------|
| Plug: | / |
| Weight(g) | 155 |
| Dimensions W x H x D (mm) | 94 x 165 x 30 |
| Inner Carton | |
| Packs / Inner ctn | 12 |
| Net Weight(kg) | 1.9 |
| Gross Weight(kg) | 2.1 |
| Dimensions L x W x H (cm) | 28 x 20.5 x 10.5 |
| Outer Carton | |
| Packs / Carton | 48 |
| Net Weight(kg) | 7.5 |
| Gross Weight(kg) | 8.6 |
| Dimensions L x W x H (cm) | 44 x 30 x 26 |
| Volume(cbm) | 0.0343 |

CHARGING TIMES When charging Current is 500mA

| Battery Type | Battery Capacity | Charging Times (Appr.) |
|--------------|------------------|------------------------|
| 26650 Li-ion | 5000mAh | 12 h |
| 18650 Li-ion | 2500mAh | 6 h |
| 18650 Li-ion | 2000mAh | 5 h |
| 18500 Li-ion | 1500mAh | 3.5 h |
| 17335 Li-ion | 700mAh | 100 min |
| Ni-MHAA | 2000mAh | 5 h |
| Ni-MHAAA | 1000mAh | 2.5 h |

LBC-323

Charges:
1-2 x 9V

Ni-MH
Li-ion



MAIN FEATURES

- 2 Independent Charging Channels Charge 1-2pcs 9V Ni-MH/Li-ion batteries
- 5-Level Charging Protection
 - Safety timer control protection
 - Reverse polarity protection
 - Over-current protection
 - Short circuit protection
 - Defective and no-rechargeable battery detection
- LED Charging Indicators

| | |
|-----------|----------------------|
| Red LED | Charging in progress |
| Green LED | Fully charged |

SPECIFICATIONS

Input: 5V $\overline{\text{---}}$ 1A
Output: 9V Ni-MH: 1 x (9.5 V $\overline{\text{---}}$ 0.08 A)
 2 x (9.5 V $\overline{\text{---}}$ 0.04 A)
 9V Li-ion: 1 x (7.4V $\overline{\text{---}}$ 0.26 A)
 2 x (7.4V $\overline{\text{---}}$ 0.13 A)

AVAILABLE COLOR

Black White

PACKAGING

| Blister | |
|---------------------------|---|
| Plug: | / |
| Weight(g) | / |
| Dimensions W x H x D (mm) | / |
| Inner Carton | |
| Packs / Inner ctn | / |
| Net Weight(kg) | / |
| Gross Weight(kg) | / |
| Dimensions L x W x H (cm) | / |
| Outer Carton | |
| Packs / Carton | / |
| Net Weight(kg) | / |
| Gross Weight(kg) | / |
| Dimensions L x W x H (cm) | / |
| Volume(cbm) | / |

CHARGING TIMES

| Battery Type | Battery Capacity | Charging Times (Appr.) | |
|--------------|------------------|------------------------|---------|
| | | 1Cells | 2 Cells |
| Ni-MH 9V | 250 mAh | 4 h | 8 h |
| Ni-MH 9V | 200 mAh | 3 h | 6 h |
| Li-ion 9V | 600 mAh | 3 h | 6 h |

Battery Charging Table

Notes:

The following table is the cross reference of specific Camellion battery charger against the time it takes to recharge different batteries. To use this table, first locate the model of the Camellion charger you're using, then cross check with the battery's model to identify the charging time.

| Camellion Model | BC-0907N | BC-0905A | | BC-0905T | BC-1015 | BC-1010B | BC-1092S | BC-1092M | BC-1091 | BC-1009 | BC-1056T | BC-1057F | | BC-1057M | BC-1058 | BC-1043WC | | | | | BC-1046 | | | LBC-305 Li-Ion | LBC-316 Li-Ion | LBC-321 | | | | LBC-323 | | | | | | |
|------------------------|----------------|-----------|-----------|----------|---------|----------|----------|----------|---------|---------|----------|-----------|-----------|----------|---------|-----------|--------|------|------|-----------|-----------|------|------|----------------|----------------|---------|-------|------|------|---------|----|----|----|----|----|----|
| | DC In 12V 1.5A | 1-2 cells | 3-4 cells | | | | | | | | | 1-2 cells | 3-4 cells | | | 1pcs | 2pcs | 3pcs | 4pcs | CH1 & CH4 | CH2 & CH3 | 1pcs | 2pcs | | | 3pcs | 4pcs | 1pcs | 2pcs | | | | | | | |
| Rechargeable Batteries | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NH-D6000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7h | 12h | 18h | 22h | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | | | | |
| NH-C3500 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 4h | 7h | 11h | 14h | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | | | |
| NH-AA2700 | 90min | 3.5h | 7h | / | 7h | 16h | 11h | 7h | - | 22h | 11h | 2h | 4h | 7h | 7h | 3.5h | 5.5h | 8h | 11h | 3.5h | 6h | NA | NA | 100min | 3.5h | 4.5h | 7h | NA | NA | NA | NA | NA | NA | | | |
| NH-AA2500 | 80min | 3h | 6h | / | 6h | 15h | 10h | 6h | 12h | 20h | 10h | 2h | 4h | 6h | 6h | 3h | 5h | 8h | 10h | 3h | 6h | NA | NA | 90min | 3h | 4h | 6h | NA | NA | NA | NA | NA | NA | NA | | |
| NH-AA2300 | / | 3h | 5.5h | / | 5.5h | 14h | 9h | 5.5h | 11h | 18h | 9h | 2h | 3.5h | 5.5h | 5.5h | 3h | 4h | 7h | 9h | 2.5h | 5.5h | NA | NA | 80min | 3h | 4h | 5.5h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AA2200 | / | 2.5h | 5.5h | / | 5.5h | 13h | 8h | 5.5h | 11h | 18h | 9h | 100min | 3.5h | 5.5h | 5.5h | 2.5h | 4h | 7h | 9h | 2.5h | 5.5h | NA | NA | 80min | 2.5h | 4h | 5.5h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AA2100 | 70min | 2.5h | 5h | 10h | 5h | 13h | 8h | 5h | 10h | 17h | 8h | 100min | 3h | 5h | 5h | 2.5h | 4h | 6h | 8h | 2.5h | 5h | NA | NA | 70min | 2.5h | 3.5h | 5h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AA2000 | 60min | 2.5h | 5h | 9h | 5h | 12h | 8h | 5h | 10h | 16h | 8h | 90min | 3h | 5h | 5h | 2.5h | 4h | 6h | 8h | 2.5h | 5h | NA | NA | 70min | 2.5h | 3.5h | 5h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AA1800 | / | 2h | 4.5h | 8h | 4.5h | 11h | 7h | 4.5h | 9h | 14h | 7h | 80min | 2.5h | 4.5h | 4.5h | 2h | 3.5h | 5.5h | 7h | 2h | 4.5h | NA | NA | 60min | 2h | 3h | 4.5h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AA1500 | 50min | 2h | 3.5h | 7h | 3.5h | 9h | 6h | 3.5h | 7h | 12h | 6h | 70min | 2h | 3.5h | 3.5h | 2h | 3h | 4.5h | 6h | 2h | 3.5h | NA | NA | 50min | 2h | 2.5h | 3.5h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AAA1100 | 90min | 2h | 4.5h | / | 5.5h | 7h | 11h | 5.5h | 11h | 9h | 11h | 100min | 3.5h | 5.5h | 2.5h | 80min | 2h | 3.5h | 4.5h | 80min | 2.5h | NA | NA | 40min | 80min | 2h | 2.5h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AAA1000 | 80min | 2h | 4h | 10h | 5h | 6h | 10h | 5h | 10h | 8h | 10h | 90min | 3h | 5h | 2.5h | 70min | 2h | 3h | 4h | 70min | 2.5h | NA | NA | 40min | 70min | 100min | 2.5h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AAA900 | 80min | 2h | 3.5h | 9h | 4.5h | 5h | 9h | 4.5h | 9h | 7h | 9h | 80min | 2.5h | 4.5h | 2h | 60min | 2h | 2.5h | 3.5h | 60min | 2h | NA | NA | 30min | 60min | 90min | 2h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AAA800 | 70min | 2h | 3h | 8h | 4h | 5h | 8h | 4h | 8h | 6h | 8h | 70min | 2.5h | 4h | 2h | 60min | 100min | 2.5h | 3h | 60min | 2h | NA | NA | 30min | 60min | 80min | 2h | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-AAA600 | 60min | 80min | 2.5h | 6h | 3h | 4h | 6h | 3h | 6h | 5h | 6h | 50min | 2h | 3h | 90min | 40min | 70min | 2h | 2.5h | 40min | 90min | NA | NA | 20min | 40min | 60min | 90min | NA | NA | NA | NA | NA | NA | NA | NA | |
| NH-9V/250 | NA | NA | NA | NA | NA | NA | 10h | 10h | 12h | NA | NA | NA | NA | NA | NA | 4h | 7h | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 4h | 8h | NA | NA | |
| NH-9V/200 | NA | NA | NA | NA | NA | NA | 8h | 8h | 10h | NA | NA | NA | NA | NA | NA | 3.5h | 6h | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 3h | 6h | NA | NA | NA | |
| 26650 Li-Ion 5000mAh | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 18650 Li-Ion 2500mAh | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 18650 Li-Ion 2000mAh | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 18500 Li-Ion 1500mAh | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 17335 Li-Ion 700mAh | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |

Notes:

NA: Not Applicable.
 T/C: Charger has timer control. This is the cut off time, whether the battery is fully charged or not.
 All the data is based on Camellion latest lab tests. Charging times may vary based upon temperature, product age, voltage and other conditions.
 This data sheet is for customer reference purposes only and to help customers choose the appropriate product. Comments do not constitute a warranty.
 For information on specific Camellion products please visit our website at www.camellionbattery.com or contact us directly at info@camellionbattery.com.

Displays & Merchandiser

Displays, Merchandiser and Promotional Accessories




Promotional Accessory

Maximum Impact, Minimum Space, Optimal Sales


Impactful exposure for all your Camelion products.

For custom merchandising solutions please contact us at info@camelionbattery.com

| | | | | | | | | | | | | | |
|---|---|---|--|----------|----------|---------|---------|---------|---------|--------|---------|--------|---------|
|  | <p>MFD-01</p> <p>Metal Floor Display</p> <ul style="list-style-type: none"> • 36 hooks (18 cm each) that can hold 216-540 medium/large size packages • Add or remove metal racks depending on the products you wish to display • Made with steel and designed to be sturdy, ensuring a long-lasting lifespan • Easy assembly thanks to interlocking joints, no screws or hammers needed (instructions included) • 2 horizontal display areas for displaying large and/or heavy products • L x W x H: 60 x 35 x 170 cm |  | <p>WCD-06</p> <p>Metal Counter Display</p> <ul style="list-style-type: none"> • Durable furnace-tested metal finish • 20 Racks (L=15 cm) • Simple and lightweight design • L x W x H: 35 x 35 x 160 cm <p>Qty for Each Hook:</p> <table border="1"> <tr> <td>AAA Size</td> <td>10 packs</td> </tr> <tr> <td>AA Size</td> <td>7 packs</td> </tr> <tr> <td>9V Size</td> <td>6 packs</td> </tr> <tr> <td>C Size</td> <td>5 packs</td> </tr> <tr> <td>D Size</td> <td>4 packs</td> </tr> </table> | AAA Size | 10 packs | AA Size | 7 packs | 9V Size | 6 packs | C Size | 5 packs | D Size | 4 packs |
| AAA Size | 10 packs | | | | | | | | | | | | |
| AA Size | 7 packs | | | | | | | | | | | | |
| 9V Size | 6 packs | | | | | | | | | | | | |
| C Size | 5 packs | | | | | | | | | | | | |
| D Size | 4 packs | | | | | | | | | | | | |


| | | | | |
|--|--|--|--|---|
| <p>WCD-02</p>  | <p>WCD-03</p>  | <p>WCD-05</p>  | <p>Metal Counter Display</p> <p>WCD-02 L x W x H: 33 x 22 x 43 cm (6 hooks)</p> <p>WCD-03 L x W x H: 33 x 22 x 58 cm (9 hooks)</p> <p>WCD-05 L x W x H: 44 x 20 x 66 cm (12 hooks)</p> <ul style="list-style-type: none"> • Made with steel to be strong and long-lasting • Lightweight for easy portability • Available in black | <p>Metal Counter Display</p> <p>Qty for each hook</p> <p>AAA Size: 9 packs</p> <p>AA Size: 7 packs</p> <p>9V Size: 5 packs</p> <p>C Size: 4 packs</p> <p>D Size: 3 packs</p> <p>L x W x H: 20 x 30 x 65 cm</p> <ul style="list-style-type: none"> • Made with steel to be strong and long-lasting • Lightweight for easy portability • Available in black |
|--|--|--|--|---|

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|--------------|------------------------------------|--------------------|--------------|------------------------------------|----------------------|--------------|------------------------------------|----------------------|--------------|------------------------------------|----------------------|
| <p>HW-04</p>  | <p>HW-05</p>  | <p>HW-06</p>  | <p>HW-07</p>  | <table border="1"> <tr> <td>HW-04</td> <td>12 Clear Plastic Hook Racks</td> <td>L x H: 7.5 x 62 cm</td> </tr> <tr> <td>HW-05</td> <td>12 White Plastic Hook Racks</td> <td>L x H: 6.2 x 77.5 cm</td> </tr> <tr> <td>HW-06</td> <td>12 Black Plastic Hook Racks</td> <td>L x H: 8.4 x 11.3 cm</td> </tr> <tr> <td>HW-07</td> <td>12 Clear Plastic Hook Racks</td> <td>L x H: 8.4 x 11.3 cm</td> </tr> </table> | HW-04 | 12 Clear Plastic Hook Racks | L x H: 7.5 x 62 cm | HW-05 | 12 White Plastic Hook Racks | L x H: 6.2 x 77.5 cm | HW-06 | 12 Black Plastic Hook Racks | L x H: 8.4 x 11.3 cm | HW-07 | 12 Clear Plastic Hook Racks | L x H: 8.4 x 11.3 cm |
| HW-04 | 12 Clear Plastic Hook Racks | L x H: 7.5 x 62 cm | | | | | | | | | | | | | | |
| HW-05 | 12 White Plastic Hook Racks | L x H: 6.2 x 77.5 cm | | | | | | | | | | | | | | |
| HW-06 | 12 Black Plastic Hook Racks | L x H: 8.4 x 11.3 cm | | | | | | | | | | | | | | |
| HW-07 | 12 Clear Plastic Hook Racks | L x H: 8.4 x 11.3 cm | | | | | | | | | | | | | | |

| | | |
|---|--|---|
|  | <p>DR-25</p> <p>Aisle Display Box</p> <p>This new display rack is designed to make items easier to reach. Displaying all the different batteries in your sales mix has never been simpler. The display box is easy to transport and easy to set up in stores and supermarkets.</p> <ul style="list-style-type: none"> • Display informative images • Clear branding • Light, durable materials • Easy to place and retrieve items • Clear messages • L x W x H: 34.4 x 28.5 x 155.6 cm | <p>DR-06-SHD DR-06-A</p>  <p>Aisle Display Box</p> <p>Economical, corrugated cardboard retail display boxes are great for supermarkets, presentations and trade shows. This portable display is lightweight and easy to set up for maximum retail exposure.</p> <ul style="list-style-type: none"> • Freestanding cardboard display has 20 trays, each tray is 9.5cm wide x 11.8cm high x 13cm deep • L x W x H: 41.5 x 32.5 x 138.2 cm |
|---|--|---|

Displays, Merchandiser and Promotional Accessories

DR-16




Aisle Display Box

Economical, corrugated cardboard retail display for larger package types, great for supermarkets, presentations and trade shows.

- Freestanding cardboard display box has 9 trays
- L x W x H: 54.8 x 38.4 x 117 cm

DR-17



Aisle Display Box

Economical, corrugated cardboard retail display boxes are great for supermarkets, presentations, and trade shows. Designed to be lightweight, portable and easy to set up, making them the perfect solution for maximizing retail exposure.

- Freestanding cardboard display has 18 trays
- L x W x H: 34.5 x 42.4 x 143 cm

DR-13




Desktop Cardboard Display

This Desktop Cardboard Display is a great way to present products in stores, supermarkets, road shows and exhibitions. Easy to set up and transport, making it an ideal option when trying to maximize retail exposure.

- L x W x H: 30x20x50cm
- Display Options:
 - AA: 3 x 10 packs
 - AAA: 3 x 12 packs
 - C: 4 packs
 - D: 3 packs
 - 9V: 5 packs

DR-20



Button Cell Depot

Easily display Camelion Lithium CR series button cells, AG23, AG27, AA and AAA batteries all in a single desktop display.

| Model | Quantity |
|---------|----------|
| CR-BP1 | 24pk |
| A23-BP1 | 12pk |
| A27-BP1 | 12pk |

DR-21




Desktop Cardboard Display Stand

- Perfect on a shelf or at the checkout counter thanks to its compact size
- Mix and match hooks depending on the products you wish to display (hook length = 10 cm)
- L x W x H: 15 x 34.5 x 52.5 cm (stands at 75° angle)
- Elegant design: Economical and versatile
- Environmentally friendly and light: Made with paper materials

Five Options:



T228KC



Keychain Flashlight

It's not a battery, it's a Camelion keychain flashlight! A great, pocket-sized promotional item that can be taken anywhere and is also a fully functional flashlight.

PN-04R



Ball Pen

PN-04B



Ball Pen


T-06



Short-Sleeved Polo Shirt

Durable cotton, short-sleeved, polo-style shirt


T-10



Short-Sleeved Polo Shirt

Durable cotton, short-sleeved, polo-style shirt

C-03




Caps

Comfortable golf caps with one-size-fits-all design.

Displays, Merchandiser and Promotional Accessories

HB-04



Non-Woven Bag

- Material: Fiber
- L x W x H: 38 x 34 x 10 cm


HB-05



Plastic

- L x W x H: 30 x 38 x 6 cm

HB-09




Promotional Tote Bag

- Material: Fiber
- L x W x H: 38 x 34 x 12 cm

Battery Adapter

For Rechargeable & Non-Rechargeable Batteries



AA Battery + Adapter D or C Size

Warning:
When using two or more adapters together, avoid mixing new and used batteries, batteries with different charge levels or different brands. Don't mix adapters with actual D batteries in the device. Please insert the AA batteries into the adapter correctly. Remove battery after use, or when not in use. Store adapter separately from battery. Do not recharge battery while in the adapter.

Lithium Battery Case



Battery Case



Main Features

- Durable plastic case holds
- Keep your batteries together and safe.

